

Tools That  
**Work**



**2015 Catalog**

**felo**



# NEW! from Bondhus



## Color-coded Protective Finish



Durable color-coded finish for superior protection and easily identifiable tools.

p. 5

## Tamper Resistant L-Wrenches



Tools to fit all Hex and TORX® tamper resistant screws.

p. 16

## Loop T-Handles



New Hex End Loop T-Handles available in Inch and Metric with 3", 6", and 9" lengths. Coated handles available in 6" and 9" lengths for user comfort.

p. 35 & 36



## ClickSet™ Torque Limiting Device (TLD)



Factory preset torque limits and interchangeable blades make ClickSet™ TLD the economical solution to an expensive problem.

p. 46-47

1/4" Bit Holder now available.



An expanded range of power bits.

p. 53

## Hex End Power Bits



## ProHold® Hex End Power Bits

New ProHold® tipped hex bits hold fasteners securely to the tool head.

p. 53



## ProHold® TORX® Power Bits

New ProHold® TORX® Power Bits hold TORX® and Star fasteners securely to the tool head.

p. 53

## Lifetime Warranty

Bondhus manufactures the highest quality Hex and TORX® tools available, and every tool is backed by an unconditional lifetime warranty.

**"All Bondhus products are guaranteed for life. If you are not satisfied with a Bondhus tool - for any reason - simply return it. A replacement will be shipped right out at no cost - no hassles, no questions asked."**

A warranty is only as good as the company standing behind it. Bondhus has been the leading innovator in the Hex and TORX® tool industry for fifty years.



TORX® and TORX PLUS® are registered trademarks of Acument Intellectual Properties, LLC



## Bondhus Professional Quality Tools Provide Superior Value

Time is money, and the real cost of using an inferior tool is realized when something goes wrong. As anyone who works with mechanical devices knows, bad things occasionally happen. It is not a question of “if”, but rather “when”.

Stripped screw heads are one of those bad things that happen. A screw with a stripped head can no longer be removed with a hex tool. If it is in a difficult to reach location, where a clamping device cannot grip it, the task becomes particularly problematic.

The cost of a high quality hex tool is negligible compared to the cost of removing a broken or stripped screw. Will the removal take a few hours? An entire day? What is the real cost of an inexpensive, poorly performing hex tool?

Bondhus quality hex tools are made from Protanium® high torque steel and have sharper corners to generate maximum holding and turning forces within the screw to virtually eliminate stripped screw heads.

Professional hex tools deliver a level of performance not attainable by consumer grade tools. In addition, safety is a factor that can impact the “actual” cost of ownership. As a result, knowledgeable buyers and professionals alike recognize the serious dangers of inferior tools that shatter instead of breaking clean.

The purpose of a high quality tool is to provide a faster, easier, and less costly means of performing a task. Bondhus strives to provide not just “good” tools, but the strongest tools available anywhere. Customer satisfaction is what we strive for.

Want to see more?  
Scan the tag for  
Bondhus tool videos:



ColorGuard™ Finish L-Wrenches	5
	
L-Wrench Multi Packs	6-7
	
ProGuard™ L-Wrenches	8-16
	
Plated L-Wrenches	17-21
	
TORX® Tip L-Wrenches	22-24
	
Wing and Flag Tools	25
	
Fold Ups	26-29
	
T-Handles	30-37
	
Screwdrivers	38-44
	
Nut Drivers	45
	
ClickSet™ TLD	46-47
	
Socket Bits	48-51
	
Blades and Bits	52-54
	
Hextenders	54
	


# L-Wrenches



## Color Coded

- Inch
- Metric
- TORX®

- Available in a wide range of lengths and tip styles
- Chamfered tips for faster insertion and full tool engagement in the screw head
- Tools are made with custom heat treated Protanium® Steel for more torque and longer tool life
- Four finish options available



## High Torque Steel:

Up to 20% stronger, with more torque and twice the wear resistance of standard grades of steel.

## FINISH OPTIONS:



### Corrosion-resistant finish:

Environmentally safe, provides better tool grip, resists solvents and is 5 times more corrosion resistant than competitor finishes.



### Next generation chrome finish:

Traditional plated tool look with superior protection and durability.



### Real 14 karat gold finish:

Superior protection and durability over traditional chrome and the look and shine of real gold.




### Color-coded protective finish:

Durable color-coded finish for superior protection and easy tool identification.

## More than just another L-Wrench

Bondhus is committed to making the best tools on the market. Bondhus is constantly working to improve our tools. We are never satisfied with "good enough." We work hard to make sure your new Bondhus L-Wrench is always the best tool for the job.



**BONDHUS TIP:**  
Clean corners and smooth end

**COMPETITOR:**  
Burr and other imperfections

Bondhus chamfers every Hex and TORX® Tip tool we make. This process eliminates burrs and imperfections in the tool's tip that can prevent the tool from fitting properly or seating fully within the screw head.



Every Bondhus tool is designed and machined to achieve an optimal fit between tool and fastener. Tools insert quickly and easily into screw head and fit snug to generate greater torque and minimize slippage and stripping.



Bondhus custom heat-treating produces tools that are highly resistant to breakage and shattering.

TORX® and TORX PLUS® are trademarks of Acument Intellectual Properties, LLC

# Ball End L-Wrenches

## - ColorGuard™ Finish -

- Color-coded tools can be distinguished at a glance
- Superior rust protection finish
- Sizes are stamped on the tool
- Ball End inserts into screw at a 25° angle
- Extra long length available

ColorGuard™ finish. Color-coded for easy identification.



Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
<b>Inch</b>	69637	BLX13XLCG	13	Extra Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$35.76
<b>Metric</b>	69699	BLX9MXLCG	9	Extra Long	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	\$28.98
	69499	BLX9MCG	9	Long	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	\$25.72



- Assembled from our most popular sets
- Multiple sets per package
- Tip selections include Ball End, TORX®, Hex End, and ProHold® Tip Ball End

Inch  
Metric  
TORX®

## ProGuard™ Ball End



PART#	MODEL#	PCS	CONTENTS	QTY	LIST
20196	BLX21	21	10936 (.050-5/16") + 10999 (1.5-10mm)	1	\$29.03
20199	BLX22	22	10937 (.050-3/8") + 10999 (1.5-10mm)	1	\$32.91
20699	BLX22XL	22	16037 (.050-3/8") + 16099 (1.5-10mm)	1	\$40.00



20199

## ProGuard™ Ball End Stubby



PART#	MODEL#	PCS	CONTENTS	QTY	LIST
20599	SBLX22	22	16537 (.050-3/8") + 16599 (1.5-10mm)	1	\$40.57



20599

## ProGuard™ ProHold® Tip Ball End



PART#	MODEL#	PCS	CONTENTS	QTY	LIST
20499	PBLX22	22	74937 (.050-3/8") + 74999 (1.5-10mm)	1	\$50.77



20499

## ProGuard™ Hex End



PART#	MODEL#	PCS	CONTENTS	QTY	LIST
22199	HLX22	22	12137 (.050-3/8") + 12199 (1.5-10mm)	1	\$20.44



22199

## ProGuard™ Ball End and TORX® Tip




PART#	MODEL#	PCS	CONTENTS	QTY	LIST
14132	BLF30TS	30	10937 (.050-3/8") + 10999 (1.5-10mm) + 12632 (TORX® Fold Up T6-T25)	1	\$47.20
14138	BLF30T	30	10937 (.050-3/8") + 10999 (1.5-10mm) + 12634 (TORX® Fold Up T9-T40)	1	\$47.45
14126	BLF17S	17	10999 (1.5-10mm) + 12632 (TORX® Fold Up T6-T25)	1	\$28.77
14128	BLF17	17	10999 (1.5-10mm) + 12634 (TORX® Fold Up T9-T40)	1	\$29.08



14132

## ProGuard™ Ball End and Hex End GorillaGrip® Fold Ups



PART#	MODEL#	PCS	CONTENTS	QTY	LIST
14130	BLF34	34	10937 (.050-3/8") + 10999 (1.5-10mm) + 12550 (Hex Fold Up 5/64-5/32", 1.5-5mm)	1	\$43.11
14187	BLF16M	16	10999 (1.5-10mm) + 12587 (Hex Fold Up 2-8mm)	1	\$22.61
14189	BLF22	22	10937 (.050-3/8") + 12589 (Hex Fold Up 5/64-1/4")	1	\$25.25



14187

TORX® and TORX PLUS® are registered trademarks of Acument Intellectual Properties, LLC

- Assembled from our most popular sets
- Multiple sets per package
- Tip selections include Ball End, TORX®, Hex End, and ProHold® Tip Ball End



**BriteGuard™ Ball End and ProGuard™ GorillaGrip® Fold Ups**   

PART#	MODEL#	PCS	CONTENTS	QTY	LIST
14170	BLF16MB	16	16999 (1.5-10mm) + 12587 (Hex Fold Up 2-8mm)	1	\$25.72



14170

**ColorGuard™ Ball End**   

PART#	MODEL#	PCS	CONTENTS	QTY	LIST
69600	BLX22XLCG	22	69637 (.050-3/8") + 69699 (1.5-10mm)	1	\$61.48



69600

**BriteGuard™ Ball End**  

PART#	MODEL#	PCS	CONTENTS	QTY	LIST
26999	BLX22B	22	16937 (.050-3/8") + 16999 (1.5-10mm)	1	\$42.12



26999

**BriteGuard™ and GoldGuard™ Ball End**   

PART#	MODEL#	PCS	CONTENTS	QTY	LIST
20399	BLX22GB	22	26937 (.050-3/8") + 38099 (1.5-10mm)	1	\$46.63



20399

**GoldGuard™ Ball End**  

PART#	MODEL#	PCS	CONTENTS	QTY	LIST
20899	BLX22G	22	37937 (.050-3/8") + 38099 (1.5-10mm)	1	\$44.92



20899


# Ball End L-Wrenches

## - ProGuard™ Finish -

- Ball End inserts into a screw at a 25° angle
- Ball End saves time by quickly funneling tool into screw
- 25° angle allows natural hand and wrist movement
- Superior Ball End strength and working angle
- Works in hard to reach places



Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
<b>Inch</b>	10945	BLX7	7	Long	5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"	1	\$8.18
	10932	BLX8	8	Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"	1	\$8.69
	10938	BLX10	10	Long	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	\$12.06
	10936	BLX12	12	Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16"	1	\$15.06
	10937	BLX13	13	Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$19.30
	10935	BLX15	15	Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 7/16, 1/2" (in vinyl roll up pouch)	1	\$47.30
	10933	MBLX13	13	Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8" (in metal box)	1	\$44.04
	16037	BLX13XL	13	Extra Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$23.29



Singles	SIZE	INCH	MM	INCH	MM	SINGLE PACKAGING								
						PACKAGED	QTY	LIST EA	BULK	QTY	LIST EA	TAGGED/BARCODED	QTY	LIST EA
<b>LONG Inch</b>	.050	2.8	72	0.53	13	10902	10	\$1.00	12902	100	\$0.73	15702	10	\$1.09
	1/16	3.0	76	0.56	14	10903	10	\$1.00	12903	100	\$0.73	15703	10	\$1.09
	5/64	3.2	81	0.61	15	10904	10	\$1.00	12904	100	\$0.73	15704	10	\$1.09
	3/32	3.4	86	0.65	16	10905	10	\$1.05	12905	100	\$0.82	15705	10	\$1.13
	7/64	3.6	90	0.70	18	10906	10	\$1.17	12906	100	\$0.93	15706	10	\$1.27
	1/8	3.8	95	0.75	19	10907	10	\$1.22	12907	100	\$0.96	15707	10	\$1.31
	9/64	4.0	101	0.80	20	10908	10	\$1.22	12908	100	\$0.96	15708	10	\$1.31
	5/32	4.2	107	0.84	21	10909	10	\$1.27	12909	100	\$1.02	15709	10	\$1.38
	3/16	4.5	114	0.94	24	10910	10	\$1.48	12910	100	\$1.16	15710	10	\$1.59
	7/32	4.9	124	1.03	26	10911	5	\$1.78	12911	50	\$1.54	15711	5	\$1.91
	1/4	5.6	141	1.13	29	10912	5	\$2.05	12912	50	\$1.82	15712	5	\$2.21
	5/16	6.0	152	1.25	32	10913	5	\$3.23	12913	50	\$2.83	15713	5	\$3.51
	3/8	6.8	171	1.38	35	10914	5	\$4.54	12914	50	\$4.14	15714	5	\$4.91
	7/16	7.5	191	1.50	38	10915	1	\$9.41	12915	25	\$8.76	15715	1	\$10.14
	1/2	8.3	210	1.63	41	10916	1	\$12.06	12916	25	\$11.21	15716	1	\$12.98
	9/16	9.0	229	1.75	44	10917	1	\$14.75	12917	10	\$14.00	15717	1	\$15.88
	5/8	9.8	248	1.88	48	10918	1	\$16.48	12918	10	\$15.65	15718	1	\$17.75
	3/4	11.3	286	2.13	54	10919	1	\$27.25	12919	5	\$26.18	15719	1	\$29.34
	7/8	12.8	325	2.37	60	10920	1	\$61.54	-	-	-	-	-	-
1	14.2	362	2.62	67	10921	1	\$82.10	-	-	-	-	-	-	

Singles	SIZE	INCH	MM	INCH	MM	SINGLE PACKAGING		
						PACKAGED	QTY	LIST EA
<b>EXTRA LONG Inch</b>	.050	3.1	77	0.53	13	16002	10	\$1.14
	1/16	3.3	85	0.56	14	16003	10	\$1.14
	5/64	3.6	92	0.61	15	16004	10	\$1.14
	3/32	3.9	99	0.65	16	16005	10	\$1.19
	7/64	4.1	105	0.70	18	16006	10	\$1.24
	1/8	4.5	114	0.75	19	16007	10	\$1.35
	9/64	4.8	122	0.80	20	16008	10	\$1.40
	5/32	5.1	131	0.84	21	16009	10	\$1.45
	3/16	5.2	132	0.94	24	16010	10	\$1.66
	7/32	5.6	143	1.03	26	16011	5	\$1.97
1/4	6.5	164	1.13	29	16012	5	\$2.48	
5/16	7.1	180	1.25	32	16013	5	\$3.88	
3/8	7.8	199	1.38	35	16014	5	\$5.69	

**Did you know...?**

Bondhus Ball End tips are designed to be the perfect balance between angle and strength. Ball End strength is maximized, while still providing a consistent full 25° working angle.

# Ball End L-Wrenches

## - ProGuard™ Finish -


- Ball End inserts into a screw at a 25° angle
- Ball End saves time by quickly funneling tool into screw
- 25° angle allows natural hand and wrist movement
- Superior Ball End strength and working angle
- Works in hard to reach places



Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
<b>Metric</b>	10946	BLX6M	6	Long	1.5, 2, 2.5, 3, 4, 5mm	1	\$7.14
	10992	BLX7M	7	Long	1.5, 2, 2.5, 3, 4, 5, 6mm	1	\$9.52
	10999	BLX9M	9	Long	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	\$15.68
	10995	BLX15M	15	Long	1.27, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10mm	1	\$26.34
	10989	MBLX13	13	Long	1.27, 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10, 12, 14, 17mm (in metal box)	1	\$84.51
	16099	BLX9MXL	9	Extra Long	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	\$18.84



Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA	PART#	QTY	LIST EA	PART#	QTY	LIST EA
<b>LONG Metric</b>	1.27	2.8	72	0.53	13	10949	10	\$1.00	12949	100	\$0.73	15749	10	\$1.09
	1.5	3.0	77	0.53	14	10950	10	\$1.00	12950	100	\$0.73	15750	10	\$1.09
	2.0	3.2	82	0.61	16	10952	10	\$1.00	12952	100	\$0.73	15752	10	\$1.09
	2.5	3.5	88	0.69	17	10954	10	\$1.08	12954	100	\$0.82	15754	10	\$1.15
	3.0	3.9	98	0.75	19	10956	10	\$1.19	12956	100	\$0.96	15756	10	\$1.29
	3.5	3.9	100	0.85	21	10958	1	\$1.25	12958	100	\$1.02	15758	1	\$1.35
	4.0	4.3	110	0.87	22	10960	10	\$1.27	12960	100	\$1.02	15760	10	\$1.38
	4.5	4.5	114	1.00	25	10962	1	\$1.46	12962	100	\$1.27	15762	1	\$1.58
	5.0	4.7	119	1.06	27	10964	5	\$1.62	12964	100	\$1.27	15764	5	\$1.74
	5.5	4.9	124	1.14	29	10966	1	\$1.88	12966	50	\$1.60	15766	1	\$2.03
	6	5.5	139	1.22	31	10968	5	\$2.17	12968	50	\$1.95	15768	5	\$2.33
	7	5.5	140	1.30	33	10970	1	\$2.93	12970	50	\$2.67	15770	1	\$3.16
	8	6.0	152	1.38	35	10972	5	\$3.46	12972	50	\$3.04	15772	5	\$3.74
	9	6.2	159	1.46	37	10974	1	\$4.15	12974	50	\$3.74	15774	1	\$4.48
	10	6.7	171	1.54	39	10976	5	\$5.06	12976	50	\$4.63	15776	5	\$5.45
	11	7.9	200	1.63	42	10978	1	\$9.33	12978	25	\$8.65	15778	1	\$10.04
	12	8.7	220	1.73	44	10980	1	\$11.19	12980	25	\$10.39	15780	1	\$12.05
	13	9.4	240	1.88	48	10982	1	\$13.98	12982	10	\$13.29	15782	1	\$15.07
	14	10.2	260	2.15	55	10984	1	\$13.98	12984	10	\$13.29	15784	1	\$15.07
	17	11.0	280	2.42	61	10986	1	\$22.18	12986	10	\$21.06	15786	1	\$23.87
	19	11.6	295	2.70	69	10988	1	\$26.30	12988	5	\$25.25	15788	1	\$28.33
	22	13.0	330	3.07	78	10991	1	\$64.79	-	-	-	-	-	-
	24	14.5	370	3.47	88	10993	1	\$82.10	-	-	-	-	-	-



Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA
<b>EXTRA LONG Metric</b>	1.5	3.5	90	0.53	14	16050	10	\$1.14
	2.0	3.9	100	0.61	16	16052	10	\$1.14
	2.5	4.4	112	0.69	17	16054	10	\$1.24
	3.0	5.0	126	0.75	19	16056	10	\$1.35
	4.0	5.6	142	0.87	22	16060	10	\$1.50
	5.0	6.3	160	1.06	27	16064	5	\$1.86
	6	6.8	172	1.22	31	16068	5	\$2.54
	8	7.7	195	1.38	35	16072	5	\$4.04
	10	8.4	213	1.54	39	16076	5	\$5.85

**Did you know...?**

Bondhus' extremely precise manufacturing methods create Ball End tools that work very well, even in sizes as small as .050", 1.27mm, and T6 (BallStar™ Tip).

# ProHold® Tip Ball End L-Wrenches

## - ProGuard™ Finish -


- Holds screw tight on the tool EVERY TIME
- Button is non-magnetic
- Super smooth rotational action, with no interference from the ProHold® button
- Tool strength is not compromised by the ProHold® button

ProGuard™ finish delivers superior corrosion protection



Yellow=Inch

Red=Metric



ProHold® Tip holds screws securely



Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
<b>Inch</b>	74938	PBLX10	10	Long	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	\$18.62
	74937	PBLX13	13	Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$29.81
<b>Metric</b>	74992	PBLX7M	7	Long	1.5, 2, 2.5, 3, 4, 5, 6mm	1	\$14.75
	74999	PBLX9M	9	Long	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	\$24.17



74999



Singles	SIZE	INCH		MM		PART#	QTY	LIST EA	PART#	QTY	LIST EA
		INCH	MM	INCH	MM						
<b>LONG Inch</b>	.050	2.8	72	0.53	13	75902	25	\$1.31	75702	5	\$1.61
	1/16	3.0	76	0.56	14	75903	25	\$1.31	75703	5	\$1.61
	5/64	3.2	81	0.61	15	75904	25	\$1.31	75704	5	\$1.61
	3/32	3.4	86	0.65	16	75905	25	\$1.43	75705	5	\$1.68
	7/64	3.6	90	0.70	18	75906	25	\$1.64	75706	5	\$1.90
	1/8	3.8	95	0.75	19	75907	25	\$1.69	75707	5	\$1.99
	9/64	4.0	101	0.80	20	75908	25	\$1.69	75708	5	\$1.99
	5/32	4.2	107	0.84	21	75909	25	\$1.76	75709	5	\$2.06
	3/16	4.5	114	0.94	24	75910	25	\$2.02	75710	5	\$2.40
	7/32	4.9	124	1.03	26	75911	10	\$2.58	75711	2	\$2.88
	1/4	5.6	141	1.13	29	75912	10	\$2.83	75712	2	\$3.15
	5/16	6.0	152	1.25	32	75913	10	\$3.82	75713	2	\$4.35
	3/8	6.8	171	1.38	35	75914	10	\$5.07	75714	2	\$5.68
	<b>LONG Metric</b>	1.27	2.8	72	0.53	13	75949	25	\$1.31	75749	5
1.5		3.0	77	0.53	14	75950	25	\$1.31	75750	5	\$1.61
2.0		3.2	82	0.61	16	75952	25	\$1.31	75752	5	\$1.61
2.5		3.5	88	0.69	17	75954	25	\$1.46	75754	5	\$1.72
3.0		3.9	98	0.75	19	75956	25	\$1.67	75756	5	\$1.95
4.0		4.3	110	0.87	22	75960	25	\$1.76	75760	5	\$2.06
5.0		4.7	119	1.06	27	75964	25	\$2.23	75764	2	\$2.63
6		5.5	139	1.22	31	75968	10	\$2.95	75768	2	\$3.26
8		6.0	152	1.38	35	75972	10	\$4.02	75772	2	\$4.57
10		6.7	171	1.54	39	75976	10	\$5.55	75776	2	\$6.19

**Did you know...?**  
ProHold® buttons are non-magnetic and work on all fasteners. They are safe to use on sensitive equipment. They will not rust and will hold non-magnetic screws (aluminum, stainless and plastic).



ProHold® button holds screw tight on the tool EVERY TIME



ProHold® buttons are non-magnetic and safe for use in electronic applications

# Stubby Ball End L-Wrenches

## - ProGuard™ Finish -

- Fits into tight spaces standard hex keys cannot
- Eliminates the need to trim and file the short arm
- Tighter inside radius means full smooth entry into screw head
- Chamfered short arm eliminates burrs
- Ball End inserts into a screw at a 25° angle


ProGuard™ finish delivers superior corrosion protection



Yellow=Inch  
Red=Metric



Ball End Tips





Stubby fits where others cannot

Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
<b>Inch</b>	16538	SBLX10	10	Long	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	\$14.80
	16537	SBLX13	13	Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$23.70
<b>Metric</b>	16592	SBLX7M	7	Long	1.5, 2, 2.5, 3, 4, 5, 6mm	1	\$11.70
	16599	SBLX9M	9	Long	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	\$19.25



Singles	SIZE	INCH		MM		PART# QTY LIST EA			PART# QTY LIST EA		
		INCH	MM	INCH	MM	26502	50	\$1.16	16502	5	\$1.28
<b>LONG Inch</b>	.050	2.8	72	0.14	4	26502	50	\$1.16	16502	5	\$1.28
	1/16	3.0	76	0.16	4	26503	50	\$1.16	16503	5	\$1.28
	5/64	3.2	81	0.27	7	26504	50	\$1.16	16504	5	\$1.28
	3/32	3.4	86	0.29	7	26505	50	\$1.21	16505	5	\$1.35
	7/64	3.6	90	0.30	8	26506	50	\$1.38	16506	5	\$1.52
	1/8	3.8	95	0.32	8	26507	50	\$1.43	16507	5	\$1.58
	9/64	4.0	101	0.33	8	26508	50	\$1.43	16508	5	\$1.58
	5/32	4.2	107	0.35	9	26509	50	\$1.48	16509	5	\$1.64
	3/16	4.5	114	0.39	10	26510	50	\$1.68	16510	5	\$1.87
	7/32	4.9	124	0.46	12	26511	25	\$2.06	16511	2	\$2.28
1/4	5.3	133	0.46	12	26512	25	\$2.37	16512	2	\$2.64	
5/16	6.0	152	0.57	14	26513	25	\$3.67	16513	2	\$4.10	
3/8	6.8	171	0.71	18	26514	25	\$5.15	16514	2	\$5.73	
<b>LONG Metric</b>	1.27	2.8	72	0.14	4	26549	50	\$1.16	16549	5	\$1.28
	1.5	3.0	77	0.19	5	26550	50	\$1.16	16550	5	\$1.28
	2.0	3.2	82	0.27	7	26552	50	\$1.16	16552	5	\$1.28
	2.5	3.5	88	0.28	7	26554	50	\$1.21	16554	5	\$1.35
	3.0	3.9	98	0.32	8	26556	50	\$1.43	16556	5	\$1.58
	4.0	4.3	110	0.35	9	26560	50	\$1.48	16560	5	\$1.64
	5.0	4.7	119	0.40	10	26564	25	\$1.89	16564	2	\$2.10
	6	5.5	139	0.47	12	26568	25	\$2.47	16568	2	\$2.74
	8	6.0	152	0.57	14	26572	25	\$4.01	16572	2	\$4.44
	10	6.7	171	0.78	20	26576	25	\$5.90	16576	2	\$6.55



Stubby tools fit in tight spaces where there is not enough overhead clearance for a standard hex key

# Hex End L-Wrenches

## - ProGuard™ Finish -


- Chamfered tool tips eliminate burrs and help tools seat in screw head
- Sharp corners transfer more torque to the screw and reduce stripping
- Precision machined for ease of use and superior fit

ProGuard™ finish delivers superior corrosion protection



Yellow=Inch

Red=Metric



Hex End Tips

Long

Short

Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
Inch	12145	HLX7	7	Long	5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"	1	\$4.40
	12132	HLX8	8	Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"	1	\$5.02
	12138	HLX10	10	Long	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	\$6.11
	12136	HLX12	12	Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16"	1	\$8.80
	12137	HLX13	13	Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$11.07
	12245	HLX7S	7	Short	5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"	1	\$4.04
	12232	HLX8S	8	Short	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"	1	\$4.40
	12238	HLX10S	10	Short	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	\$5.54
	12236	HLX12S	12	Short	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16"	1	\$6.31
	12237	HLX13S	13	Short	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$7.61

### In Metal Box

Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
Inch	12344	MHLX15S	15	Short	.028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$31.98
	12339	MHLX18S	18	Short	.028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 1/2, 9/16, 5/8"	1	\$44.66



12344

### In Plastic Box

Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
Inch	12342	MHLX13	13	Long	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 1/2"	1	\$19.30



12342

### In Pouch

Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
Inch	12335	PHLX9	9	Long	5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$8.23
	12333	PHLX11	11	Long	.050, 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$9.26
	12351	PHLX15	15	Long	5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 1/2, 9/16, 5/8, 3/4"	1	\$54.49
	12345	PHLX7S	7	Short	5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4"	1	\$4.92
	12338	PHLX10S	10	Short	.035, .050, 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4 "	1	\$5.95
	12341	PHLX11SS	11	Short	.050, 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$6.68
	12343	PHLX11S	11	Short	5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 1/2, 9/16"	1	\$16.51
	12347	PHLX15S	15	Short	.028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$7.97
	22789	PHLX9-6	9	6" Long Arm	5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$16.25
	25445	PHLX7-12	7	12" Long Arm	5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4"	1	\$22.51



12347

SINGLE PACKAGING



PACKAGED

SINGLE PACKAGING



PACKAGED

Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA
6" LONG ARM Inch	5/64	5.9	150	0.61	15	22704	5	\$0.96
	3/32	5.9	150	0.65	16	22705	5	\$0.96
	7/64	5.9	150	0.70	18	22706	5	\$0.96
	1/8	5.9	149	0.75	19	22707	5	\$0.98
	9/64	5.9	149	0.80	20	22708	5	\$1.04
	5/32	5.8	148	0.84	21	22709	5	\$1.04
	3/16	5.8	148	0.94	24	22710	5	\$1.13
	7/32	5.8	147	1.03	26	22711	5	\$1.18
	1/4	5.8	146	1.13	29	22712	5	\$1.28
	5/16	5.7	144	1.25	32	22713	5	\$1.73
	3/8	5.6	143	1.38	35	22714	5	\$2.55

Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA
12" LONG ARM Inch	5/64	11.9	303	0.61	15	25404	5	\$2.92
	3/32	11.9	302	0.65	16	25405	5	\$3.03
	7/64	11.9	302	0.70	18	25406	5	\$3.08
	1/8	11.9	302	0.75	19	25407	5	\$3.08
	9/64	11.9	301	0.80	20	25408	5	\$3.14
	5/32	11.8	301	0.84	21	25409	5	\$3.14
	3/16	11.8	300	0.94	24	25410	5	\$3.35
	7/32	11.8	299	1.03	26	25411	5	\$3.41
	1/4	11.8	298	1.13	29	25412	5	\$3.73

For more individual sizes available packaged, in bulk, or singles see page 13

# Hex End L-Wrench Singles

## - ProGuard™ Finish -

ProGuard™ finish delivers superior corrosion protection



L-Wrenches

- Chamfered tool tips eliminate burrs and help tools seat in screw head
- Sharp corners transfer more torque to the screw and reduce stripping
- Precision machined for ease of use and superior fit



Hex End Tips



Singles	SIZE	INCH	MM	INCH	MM	SINGLE PACKAGING			TAGGED/BARCODED					
						PACKAGED	BULK		PART#	QTY	LIST EA	PART#	QTY	LIST EA
<b>LONG Inch</b>	.028	2.6	66	0.22	6	12100	10	\$0.52	13900	100	\$0.32	15900	10	\$0.65
	.035	2.7	68	0.34	9	12101	10	\$0.52	13901	100	\$0.32	15901	10	\$0.65
	.050	2.8	72	0.53	13	12102	10	\$0.31	13902	100	\$0.17	15902	10	\$0.37
	1/16	3.0	76	0.56	14	12103	10	\$0.35	13903	100	\$0.19	15903	10	\$0.40
	5/64	3.2	81	0.61	15	12104	10	\$0.35	13904	100	\$0.19	15904	10	\$0.40
	3/32	3.4	86	0.65	16	12105	10	\$0.35	13905	100	\$0.19	15905	10	\$0.40
	7/64	3.6	90	0.70	18	12106	10	\$0.41	13906	100	\$0.27	15906	10	\$0.48
	1/8	3.8	95	0.75	19	12107	10	\$0.43	13907	100	\$0.28	15907	10	\$0.50
	9/64	4.0	101	0.80	20	12108	10	\$0.43	13908	100	\$0.28	15908	10	\$0.50
	5/32	4.2	107	0.84	21	12109	10	\$0.48	13909	100	\$0.32	15909	10	\$0.57
	3/16	4.5	114	0.94	24	12110	10	\$0.52	13910	100	\$0.38	15910	10	\$0.65
	7/32	4.9	124	1.03	26	12111	5	\$0.77	13911	50	\$0.60	15911	5	\$0.92
	1/4	5.3	133	1.13	29	12112	5	\$1.06	13912	50	\$0.83	15912	5	\$1.22
	5/16	6.0	152	1.25	32	12113	5	\$1.59	13913	50	\$1.32	15913	5	\$1.89
	3/8	6.8	171	1.38	35	12114	5	\$2.09	13914	50	\$1.97	15914	5	\$2.73
	7/16	7.5	191	1.50	38	12115	1	\$4.83	13915	25	\$4.26	15915	1	\$5.76
	1/2	8.3	210	1.63	41	12116	1	\$5.48	13916	25	\$4.80	15916	1	\$6.52
	9/16	9.0	229	1.75	44	12117	1	\$7.16	13917	10	\$6.21	15917	1	\$8.52
	5/8	9.8	248	1.88	48	12118	1	\$11.26	13918	10	\$10.14	15918	1	\$13.39
	3/4	11.3	286	2.13	54	12119	1	\$16.36	13919	5	\$14.90	15919	1	\$19.49
	7/8	12.7	322	2.37	60	12120	1	\$27.71	-	-	-	-	-	-
	1	14.1	359	2.62	67	12121	1	\$37.95	-	-	-	-	-	-
	1 1/4	17.0	432	3.00	76	12125	1	\$150.89	-	-	-	-	-	-
	1 1/2	20.3	514	3.50	89	12129	1	\$240.97	-	-	-	-	-	-



Singles	SIZE	INCH	MM	INCH	MM	SINGLE PACKAGING			TAGGED/BARCODED					
						PACKAGED	BULK		PART#	QTY	LIST EA	PART#	QTY	LIST EA
<b>SHORT Inch</b>	.028	1.2	31	0.22	6	12200	10	\$0.37	13800	100	\$0.23	15800	10	\$0.43
	.035	1.2	31	0.34	9	12201	10	\$0.37	13801	100	\$0.23	15801	10	\$0.43
	.050	1.6	42	0.53	13	12202	10	\$0.27	13802	100	\$0.13	15802	10	\$0.31
	1/16	1.8	45	0.56	14	12203	10	\$0.27	13803	100	\$0.13	15803	10	\$0.31
	5/64	1.9	48	0.61	15	12204	10	\$0.29	13804	100	\$0.16	15804	10	\$0.35
	3/32	2.0	51	0.65	16	12205	10	\$0.29	13805	100	\$0.16	15805	10	\$0.35
	7/64	2.1	54	0.70	18	12206	10	\$0.31	13806	100	\$0.17	15806	10	\$0.37
	1/8	2.3	58	0.75	19	12207	10	\$0.31	13807	100	\$0.17	15807	10	\$0.37
	9/64	2.4	61	0.80	20	12208	10	\$0.34	13808	100	\$0.19	15808	10	\$0.40
	5/32	2.5	64	0.84	21	12209	10	\$0.34	13809	100	\$0.19	15809	10	\$0.40
	3/16	2.8	70	0.94	24	12210	10	\$0.41	13810	100	\$0.27	15810	10	\$0.48
	7/32	3.0	77	1.03	26	12211	5	\$0.54	13811	50	\$0.39	15811	5	\$0.67
	1/4	3.3	83	1.13	29	12212	5	\$0.66	13812	50	\$0.48	15812	5	\$0.77
	5/16	3.8	96	1.25	32	12213	5	\$0.98	13813	50	\$0.79	15813	5	\$1.18
	3/8	4.3	108	1.38	35	12214	5	\$1.45	13814	50	\$1.19	15814	5	\$1.72
	7/16	4.8	121	1.50	38	12215	1	\$3.39	13815	50	\$2.78	15815	1	\$4.04
	1/2	5.3	133	1.63	41	12216	1	\$4.01	13816	50	\$3.27	15816	1	\$4.76
	9/16	5.8	146	1.75	44	12217	1	\$5.50	13817	25	\$4.62	15817	1	\$6.53
	5/8	6.3	159	1.88	48	12218	1	\$7.13	13818	20	\$6.07	15818	1	\$8.49
	3/4	7.3	184	2.13	54	12219	1	\$11.34	13819	15	\$9.76	15819	1	\$13.52
	7/8	8.2	207	2.37	60	12220	1	\$18.07	-	-	-	-	-	-
	1	9.2	232	2.62	67	12221	1	\$26.50	-	-	-	-	-	-
	1 1/4	11.0	279	3.00	76	12225	1	\$75.92	-	-	-	-	-	-
	1 1/2	13.0	330	3.50	89	12229	1	\$94.86	-	-	-	-	-	-
1 3/4	13.3	337	4.00	102	12231	1	\$181.28	-	-	-	-	-	-	
2	15.0	381	4.50	114	12233	1	\$243.38	-	-	-	-	-	-	

For sets and 6" and 12" Long Arm singles see page 12

# Hex End L-Wrenches

## - ProGuard™ Finish -

- Chamfered tool tips eliminate burrs and help tools seat in screw head
- Sharp corners transfer more torque to the screw and reduce stripping
- Precision machined for ease of use and superior fit



Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
<b>Metric</b>	12146	HLX6M	6	Long	1.5, 2, 2.5, 3, 4, 5mm	1	\$5.28
	12192	HLX7M	7	Long	1.5, 2, 2.5, 3, 4, 5, 6mm	1	\$6.62
	12199	HLX9M	9	Long	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	\$10.51
	12195	HLX15M	15	Long	1.27, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10mm	1	\$17.70
	12246	HLX6MS	6	Short	1.5, 2, 2.5, 3, 4, 5mm	1	\$4.66
	12292	HLX7MS	7	Short	1.5, 2, 2.5, 3, 4, 5, 6mm	1	\$5.49
	12299	HLX9MS	9	Short	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	\$8.38

### In Metal Box

Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
<b>Metric</b>	12396	MHLX10M	10	Long	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10, 12mm	1	\$34.57
	12393	MHLX12MS	12	Short	.71, .89, 1.27, 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	\$26.55
	12394	MHLX15MS	15	Short	.71, .89, 1.27, 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10, 12, 14, 17mm	1	\$44.61



12394

### In Pouch

Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
<b>Metric</b>	12349	PHLX15M	15	Long	.89, 1.27, 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10, 12, 14, 17, 19mm	1	\$63.24
	12392	PHLX7MS	7	Short	2, 2.5, 3, 4, 5, 6, 8mm	1	\$5.59
	12399	PHLX9MS	9	Short	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	\$8.44
	12391	PHLX11MS	11	Short	2, 2.5, 3, 4, 5, 6, 7, 8, 9, 10, 12mm	1	\$18.79
	12397	PHLX14MS	14	Short	2, 2.5, 3, 4, 5, 6, 7, 8, 9, 10, 12, 14, 17, 19mm	1	\$37.88



12397

### Did you know...?

Bondhus tools are harder and more ductile than competitors' tools. They wear longer, generate greater torque and resist breakage and shattering.

For individual sizes available packaged, in bulk, or singles see page 15

# Hex End L-Wrench Singles

## - ProGuard™ Finish -

ProGuard™ finish delivers superior corrosion protection



L-Wrenches

- Chamfered tool tips eliminate burrs and help tools seat in screw head
- Sharp corners transfer more torque to the screw and reduce stripping
- Precision machined for ease of use and superior fit



SINGLE PACKAGING  
PACKAGED

BULK



TAGGED/BARCODED

Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA	PART#	QTY	LIST EA	PART#	QTY	LIST EA
<b>LONG Metric</b>	0.71	2.6	66	0.22	6	12147	10	\$0.52	13947	100	\$0.32	15947	10	\$0.65
	0.89	2.7	68	0.34	9	12148	10	\$0.52	13948	100	\$0.32	15948	10	\$0.65
	1.27	2.8	72	0.53	13	12149	10	\$0.31	13949	100	\$0.17	15949	10	\$0.37
	1.5	3.0	77	0.53	14	12150	10	\$0.35	13950	100	\$0.19	15950	10	\$0.40
	2.0	3.2	82	0.61	16	12152	10	\$0.35	13952	100	\$0.19	15952	10	\$0.40
	2.5	3.5	88	0.69	17	12154	10	\$0.41	13954	100	\$0.27	15954	10	\$0.48
	3.0	3.9	98	0.75	19	12156	10	\$0.41	13956	100	\$0.27	15956	10	\$0.48
	3.5	3.9	100	0.85	21	12158	1	\$0.48	13958	100	\$0.32	15958	1	\$0.57
	4.0	4.3	110	0.87	22	12160	10	\$0.48	13960	100	\$0.32	15960	10	\$0.57
	4.5	4.5	114	1.00	25	12162	1	\$0.72	13962	100	\$0.50	15962	1	\$0.87
	5.0	4.7	119	1.06	27	12164	5	\$0.72	13964	100	\$0.50	15964	5	\$0.87
	5.5	4.9	124	1.14	29	12166	1	\$1.04	13966	50	\$0.83	15966	1	\$1.22
	6	5.5	139	1.22	31	12168	5	\$1.04	13968	50	\$0.83	15968	5	\$1.22
	7	5.5	140	1.30	33	12170	1	\$1.68	13970	50	\$1.45	15970	1	\$2.01
	8	6.0	152	1.38	35	12172	5	\$1.68	13972	50	\$1.45	15972	5	\$2.01
	9	6.2	159	1.46	37	12174	1	\$2.66	13974	50	\$2.28	15974	1	\$3.16
	10	6.7	171	1.54	39	12176	5	\$2.66	13976	50	\$2.28	15976	5	\$3.16
	11	7.9	200	1.63	42	12178	1	\$5.71	13978	25	\$5.09	15978	1	\$6.79
	12	8.7	220	1.73	44	12180	1	\$5.71	13980	25	\$5.09	15980	1	\$6.79
	13	9.4	240	1.88	48	12182	1	\$7.59	13982	10	\$6.93	15982	1	\$9.04
14	10.2	260	2.15	55	12184	1	\$7.59	13984	10	\$6.93	15984	1	\$9.04	
17	11.0	280	2.42	61	12186	1	\$10.85	13986	10	\$9.83	15986	1	\$12.91	
19	11.6	295	2.70	69	12188	1	\$15.07	13988	5	\$13.87	15988	1	\$17.93	
22	12.8	325	3.07	78	12191	1	\$28.32	-	-	-	-	-	-	-
24	14.3	364	3.47	88	12193	1	\$39.74	-	-	-	-	-	-	-
32	17.0	432	4.80	122	12196	1	\$155.25	-	-	-	-	-	-	-
36	20.3	516	5.37	137	12198	1	\$253.06	-	-	-	-	-	-	-



SINGLE PACKAGING  
PACKAGED

BULK



TAGGED/BARCODED

Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA	PART#	QTY	LIST EA	PART#	QTY	LIST EA
<b>SHORT Metric</b>	0.71	1.2	31	0.22	6	12247	10	\$0.37	13847	100	\$0.23	15847	10	\$0.43
	0.89	1.2	31	0.34	9	12248	10	\$0.37	13848	100	\$0.23	15848	10	\$0.43
	1.27	1.6	42	0.53	13	12249	10	\$0.27	13849	100	\$0.13	15849	10	\$0.31
	1.5	1.7	44	0.53	14	12250	10	\$0.27	13850	100	\$0.13	15850	10	\$0.31
	2.0	1.9	49	0.61	16	12252	10	\$0.29	13852	100	\$0.16	15852	10	\$0.35
	2.5	2.1	54	0.69	17	12254	10	\$0.29	13854	100	\$0.16	15854	10	\$0.35
	3.0	2.4	61	0.75	19	12256	10	\$0.31	13856	100	\$0.17	15856	10	\$0.37
	3.5	2.6	65	0.85	21	12258	1	\$0.34	13858	100	\$0.19	15858	1	\$0.40
	4.0	2.7	68	0.87	22	12260	10	\$0.34	13860	100	\$0.19	15860	10	\$0.40
	4.5	2.9	73	1.00	25	12262	1	\$0.41	13862	100	\$0.32	15862	1	\$0.48
	5.0	3.1	78	1.06	27	12264	5	\$0.41	13864	100	\$0.32	15864	5	\$0.48
	5.5	3.3	83	1.14	29	12266	1	\$0.66	13866	50	\$0.48	15866	1	\$0.77
	6	3.5	88	1.22	31	12268	5	\$0.66	13868	50	\$0.48	15868	5	\$0.77
	7	3.7	93	1.30	33	12270	1	\$1.04	13870	50	\$0.83	15870	1	\$1.20
	8	3.9	98	1.38	35	12272	5	\$1.04	13872	50	\$0.83	15872	5	\$1.20
	9	4.0	102	1.46	37	12274	1	\$1.68	13874	50	\$1.45	15874	1	\$2.01
	10	4.3	109	1.54	39	12276	5	\$1.68	13876	50	\$1.45	15876	5	\$2.01
	11	4.5	115	1.63	42	12278	1	\$4.30	13878	50	\$3.67	15878	1	\$5.09
	12	4.8	122	1.73	44	12280	1	\$4.30	13880	50	\$3.67	15880	1	\$5.09
	13	5.1	129	1.88	48	12282	1	\$5.88	13882	25	\$2.02	15882	1	\$6.99
14	5.4	136	2.15	55	12284	1	\$5.88	13884	25	\$5.06	15884	1	\$6.99	
17	6.1	156	2.42	61	12286	1	\$6.39	13886	20	\$5.61	15886	1	\$7.59	
19	6.9	175	2.72	69	12288	1	\$10.85	13888	15	\$9.54	15888	1	\$12.90	
22	7.5	190	3.07	78	12291	1	\$25.30	-	-	-	-	-	-	-
24	8.4	213	3.47	88	12293	1	\$31.64	-	-	-	-	-	-	-
27	9.4	238	3.84	98	12295	1	\$63.29	-	-	-	-	-	-	-
32	11.8	300	4.80	122	12296	1	\$75.92	-	-	-	-	-	-	-
36	13.3	338	5.37	137	12298	1	\$94.86	-	-	-	-	-	-	-

For sets see page 14

Made in the U.S.A.



All Bondhus® tools are made with Protanium® High Torque Steel.

# Tamper Resistant Hex End L-Wrenches

## - ProGuard™ Finish -

- Fits all tamper resistant hex screws
- Chamfered tool tips eliminate burrs and help tools seat in screw head
- Sharp corners transfer more torque to the screw and reduce stripping
- Precision machined for ease of use and superior fit

ProGuard™ finish delivers superior corrosion protection



Tamper Resistant Hex Tips



Tamper Resistant Hex Tips

Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
<b>Inch</b>	48332	HTR8	8	Long	3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$34.05
<b>Metric</b>	48386	HTR6M	6	Long	2.5, 3, 4, 5, 6, 8mm	1	\$24.53



Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA
<b>LONG Inch</b>	3/32	3.4	86	0.65	16	48305	5	\$3.84
	1/8	3.8	95	0.75	19	48307	5	\$3.89
	5/32	4.2	107	0.84	21	48309	5	\$4.00
	3/16	4.5	114	0.94	24	48310	5	\$4.06
	7/32	4.9	124	1.03	26	48311	5	\$4.16
	1/4	5.3	133	1.13	29	48312	5	\$4.33
	5/16	6.0	152	1.25	32	48313	5	\$4.38
	3/8	6.8	171	1.38	35	48314	2	\$5.36
<b>LONG Metric</b>	2.5	3.5	88	0.69	17	48354	5	\$3.84
	3.0	3.9	98	0.75	19	48356	5	\$3.89
	4.0	4.3	110	0.87	22	48360	5	\$4.00
	5.0	4.7	119	1.06	27	48364	5	\$4.06
	6	5.5	139	1.22	31	48368	5	\$4.33
	8	6.0	152	1.38	35	48372	5	\$4.38
	10	6.7	171	1.54	39	48376	2	\$5.36



48332

# Tamper Resistant TORX® L-Wrenches

## - ProGuard™ Finish -

- Fits all TORX® and Star tamper resistant screws
- Burr free tool tips help tools seat fully in screw head
- Precision machined tips transfer more torque to the screw and reduces stripping

ProGuard™ finish delivers superior corrosion protection



Tools are in color coded cases for easy recognition  
**Green=TORX®**

Tamper Resistant TORX®



Tamper Resistant TORX® Tips

Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
<b>TORX®</b>	32432	TR-TL8S	8	Long	TR6, TR7, TR8, TR9, TR10, TR15, TR20, TR25	1	\$29.24
	32434	TR-TL8	8	Long	TR9, TR10, TR15, TR20, TR25, TR27, TR30, TR40	1	\$25.00



Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA	PART#	QTY	LIST EA
<b>LONG TORX®</b>	TR6	2.1	55	0.65	16	33406	25	\$4.55	32406	2	\$5.07
	TR7	2.4	61	0.65	16	33407	25	\$4.22	32407	2	\$4.68
	TR8	2.6	67	0.65	16	33408	25	\$4.22	32408	2	\$4.68
	TR9	2.9	74	0.65	16	33409	25	\$4.22	32409	2	\$4.68
	TR10	3.2	80	0.73	19	33410	25	\$2.23	32410	2	\$2.58
	TR15	3.3	84	0.78	20	33415	25	\$2.28	32415	2	\$2.69
	TR20	3.6	91	0.78	20	33420	25	\$2.40	32420	2	\$2.80
	TR25	3.8	98	0.88	22	33425	25	\$2.51	32425	2	\$2.93
	TR27	4.2	106	0.95	24	33427	25	\$2.75	32427	2	\$3.04
	TR30	4.6	116	1.03	26	33430	25	\$2.79	32430	2	\$3.34
	TR40	4.9	125	1.11	28	33440	25	\$2.93	32440	2	\$3.45

### Did you know...?

ProGuard™ Dry Surface Technology is the world's best corrosion protection. The tool user does not have to work with rusty tools. ProGuard™ protection delivers up to 5 times the corrosion resistance of any other Hex or TORX® tool finish.

TORX® and TORX PLUS® are registered trademarks of Acument Intellectual Properties, LLC



# Ball End L-Wrenches

- BriteGuard™ Finish -

- Ball End inserts into a screw at a 25° angle
- Ball End saves time by quickly funneling tool into screw
- 25° angle allows natural hand and wrist movement
- Superior Ball End strength and working angle
- Works in hard to reach places




Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
<b>Inch</b>	16938	BLX10B	10	Long	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	\$15.99
	16936	BLX12B	12	Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16"	1	\$19.98
	16937	BLX13B	13	Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$25.62
<b>Metric</b>	17046	BLX6MB	6	Extra Long	1.5, 2, 2.5, 3, 4, 5mm	1	\$9.42
	17092	BLX7MB	7	Extra Long	1.5, 2, 2.5, 3, 4, 5, 6mm	1	\$12.68
	17099	BLX9MB	9	Extra Long	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	\$20.80
	17095	BLX15MB	15	Extra Long	1.27, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10mm	1	\$34.83
	16999	BLX9MB	9	Long	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	\$18.73



Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA	PART#	QTY	LIST EA
<b>LONG Inch</b>	.050	2.8	72	0.53	13	26902	50	\$1.02	16902	10	\$1.31
	1/16	3.0	76	0.56	14	26903	50	\$1.02	16903	10	\$1.31
	5/64	3.2	81	0.61	15	26904	50	\$1.02	16904	10	\$1.31
	3/32	3.4	86	0.65	16	26905	50	\$1.19	16905	10	\$1.37
	7/64	3.6	90	0.70	18	26906	50	\$1.31	16906	10	\$1.57
	1/8	3.8	95	0.75	19	26907	50	\$1.44	16907	10	\$1.62
	9/64	4.0	101	0.80	20	26908	50	\$1.44	16908	10	\$1.62
	5/32	4.2	107	0.84	21	26909	50	\$1.50	16909	10	\$1.69
	3/16	4.5	114	0.94	24	26910	50	\$1.69	16910	10	\$1.95
	7/32	4.9	124	1.03	26	26911	25	\$2.17	16911	5	\$2.33
	1/4	5.6	141	1.13	29	26912	25	\$2.56	16912	5	\$2.68
	5/16	6.0	152	1.25	32	26913	25	\$4.07	16913	5	\$4.25
	3/8	6.8	171	1.38	35	26914	25	\$5.69	16914	5	\$5.99
	7/16	7.5	191	1.50	38	-	-	-	16915	1	\$11.00
	1/2	8.3	210	1.63	41	-	-	-	16916	1	\$13.76
	9/16	9.0	229	1.75	44	-	-	-	16917	1	\$17.51
5/8	9.8	248	1.88	48	-	-	-	16918	1	\$20.01	
3/4	11.3	286	2.13	54	-	-	-	16919	1	\$30.02	

<b>EXTRA LONG Metric</b>	1.27	2.8	72	0.53	13	27049	50	\$1.02	17049	10	\$1.31
	1.5	3.5	90	0.53	14	27050	50	\$1.02	17050	10	\$1.31
	2.0	3.9	100	0.61	16	27052	50	\$1.02	17052	10	\$1.31
	2.5	4.4	112	0.69	17	27054	50	\$1.19	17054	10	\$1.37
	3.0	5.0	126	0.75	19	27056	50	\$1.31	17056	10	\$1.57
	3.5	5.2	133	0.85	21	27058	50	\$1.50	17058	1	\$1.69
	4.0	5.6	142	0.87	22	27060	50	\$1.50	17060	10	\$1.69
	4.5	5.9	151	1.00	25	27062	50	\$1.69	17062	1	\$1.95
	5.0	6.3	160	1.06	27	27064	50	\$1.88	17064	5	\$2.12
	5.5	6.8	172	1.14	29	27066	25	\$2.38	17066	1	\$2.50
	6	6.8	172	1.22	31	27068	25	\$2.62	17068	5	\$2.82
	7	7.2	184	1.30	33	27070	25	\$3.62	17070	1	\$3.81
	8	7.7	195	1.38	35	27072	25	\$4.32	17072	5	\$4.56
	9	8.0	202	1.46	37	27074	25	\$5.32	17074	1	\$5.43
	10	8.4	213	1.54	39	27076	10	\$6.52	17076	5	\$6.62
	11	7.9	200	1.63	42	27078	10	\$10.76	17078	1	\$11.00
	12	8.7	220	1.73	44	27080	10	\$10.76	17080	1	\$11.00
	14	10.2	260	2.15	55	-	-	-	17084	1	\$15.64
	17	11.0	280	2.42	61	-	-	-	17086	1	\$23.77
19	11.6	295	2.70	69	-	-	-	17088	1	\$30.02	



**Did you know...?**

Bondhus Ball End tools feature a consistent 25° working angle. The Ball End feature saves time and tool users can absolutely count on every Bondhus Ball End tool to provide a 25° working angle. Period!

# Stubby Ball End L-Wrenches

## - BriteGuard™ Finish -

- Fits into tight spaces standard hex keys cannot
- Eliminates the need to trim and file the short arm
- Tighter inside radius means full smooth entry into screw head
- Chamfered short arm eliminates burrs
- Ball End inserts into a screw at a 25° angle

BriteGuard™ finish delivers superior corrosion protection



Yellow=Inch

Red=Metric



Ball End Tips



Stubby fits where others cannot

Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
<b>Inch</b>	16738	SBLX10B	10	Long	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	\$20.34
	16737	SBLX13B	13	Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$32.55
<b>Metric</b>	16792	SBLX7MB	7	Extra Long	1.5, 2, 2.5, 3, 4, 5, 6mm	1	\$16.15
	16799	SBLX9MB	9	Extra Long	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	\$26.39



16799

SINGLE PACKAGING



BULK




TAGGED/BARCODED

Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA	PART#	QTY	LIST EA
<b>LONG Inch</b>	.050	2.7	69	0.14	4	26702	50	\$1.54	16702	5	\$1.69
	1/16	2.8	72	0.16	4	26703	50	\$1.54	16703	5	\$1.69
	5/64	2.9	74	0.27	7	26704	50	\$1.54	16704	5	\$1.69
	3/32	3.1	78	0.29	7	26705	50	\$1.58	16705	5	\$1.74
	7/64	3.3	83	0.30	8	26706	50	\$1.80	16706	5	\$2.01
	1/8	3.4	87	0.32	8	26707	50	\$1.86	16707	5	\$2.07
	9/64	3.6	92	0.33	8	26708	50	\$1.86	16708	5	\$2.07
	5/32	3.9	98	0.35	9	26709	50	\$1.93	16709	5	\$2.12
	3/16	4.1	104	0.39	10	26710	50	\$2.19	16710	5	\$2.43
	7/32	4.4	112	0.46	12	26711	25	\$2.65	16711	2	\$2.93
	1/4	5.1	129	0.46	12	26712	25	\$3.09	16712	2	\$3.44
	5/16	5.4	138	0.57	14	26713	25	\$4.78	16713	2	\$5.32
	3/8	6.0	153	0.71	18	26714	25	\$6.76	16714	2	\$7.51
	<b>EXTRA LONG Metric</b>	1.27	2.7	69	0.14	4	26749	50	\$1.54	16749	5
1.5		3.5	90	0.19	5	26750	50	\$1.54	16750	5	\$1.69
2.0		3.9	100	0.27	7	26752	50	\$1.54	16752	5	\$1.69
2.5		4.4	112	0.28	7	26754	50	\$1.58	16754	5	\$1.74
3.0		5.0	126	0.32	8	26756	50	\$1.80	16756	5	\$2.01
4.0		5.6	142	0.35	9	26760	50	\$1.93	16760	5	\$2.12
5.0		6.3	160	0.40	10	26764	25	\$2.42	16764	2	\$2.68
6		6.8	172	0.47	12	26768	25	\$3.22	16768	2	\$3.57
8	7.7	195	0.57	14	26772	25	\$5.25	16772	2	\$5.82	
10	8.4	213	0.78	20	26776	25	\$7.61	16776	2	\$8.45	

### Did you know...?

Stubby tools have a tighter inside radius than standard hex keys, which saves time because the tight radius design reaches screws that even a hex key with a cut down short arm cannot.



.050" Ball End Comparison

# Hex End L-Wrenches

## - BriteGuard™ Finish -

- Chamfered tool tips eliminate burrs and help tools seat in screw head
- Sharp corners transfer more torque to the screw and reduce stripping
- Precision machined for ease of use and superior fit

BriteGuard™ finish delivers superior corrosion protection



Yellow=Inch  
Red=Metric



Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
<b>Inch</b>	16138	HLX10B	10	Long	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	\$8.64
	16136	HLX12B	12	Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16"	1	\$12.32
	16137	HLX13B	13	Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$16.30
	16238	HLX10SB	10	Short	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	\$7.19
	16236	HLX12SB	12	Short	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16"	1	\$8.69
	16237	HLX13SB	13	Short	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$11.64
<b>Metric</b>	17146	HLX6MB	6	Extra Long	1.5, 2, 2.5, 3, 4, 5mm	1	\$7.45
	17192	HLX7MB	7	Extra Long	1.5, 2, 2.5, 3, 4, 5, 6mm	1	\$9.68
	17199	HLX9MB	9	Extra Long	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	\$15.37
	17195	HLX15MB	15	Extra Long	1.27, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10mm	1	\$27.48
	16246	HLX6MSB	6	Short	1.5, 2, 2.5, 3, 4, 5mm	1	\$6.00
	16292	HLX7MSB	7	Short	1.5, 2, 2.5, 3, 4, 5, 6mm	1	\$7.35
	16299	HLX9MSB	9	Short	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	\$10.76

SINGLE PACKAGING BULK TAGGED/BARCODED

Singles	SIZE INCH		MM		PART#	QTY	LIST	EA	SIZE INCH		MM		PART#	QTY	LIST	EA						
	INCH	MM	INCH	MM					INCH	MM	INCH	MM										
<b>Inch</b>	<b>Long</b>								<b>Short</b>													
	.028	2.6	66	0.22	6	26100	50	\$0.50	16100	10	\$0.88	.028	1.2	31	0.22	6	26200	50	\$0.38	16200	10	\$0.64
	.035	2.7	68	0.34	9	26101	50	\$0.50	16101	10	\$0.88	.035	1.2	31	0.34	9	26201	50	\$0.38	16201	10	\$0.64
	.050	2.8	72	0.53	13	26102	50	\$0.33	16102	10	\$0.52	.050	1.6	42	0.53	13	26202	50	\$0.26	16202	10	\$0.43
	1/16	3.0	76	0.56	14	26103	50	\$0.38	16103	10	\$0.55	1/16	1.8	45	0.56	14	26203	50	\$0.26	16203	10	\$0.43
	5/64	3.2	81	0.61	15	26104	50	\$0.38	16104	10	\$0.55	5/64	1.9	48	0.61	15	26204	50	\$0.29	16204	10	\$0.50
	3/32	3.4	86	0.65	16	26105	50	\$0.49	16105	10	\$0.69	3/32	2.0	51	0.65	16	26205	50	\$0.29	16205	10	\$0.50
	7/64	3.6	90	0.70	18	26106	50	\$0.49	16106	10	\$0.69	7/64	2.1	54	0.70	18	26206	50	\$0.36	16206	10	\$0.52
	1/8	3.8	95	0.75	19	26107	50	\$0.49	16107	10	\$0.69	1/8	2.3	58	0.75	19	26207	50	\$0.36	16207	10	\$0.52
	9/64	4.0	101	0.80	20	26108	50	\$0.55	16108	10	\$0.81	9/64	2.4	61	0.80	20	26208	50	\$0.38	16208	10	\$0.55
	5/32	4.2	107	0.84	21	26109	50	\$0.55	16109	10	\$0.81	5/32	2.5	64	0.84	21	26209	50	\$0.38	16209	10	\$0.55
	3/16	4.5	114	0.94	24	26110	50	\$0.88	16110	10	\$1.19	3/16	2.8	70	0.94	24	26210	50	\$0.55	16210	10	\$0.69
	7/32	4.9	124	1.03	26	26111	25	\$1.44	16111	5	\$1.69	7/32	3.0	77	1.03	26	26211	25	\$0.90	16211	5	\$1.08
	1/4	5.3	133	1.13	29	26112	25	\$1.44	16112	5	\$1.69	1/4	3.3	83	1.13	29	26212	25	\$0.90	16212	5	\$1.08
	5/16	6.0	152	1.25	32	26113	25	\$2.50	16113	5	\$2.82	5/16	3.8	96	1.25	32	26213	25	\$1.44	16213	5	\$1.69
	3/8	6.8	171	1.38	35	26114	25	\$3.94	16114	5	\$4.39	3/8	4.3	108	1.38	35	26214	25	\$2.50	16214	5	\$2.82
	7/16	7.5	191	1.50	38	-	-	-	16115	1	\$9.00	7/16	4.8	121	1.50	38	-	-	-	16215	1	\$5.75
1/2	8.3	210	1.63	41	-	-	-	16116	1	\$9.00	1/2	5.3	133	1.63	41	-	-	-	16216	1	\$5.75	
9/16	9.0	229	1.75	44	-	-	-	16117	1	\$10.01	9/16	5.8	146	1.75	44	-	-	-	16217	1	\$7.26	
5/8	9.8	248	1.88	48	-	-	-	16118	1	\$14.40	5/8	6.3	159	1.88	48	-	-	-	16218	1	\$9.39	
3/4	11.3	286	2.13	54	-	-	-	16119	1	\$19.40	3/4	7.3	184	2.13	54	-	-	-	16219	1	\$14.52	
<b>Metric</b>	<b>Extra Long</b>								<b>Short</b>													
	.71	2.6	66	0.22	6	27147	50	\$0.50	17147	10	\$0.88	.71	1.2	31	0.22	6	26247	50	\$0.38	16247	10	\$0.64
	.89	2.7	68	0.34	9	27148	50	\$0.50	17148	10	\$0.88	.89	1.2	31	0.34	9	26248	50	\$0.38	16248	10	\$0.64
	1.27	2.8	72	0.53	13	27149	50	\$0.34	17149	10	\$0.52	1.27	1.6	42	0.53	13	26249	50	\$0.26	16249	10	\$0.43
	1.5	3.5	90	0.53	14	27150	50	\$0.38	17150	10	\$0.55	1.5	1.7	44	0.53	14	26250	50	\$0.26	16250	10	\$0.43
	2.0	3.9	100	0.61	16	27152	50	\$0.38	17152	10	\$0.55	2.0	1.9	49	0.61	16	26252	50	\$0.29	16252	10	\$0.48
	2.5	4.4	112	0.69	17	27154	50	\$0.49	17154	10	\$0.69	2.5	2.1	54	0.69	17	26254	50	\$0.29	16254	10	\$0.48
	3.0	5.0	126	0.75	19	27156	50	\$0.49	17156	10	\$0.69	3.0	2.4	61	0.75	19	26256	50	\$0.36	16256	10	\$0.52
	3.5	5.2	133	0.85	21	27158	50	\$0.55	17158	1	\$0.81	3.5	2.6	65	0.85	21	26258	50	\$0.38	16258	1	\$0.55
	4.0	5.6	142	0.87	22	27160	50	\$0.55	17160	10	\$0.81	4.0	2.7	68	0.87	22	26260	50	\$0.38	16260	10	\$0.55
	4.5	5.9	151	1.00	25	27162	50	\$0.88	17162	1	\$1.19	4.5	2.9	73	1.00	25	26262	50	\$0.55	16262	1	\$0.69
	5.0	6.3	160	1.06	27	27164	50	\$0.88	17164	5	\$1.19	5.0	3.1	78	1.06	27	26264	50	\$0.55	16264	5	\$0.69
	5.5	6.8	172	1.14	29	27166	25	\$1.44	17166	1	\$1.69	5.5	3.3	83	1.14	29	26266	25	\$0.90	16266	1	\$1.08
	6	6.8	172	1.22	31	27168	25	\$1.44	17168	5	\$1.69	6	3.5	88	1.22	31	26268	25	\$0.90	16268	5	\$1.08
	7	7.2	184	1.30	33	27170	25	\$2.50	17170	1	\$2.82	7	3.7	93	1.30	33	26270	25	\$1.44	16270	1	\$1.69
	8	7.7	195	1.38	35	27172	25	\$2.50	17172	5	\$2.82	8	3.9	98	1.38	35	26272	25	\$1.44	16272	5	\$1.69
	9	8.0	202	1.46	37	27174	25	\$3.94	17174	1	\$4.39	9	4.0	102	1.46	37	26274	25	\$2.50	16274	1	\$2.82
	10	8.4	213	1.54	39	27176	10	\$3.94	17176	5	\$4.39	10	4.3	109	1.54	39	26276	10	\$2.50	16276	5	\$2.82
	11	7.9	200	1.63	42	27178	10	\$8.82	17178	1	\$9.00	11	4.5	115	1.63	42	26278	10	\$5.38	16278	1	\$5.75
12	8.7	220	1.73	44	27180	10	\$8.82	17180	1	\$9.00	12	4.8	122	1.73	44	26280	10	\$5.38	16280	1	\$5.75	
14	10.2	260	2.15	55	-	-	-	17184	1	\$10.01	14	5.4	136	2.15	55	-	-	-	16284	1	\$7.51	
17	11.0	280	2.42	61	-	-	-	17186	1	\$13.76	17	6.1	156	2.42	61	-	-	-	16286	1	\$8.76	
19	11.6	295	2.70	69	-	-	-	17188	1	\$18.14	19	6.9	175	2.72	69	-	-	-	16288	1	\$14.52	

# Ball End L-Wrenches

## - GoldGuard™ Finish -

- Ball End inserts into a screw at a 25° angle
- Ball End saves time by quickly funneling tool into screw
- 25° angle allows natural hand and wrist movement
- Superior Ball End strength and working angle
- Works in hard to reach places

GoldGuard™ finish.  
Real 14 karat Gold



Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
<b>Inch</b>	37938	BLX10G	10	Long	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	\$16.46
	37936	BLX12G	12	Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16"	1	\$20.54
	37937	BLX13G	13	Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$26.34
<b>Metric</b>	38046	BLX6MG	6	Long	1.5, 2, 2.5, 3, 4, 5mm	1	\$9.73
	38092	BLX7MG	7	Long	1.5, 2, 2.5, 3, 4, 5, 6mm	1	\$13.04
	38099	BLX9MG	9	Long	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	\$21.32
	38095	BLX15MG	15	Long	1.27, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10mm	1	\$35.81



Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA	PART#	QTY	LIST EA
<b>LONG Inch</b>	.050	2.8	72	0.53	13	27902	50	\$1.08	37902	10	\$1.35
	1/16	3.0	76	0.56	14	27903	50	\$1.08	37903	10	\$1.35
	5/64	3.2	81	0.61	15	27904	50	\$1.08	37904	10	\$1.35
	3/32	3.4	86	0.65	16	27905	50	\$1.24	37905	10	\$1.41
	7/64	3.6	90	0.70	18	27906	50	\$1.37	37906	10	\$1.61
	1/8	3.8	95	0.75	19	27907	50	\$1.51	37907	10	\$1.68
	9/64	4.0	101	0.80	20	27908	50	\$1.51	37908	10	\$1.68
	5/32	4.2	107	0.84	21	27909	50	\$1.57	37909	10	\$1.73
	3/16	4.5	114	0.94	24	27910	50	\$1.77	37910	10	\$2.00
	7/32	4.9	124	1.03	26	27911	25	\$2.30	37911	5	\$2.39
	1/4	5.6	141	1.13	29	27912	25	\$2.68	37912	5	\$2.76
	5/16	6.0	152	1.25	32	27913	25	\$4.25	37913	5	\$4.38
	3/8	6.8	171	1.38	35	27914	25	\$5.96	37914	5	\$6.18
	7/16	7.5	191	1.50	38	-	-	-	37915	1	\$11.32
1/2	8.3	210	1.63	41	-	-	-	37916	1	\$14.15	
9/16	9.0	229	1.75	44	-	-	-	37917	1	\$18.01	
5/8	9.8	248	1.88	48	-	-	-	37918	1	\$20.59	
3/4	11.3	286	2.13	54	-	-	-	37919	1	\$30.88	

<b>LONG Metric</b>	1.27	2.8	72	0.53	13	28049	50	\$1.08	38049	10	\$1.35
	1.5	3.0	77	0.53	14	28050	50	\$1.08	38050	10	\$1.35
	2.0	3.2	82	0.61	16	28052	50	\$1.08	38052	10	\$1.35
	2.5	3.5	88	0.69	17	28054	50	\$1.24	38054	10	\$1.41
	3.0	3.9	98	0.75	19	28056	50	\$1.37	38056	10	\$1.61
	3.5	3.9	100	0.85	21	28058	50	\$1.57	38058	1	\$1.73
	4.0	4.3	110	0.87	22	28060	50	\$1.57	38060	10	\$1.73
	4.5	4.5	114	1.00	25	28062	50	\$1.77	38062	1	\$2.00
	5.0	4.7	119	1.06	27	28064	50	\$1.98	38064	5	\$2.17
	5.5	4.9	124	1.14	29	28066	25	\$2.49	38066	1	\$2.57
	6	5.5	139	1.22	31	28068	25	\$2.76	38068	5	\$2.90
	7	5.5	140	1.30	33	28070	25	\$3.81	38070	1	\$3.92
	8	6.0	152	1.38	35	28072	25	\$4.52	38072	5	\$4.70
	9	6.2	159	1.46	37	28074	25	\$5.57	38074	1	\$5.59
	10	6.7	171	1.54	39	28076	10	\$6.82	38076	5	\$6.88
	11	7.9	200	1.63	42	28078	10	\$11.27	38078	1	\$11.32
	12	8.7	220	1.73	44	28080	10	\$11.27	38080	1	\$11.32
14	10.2	260	2.15	55	-	-	-	38084	1	\$16.09	
17	11.0	280	2.42	61	-	-	-	38086	1	\$24.45	
19	11.6	295	2.70	69	-	-	-	38088	1	\$30.88	

**Did you know...?**  
Protanium® Steel tools are up to 20% stronger than competitor tools made from standard grades of steel.

# Hex End L-Wrenches

## - GoldGuard™ Finish -

- Chamfered tool tips eliminate burrs and help tools seat in screw head
- Sharp corners transfer more torque to the screw and reduce stripping
- Precision machined for ease of use and superior fit

GoldGuard™ finish.  
Real 14 karat Gold




Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
<b>Inch</b>	38138	HLX10G	10	Long	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	\$8.95
	38136	HLX12G	12	Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16"	1	\$12.68
	38137	HLX13G	13	Long	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$16.72
	38238	HLX10SG	10	Short	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	\$7.40
	38236	HLX12SG	12	Short	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16"	1	\$8.95
	38237	HLX13SG	13	Short	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$11.95

<b>Metric</b>	39146	HLX6MG	6	Long	1.5, 2, 2.5, 3, 4, 5mm	1	\$7.71
	39192	HLX7MG	7	Long	1.5, 2, 2.5, 3, 4, 5, 6mm	1	\$9.94
	39199	HLX9MG	9	Long	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	\$15.84
	39195	HLX15MG	15	Long	1.27, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10mm	1	\$28.26
	38246	HLX6MSG	6	Short	1.5, 2, 2.5, 3, 4, 5mm	1	\$6.20
	38292	HLX7MSG	7	Short	1.5, 2, 2.5, 3, 4, 5, 6mm	1	\$7.56
	38299	HLX9MSG	9	Short	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	\$11.07

Singles	SIZE INCH				PART#		QTY		LIST EA		SIZE INCH				PART#		QTY		LIST EA			
	MM	INCH	MM	INCH							MM	INCH	MM	INCH								
<b>Inch</b>	<b>Long</b>										<b>Short</b>											
	.028	2.6	66	0.22	6	28100	50	\$0.51	38100	10	\$0.90	.028	1.2	31	0.22	6	28200	50	\$0.39	38200	10	\$0.65
	.035	2.7	68	0.34	9	28101	50	\$0.51	38101	10	\$0.90	.035	1.2	31	0.34	9	28201	50	\$0.39	38201	10	\$0.65
	.050	2.8	72	0.53	13	28102	50	\$0.35	38102	10	\$0.54	.050	1.6	42	0.53	13	28202	50	\$0.27	38202	10	\$0.45
	1/16	3.0	76	0.56	14	28103	50	\$0.39	38103	10	\$0.57	1/16	1.8	45	0.56	14	28203	50	\$0.27	38203	10	\$0.45
	5/64	3.2	81	0.61	15	28104	50	\$0.39	38104	10	\$0.57	5/64	1.9	48	0.61	15	28204	50	\$0.30	38204	10	\$0.51
	3/32	3.4	86	0.65	16	28105	50	\$0.50	38105	10	\$0.71	3/32	2.0	51	0.65	16	28205	50	\$0.30	38205	10	\$0.51
	7/64	3.6	90	0.70	18	28106	50	\$0.50	38106	10	\$0.71	7/64	2.1	54	0.70	18	28206	50	\$0.36	38206	10	\$0.54
	1/8	3.8	95	0.75	19	28107	50	\$0.50	38107	10	\$0.71	1/8	2.3	58	0.75	19	28207	50	\$0.36	38207	10	\$0.54
	9/64	4.0	101	0.80	20	28108	50	\$0.57	38108	10	\$0.84	9/64	2.4	61	0.80	20	28208	50	\$0.39	38208	10	\$0.57
	5/32	4.2	107	0.84	21	28109	50	\$0.57	38109	10	\$0.84	5/32	2.5	64	0.84	21	28209	50	\$0.39	38209	10	\$0.57
	3/16	4.5	114	0.94	24	28110	50	\$0.90	38110	10	\$1.22	3/16	2.8	70	0.94	24	28210	50	\$0.57	38210	10	\$0.71
	7/32	4.9	124	1.03	26	28111	25	\$1.48	38111	5	\$1.73	7/32	3.0	77	1.03	26	28211	25	\$0.92	38211	5	\$1.10
	1/4	5.3	133	1.13	29	28112	25	\$1.48	38112	5	\$1.73	1/4	3.3	83	1.13	29	28212	25	\$0.92	38212	5	\$1.10
	5/16	6.0	152	1.25	32	28113	25	\$2.57	38113	5	\$2.90	5/16	3.8	96	1.25	32	28213	25	\$1.48	38213	5	\$1.73
	3/8	6.8	171	1.38	35	28114	25	\$4.06	38114	5	\$4.51	3/8	4.3	108	1.38	35	28214	25	\$2.57	38214	5	\$2.90
	7/16	7.5	191	1.50	38	-	-	-	38115	1	\$9.26	7/16	4.8	121	1.50	38	-	-	-	38215	1	\$5.92
	1/2	8.3	210	1.63	41	-	-	-	38116	1	\$9.26	1/2	5.3	133	1.63	41	-	-	-	38216	1	\$5.92
	9/16	9.0	229	1.75	44	-	-	-	38117	1	\$10.30	9/16	5.8	146	1.75	44	-	-	-	38217	1	\$7.45
5/8	9.8	248	1.88	48	-	-	-	38118	1	\$14.81	5/8	6.3	159	1.88	48	-	-	-	38218	1	\$9.66	
3/4	11.3	286	2.13	54	-	-	-	38119	1	\$19.95	3/4	7.3	184	2.13	54	-	-	-	38219	1	\$14.92	
<b>Metric</b>	<b>Long</b>										<b>Short</b>											
	.71	2.6	66	0.22	6	29147	50	\$0.51	39147	10	\$0.90	.71	1.2	31	0.22	6	28247	50	\$0.39	38247	10	\$0.65
	.89	2.7	68	0.34	9	29148	50	\$0.51	39148	10	\$0.90	.89	1.2	31	0.34	9	28248	50	\$0.39	38248	10	\$0.65
	1.27	2.8	72	0.53	13	29149	50	\$0.35	39149	10	\$0.54	1.27	1.6	42	0.53	13	28249	50	\$0.27	38249	10	\$0.45
	1.5	3.0	77	0.53	14	29150	50	\$0.39	39150	10	\$0.57	1.5	1.7	44	0.53	14	28250	50	\$0.27	38250	10	\$0.45
	2.0	3.2	82	0.61	16	29152	50	\$0.39	39152	10	\$0.57	2.0	1.9	49	0.61	16	28252	50	\$0.30	38252	10	\$0.49
	2.5	3.5	88	0.69	17	29154	50	\$0.50	39154	10	\$0.71	2.5	2.1	54	0.69	17	28254	50	\$0.30	38254	10	\$0.49
	3.0	3.9	98	0.75	19	29156	50	\$0.50	39156	10	\$0.71	3.0	2.4	61	0.75	19	28256	50	\$0.36	38256	10	\$0.54
	3.5	3.9	100	0.85	21	29158	50	\$0.57	39158	1	\$0.84	3.5	2.6	65	0.85	21	28258	50	\$0.39	38258	1	\$0.57
	4.0	4.3	110	0.87	22	29160	50	\$0.57	39160	10	\$0.84	4.0	2.7	68	0.87	22	28260	50	\$0.39	38260	10	\$0.57
	4.5	4.5	114	1.00	25	29162	50	\$0.90	39162	1	\$1.22	4.5	2.9	73	1.00	25	28262	50	\$0.57	38262	1	\$0.71
	5.0	4.7	119	1.06	27	29164	50	\$0.90	39164	5	\$1.22	5.0	3.1	78	1.06	27	28264	50	\$0.57	38264	5	\$0.71
	5.5	4.9	124	1.14	29	29166	25	\$1.48	39166	1	\$1.73	5.5	3.3	83	1.14	29	28266	25	\$0.92	38266	1	\$1.10
	6	5.5	139	1.22	31	29168	25	\$1.48	39168	5	\$1.73	6	3.5	88	1.22	31	28268	25	\$0.92	38268	5	\$1.10
	7	5.5	140	1.30	33	29170	25	\$2.57	39170	1	\$2.90	7	3.7	93	1.30	33	28270	25	\$1.48	38270	1	\$1.73
	8	6.0	152	1.38	35	29172	25	\$2.57	39172	5	\$2.90	8	3.9	98	1.38	35	28272	25	\$1.48	38272	5	\$1.73
	9	6.2	159	1.46	37	29174	25	\$4.06	39174	1	\$4.51	9	4.0	102	1.46	37	28274	25	\$2.57	38274	1	\$2.90
	10	6.7	171	1.54	39	29176	10	\$4.06	39176	5	\$4.51	10	4.3	109	1.54	39	28276	10	\$2.57	38276	5	\$2.90
	11	7.9	200	1.63	42	29178	10	\$9.08	39178	1	\$9.26	11	4.5	115	1.63	42	28278	10	\$5.53	38278	1	\$5.92
12	8.7	220	1.73	44	29180	10	\$9.08	39180	1	\$9.26	12	4.8	122	1.73	44	28280	10	\$5.53	38280	1	\$5.92	
14	10.2	260	2.15	55	-	-	-	39184	1	\$10.30	14	5.4	136	2.15	55	-	-	-	38284	1	\$7.72	
17	11.0	280	2.42	61	-	-	-	39186	1	\$14.15	17	6.1	156	2.42	61	-	-	-	38286	1	\$9.00	
19	11.6	295	2.70	69	-	-	-	39188	1	\$18.66	19	6.9	175	2.72	69	-	-	-	38288	1	\$14.92	



# TORX® Tip Tools



- Fits in both TORX® and TORX PLUS® fasteners
- Fits in Star and Star Plus fasteners
- A full range of tip sizes from T5 to T100
- The only TORX® tools made with Protanium® steel



Color Coded  
 TORX®



High Torque Steel:

Up to 20% stronger, with more torque and twice the wear resistance of standard grades of steel.

## FINISH OPTIONS:




Corrosion-resistant finish:

Environmentally safe, provides better tool grip, resists solvents and is 5 times more corrosion resistant than competitor finishes.

## Bondhus TORX® Tip Tools

Bondhus TORX® Tip tools are made to the same high standards as every tool we make. Our TORX® Tip tools are precision machined, available in several handle and tip types, and are the only TORX® tools made from Protanium® High Torque Steel. Bondhus TORX® and TORX PLUS® Tip tools fit TORX®, Star and Star Plus screws.



L-Wrenches 23-24

Wing and Flag Tools 25

Fold Ups 28-29

T-Handles 35

Screwdrivers 40-41

Socket Bits 49

TORX® and TORX PLUS® are trademarks of Acument Intellectual Properties, LLC

# TORX® L-Wrenches

## - ProGuard™ Finish -

- Fits all TORX® and Star screws
- Broad contact surface provides deep lobe engagement
- Straight, vertical sidewalls increase tool engagement and virtually eliminates camout

ProGuard™ finish delivers superior corrosion protection



TORX®

# L-Wrenches

Tools are in color coded cases for easy recognition

Green=TORX®

Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
<b>TORX®</b>	31832	TLX8S	8	Long	T6, T7, T8, T9, T10, T15, T20, T25	1	\$19.15
	31834	TLX8	8	Long	T9, T10, T15, T20, T25, T27, T30, T40	1	\$16.51
	31732	TLXS8S	8	Short	T6, T7, T8, T9, T10, T15, T20, T25	1	\$16.66
	31734	TLXS8	8	Short	T9, T10, T15, T20, T25, T27, T30, T40	1	\$14.39
	12699	TLX9S	9	Short	T10, T15, T20, T25, T27, T30, T40, T45, T50 (in pouch)	1	\$20.49
	31737	TLX13S	13	Short	T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45, T50, T55 (in pouch)	1	\$30.17

SINGLE PACKAGING



BULK



TAGGED/BARCODED

SINGLE PACKAGING



BULK



TAGGED/BARCODED

Singles				SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST	EA	PART#	QTY	LIST	EA	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST	EA	PART#	QTY	LIST	EA		
<b>TORX®</b>				<b>Long</b>														<b>Short</b>													
				T6	2.1	55	0.65	16	32806	25	\$3.05		31806	5	\$3.39		T5	0.9	23	0.65	16	32705	25	\$2.64	31705	5	\$2.93				
				T7	2.4	61	0.65	16	32807	25	\$2.74		31807	5	\$3.04		T6	1.1	29	0.65	16	32706	25	\$2.64	31706	5	\$2.93				
				T8	2.6	67	0.65	16	32808	25	\$2.74		31808	5	\$3.04		T7	1.4	35	0.65	16	32707	25	\$2.34	31707	5	\$2.64				
				T9	2.9	74	0.65	16	32809	25	\$2.74		31809	5	\$3.04		T8	1.6	42	0.65	16	32708	25	\$2.34	31708	5	\$2.64				
				T10	3.2	80	0.73	19	32810	25	\$1.29		31810	5	\$1.69		T9	1.9	48	0.65	16	32709	25	\$2.34	31709	5	\$2.64				
				T15	3.3	84	0.78	20	32815	25	\$1.40		31815	5	\$1.76		T10	2.2	55	0.73	19	32710	25	\$1.35	31710	5	\$1.46				
				T20	3.6	91	0.78	20	32820	25	\$1.50		31820	5	\$1.82		T15	2.3	59	0.78	20	32715	25	\$1.35	31715	5	\$1.52				
				T25	3.8	98	0.88	22	32825	25	\$1.76		31825	5	\$1.94		T20	2.6	66	0.78	20	32720	25	\$1.46	31720	5	\$1.64				
				T27	4.2	106	0.95	24	32827	25	\$1.76		31827	5	\$1.99		T25	2.8	72	0.88	22	32725	25	\$1.52	31725	5	\$1.69				
				T30	4.6	116	1.03	26	32830	25	\$1.97		31830	5	\$2.23		T27	3.2	81	0.95	24	32727	25	\$1.58	31727	5	\$1.76				
				T40	4.9	125	1.11	28	32840	25	\$2.17		31840	5	\$2.40		T30	3.6	90	1.03	26	32730	25	\$1.69	31730	5	\$1.87				
				T45	5.4	138	1.20	30	32845	10	\$2.74		31845	2	\$3.27		T40	3.9	99	1.11	28	32740	25	\$1.87	31740	5	\$2.10				
				T50	6.2	156	1.25	32	32850	10	\$3.36		31850	2	\$4.10		T45	3.9	98	1.20	30	32745	10	\$2.34	31745	2	\$2.58				
				T55	6.7	171	1.36	34	32855	10	\$5.38		31855	2	\$6.15		T50	3.8	97	1.25	32	32750	10	\$2.64	31750	2	\$2.93				
				T60	7.2	182	1.75	44	32860	10	\$7.13		31860	2	\$8.08		T55	3.8	95	1.36	34	32755	10	\$4.51	31755	2	\$4.98				
																T60	3.7	93	1.75	44	32760	10	\$6.31	31760	2	\$7.02					

# ProHold® TORX® L-Wrenches

## - ProGuard™ Finish -

- Fits all TORX® and Star screws
- Holds screw tight on the tool EVERY TIME
- Button is non-magnetic
- Broad contact surface provides deep lobe engagement

ProGuard™ finish delivers superior corrosion protection



The ProHold® TORX® holds screw securely

Tools are in color coded cases for easy recognition

Green=TORX®

Set	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
<b>TORX®</b>	71834	PHTX8	8	Long	T9, T10, T15, T20, T25, T27, T30, T40	1	\$24.84

SINGLE PACKAGING



BULK



TAGGED/BARCODED

Singles				SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST	EA	PART#	QTY	LIST	EA
<b>LONG TORX®</b>				T9	2.9	74	0.65	16	72809	25	\$4.10		71809	5	\$4.55	
				T10	3.2	80	0.73	19	72810	25	\$2.05		71810	5	\$2.59	
				T15	3.3	84	0.78	20	72815	25	\$2.34		71815	5	\$2.64	
				T20	3.6	91	0.78	20	72820	25	\$2.45		71820	5	\$2.74	
				T25	3.8	98	0.88	22	72825	25	\$2.64		71825	5	\$2.90	
				T27	4.2	106	0.95	24	72827	25	\$2.69		71827	5	\$2.95	
				T30	4.6	116	1.03	26	72830	25	\$2.98		71830	5	\$3.36	
				T40	4.9	125	1.11	28	72840	25	\$3.27		71840	5	\$3.62	
				T45	5.4	138	1.20	30	72845	10	\$4.44		71845	2	\$4.92	
				T50	6.2	156	1.25	32	72850	10	\$5.55		71850	2	\$6.16	
				T55	6.7	171	1.36	34	72855	10	\$8.31		71855	2	\$9.26	
				T60	7.2	182	1.75	44	72860	10	\$10.87		71860	2	\$12.11	

TORX® and TORX PLUS® are registered trademarks of Acument Intellectual Properties, LLC

Made in the U.S.A.



All Bondhus® tools are made with Protanium® High Torque Steel.

# BallStar™ Tip L-Wrenches

## - ProGuard™ Finish -

- Fits all TORX® and Star screws
- Ball End inserts into screws at a 20° angle
- Ball End saves time by quickly funneling tool into screw
- Superior Ball End strength and working angle
- Works in hard to reach places



Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
<b>BALL STAR™</b>	11346	LTX6	6	Long	T6, T7, T8, T9, T10, T15	1	\$31.46
	11331	LTX8S	8	Long	T6, T7, T8, T9, T10, T15, T20, T25	1	\$43.52
	11332	LTX8	8	Long	T9, T10, T15, T20, T25, T27, T30, T40	1	\$49.01



Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA
<b>BALL STAR™</b>	T6	2.1	55	0.65	16	11706	5	\$5.07
	T7	2.4	61	0.65	16	11707	5	\$5.07
	T8	2.6	67	0.65	16	11708	5	\$5.07
	T9	2.9	74	0.65	16	11709	5	\$5.07
	T10	3.2	80	0.73	19	11710	5	\$5.49
	T15	3.3	84	0.78	20	11715	5	\$5.68
	T20	3.6	91	0.78	20	11720	5	\$5.85
	T25	3.8	98	0.88	22	11725	5	\$6.28
	T27	4.2	106	0.95	24	11727	5	\$6.49
	T30	4.6	116	1.03	26	11730	5	\$6.68
	T40	4.9	125	1.11	28	11740	5	\$7.48
	T45	5.4	138	1.20	30	11745	1	\$8.91
T50	6.2	156	1.25	32	11750	1	\$9.93	
T55	6.7	171	1.36	34	11755	1	\$13.39	

### Did you know...?

BallStar™ tools work at a 20° angle; screws can be turned continuously without constantly taking the tool out of the screw, repositioning it and reinserting it, even at angles up to 20°.

# Tamper Resistant TORX® L-Wrenches

## - ProGuard™ Finish -

- Fits all TORX® and Star tamper resistant screws
- Broad contact surface provides deep lobe engagement
- Straight, vertical sidewalls increase tool engagement and virtually eliminates camout



Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
<b>TORX®</b>	32432	TR-TL8S	8	Long	TR6, TR7, TR8, TR9, TR10, TR15, TR20, TR25	1	\$29.24
	32434	TR-TL8	8	Long	TR9, TR10, TR15, TR20, TR25, TR27, TR30, TR40	1	\$25.00



Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA	PART#	QTY	LIST EA
<b>LONG TORX®</b>	TR6	2.1	55	0.65	16	33406	25	\$4.55	32406	2	\$5.07
	TR7	2.4	61	0.65	16	33407	25	\$4.22	32407	2	\$4.68
	TR8	2.6	67	0.65	16	33408	25	\$4.22	32408	2	\$4.68
	TR9	2.9	74	0.65	16	33409	25	\$4.22	32409	2	\$4.68
	TR10	3.2	80	0.73	19	33410	25	\$2.23	32410	2	\$2.58
	TR15	3.3	84	0.78	20	33415	25	\$2.28	32415	2	\$2.69
	TR20	3.6	91	0.78	20	33420	25	\$2.40	32420	2	\$2.80
	TR25	3.8	98	0.88	22	33425	25	\$2.51	32425	2	\$2.93
	TR27	4.2	106	0.95	24	33427	25	\$2.75	32427	2	\$3.04
	TR30	4.6	116	1.03	26	33430	25	\$2.79	32430	2	\$3.34
	TR40	4.9	125	1.11	28	33440	25	\$2.93	32440	2	\$3.45

### Did you know...?

ProGuard® protection is a permanent solution that does not wipe off like common oil and black oxide finishes; tools remain in good condition with up to 5 times the resistance to rust and corrosion.

TORX® and TORX PLUS® are registered trademarks of Acument Intellectual Properties, LLC

# TORX® Wing Tools

## - ProGuard™ Finish -

- Fits all TORX® and TORX PLUS® screws
- Fits all Star and Star Plus screws
- ComfortGrip Handles – soft rubber outer coating for maximum comfort and grip
- Broad contact surface provides deep lobe engagement
- Straight, vertical sidewalls increase tool engagement and virtually eliminates camout

ProGuard™ finish delivers superior corrosion protection



Sets	PART#	MODEL#	PCS	TIP	CONTENTS	QTY	LIST
<b>TORX®</b>	34745	TWX7	7	TORX®	T6, T7, T8, T9, T10, T15, T20	1	\$29.29
	33945	TPWX7	7	TORX PLUS®	TP6, TP7, TP8, TP9, TP10, TP15, TP20	1	\$33.74



Singles	SIZE	INCH	MM	PART#	QTY	LIST EA
<b>TORX®</b>						
	T6	1.5	39	34706	2	\$3.67
	T7	1.5	39	34707	2	\$3.67
	T8	1.5	39	34708	2	\$3.67
	T9	1.5	39	34709	2	\$3.67
	T10	1.5	39	34710	2	\$3.67
	T15	1.5	39	34715	2	\$3.67
	T20	1.5	39	34720	2	\$3.67

Singles	SIZE	INCH	MM	PART#	QTY	LIST EA
<b>TORX PLUS®</b>						
	TP6	2.0	52	33906	2	\$3.89
	TP7	2.0	52	33907	2	\$3.89
	TP8	2.0	52	33908	2	\$3.89
	TP9	2.0	52	33909	2	\$4.38
	TP10	2.0	52	33910	2	\$4.38
	TP15	2.0	52	33915	2	\$4.65
	TP20	2.0	52	33920	2	\$5.13

# TORX® Flag Tools

## - ProGuard™ Finish -

- Fits all TORX® and TORX PLUS® screws
- Fits all Star and Star Plus screws
- ComfortGrip Handles – soft rubber outer coating for maximum comfort and grip
- Broad contact surface provides deep lobe engagement
- Straight, vertical sidewalls increase tool engagement and virtually eliminates camout

ProGuard™ finish delivers superior corrosion protection



Sets	PART#	MODEL#	PCS	TIP	CONTENTS	QTY	LIST
<b>TORX®</b>	34445	TFX7	7	TORX®	T6, T7, T8, T9, T10, T15, T20	1	\$28.05
	35045	TPFX7	7	TORX PLUS®	TP6, TP7, TP8, TP9, TP10, TP15, TP20	1	\$32.55



Singles	SIZE	INCH	MM	PART#	QTY	LIST EA
<b>TORX®</b>						
	T5	1.5	39	34405	2	\$3.52
	T6	1.5	39	34406	2	\$3.52
	T7	1.5	39	34407	2	\$3.52
	T8	1.5	39	34408	2	\$3.52
	T9	1.5	39	34409	2	\$3.52
	T10	1.5	39	34410	2	\$3.52
	T15	1.5	39	34415	2	\$3.52
	T20	1.5	39	34420	2	\$3.52

Singles	SIZE	INCH	MM	PART#	QTY	LIST EA
<b>TORX PLUS®</b>						
	TP6	2.0	52	35006	2	\$3.73
	TP7	2.0	52	35007	2	\$3.73
	TP8	2.0	52	35008	2	\$3.73
	TP9	2.0	52	35009	2	\$4.22
	TP10	2.0	52	35010	2	\$4.22
	TP15	2.0	52	35015	2	\$4.43
	TP20	2.0	52	35020	2	\$4.92

TORX® and TORX PLUS® are registered trademarks of Acument Intellectual Properties, LLC



All Bondhus® tools are made with Protanium® High Torque Steel.

# Fold Ups



- Patented handle design makes every job faster and easier
- Durable GorillaGrip® handle is stronger than steel handles
- Tool user can adjust tool tension

## Color Coded

- Inch
- Metric
- TORX®
- Inch/Metric
- Motorcycle
- Utility



High Torque Steel:

Up to 20% stronger, with more torque and twice the wear resistance of standard grades of steel.

## FINISH OPTIONS:



Corrosion-resistant finish:

Environmentally safe, provides better tool grip, resists solvents and is 5 times more corrosion resistant than competitor finishes.



Next generation chrome finish:

Traditional plated tool look with superior protection and durability.



Real 14 karat gold finish:

Superior protection and durability over traditional chrome and the look and shine of real gold.

## Designed with the Tool User in mind

A Bondhus Fold Up is a tool for life. When designing the GorillaGrip® Fold Up, Bondhus engineers eliminated the problems of the average folding tool. GorillaGrip® Fold Up tools are stronger, more comfortable and easier to use.



Patented Flutes allow for easy selection of one tool at a time.



Blades are accessed from both the top and bottom, eliminating the constant 'unstacking' of blades.



Turn & Flip Feature eliminates constant removal and repositioning in screw head when working against obstructions.



90° stop converts the tool into a non-stop, time saving, speed wrench.

TORX® and TORX PLUS® are trademarks of Acument Intellectual Properties, LLC

# GorillaGrip® Fold Up Multi Packs

## - ProGuard™ Finish -

- Assembled from our most popular Fold Up sets
- Multiple Fold Up sets per package
- Tip selections include Hex End and TORX® Tip

Inch	Metric	TORX®
Yellow	Red	Green



PART#	MODEL#	PCS	CONTENTS	QTY	LIST
12522	HF16	16	12589 (5/64-1/4") + 12587 (2-8mm)	1	\$15.11
12544	HF15	15	12587 (2-8mm) + 12634 (T9-T40)	1	\$22.30
12533	HF24	24	12589 (5/64-1/4") + 12587 (2-8mm) + 12634 (T9-T40)	1	\$29.55

12522

# Hex End GorillaGrip® Fold Ups

## - ProGuard™ Finish -


- Chamfered tool tips eliminate burrs and help tools seat in screws
- World's strongest handle
- Speed-Wrench feature
- Tools open from both the top and bottom
- Molded-in 90° stop
- Patented spacers between tools



ProGuard™ finish delivers superior corrosion protection

Yellow=Inch
Red=Metric
Orange=Inch/Metric

Hex End Tips



Sets	PART#	MODEL#	PCS	CONTENTS	QTY	LIST
Inch	12591	HF9S	9	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"	1	\$6.00
	12589	HF9	9	5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	\$7.76
	12585	HF5	5	3/16, 7/32, 1/4, 5/16, 3/8"	1	\$10.97
Metric	12592	HF7MS	7	1.5, 2, 2.5, 3, 4, 5, 6mm	1	\$6.26
	12587	HF7M	7	2, 2.5, 3, 4, 5, 6, 8mm	1	\$8.33
	12595	HF6M	6	3, 4, 5, 6, 8, 10mm	1	\$11.64
Inch/Metric	12550	HF12	12	5/64, 3/32, 7/64, 1/8, 9/64, 5/32" 1.5, 2, 2.5, 3, 4, 5mm	1	\$10.66

# Ball End GorillaGrip® Fold Ups

## - ProGuard™ Finish -

- Ball End inserts into a screw at a 25° angle
- World's strongest handle
- Speed-Wrench feature
- Tools open from both the top and bottom
- Molded-in 90° stop
- Patented spacers between tools



ProGuard™ finish delivers superior corrosion protection

Yellow=Inch
Red=Metric

Ball End Tips



Sets	PART#	MODEL#	PCS	CONTENTS	QTY	LIST
Inch	12894	BF5	5	3/16, 7/32, 1/4, 5/16, 3/8"	1	\$15.27
Metric	12897	BF5M	5	5, 6, 7, 8, 10mm	1	\$15.27

12894

# TORX® GorillaGrip® Fold Ups

## - ProGuard™ Finish -

- Fits all TORX® and Star screws
- World's strongest handle
- Speed-Wrench feature
- Tools open from both the top and bottom
- Molded-in 90° stop
- Patented spacers between tools



Sets	PART#	MODEL#	PCS	CONTENTS	QTY	LIST
TORX®	12632	TF8S	8	T6, T7, T8, T9, T10, T15, T20, T25	1	\$15.01
	12634	TF8	8	T9, T10, T15, T20, T25, T27, T30, T40	1	\$15.37

# Tamper Resistant TORX® GorillaGrip® Fold Ups

## - ProGuard™ Finish -

- Fits all TORX® and Star tamper resistant screws
- World's strongest handle
- Speed-Wrench feature
- Tools open from both the top and bottom
- Molded-in 90° stop
- Patented spacers between tools



Sets	PART#	MODEL#	PCS	CONTENTS	QTY	LIST
TORX®	12636	TR-TF7S	7	TR7, TR8, TR9, TR10, TR15, TR20, TR25	1	\$15.27
	12638	TR-TF8	8	TR9, TR10, TR15, TR20, TR25, TR27, TR30, TR40	1	\$18.01

# Utility GorillaGrip® Fold Ups

## - ProGuard™ Finish -

- Wide selection of tool tips
- World's strongest handle
- Speed-Wrench feature
- Tools open from both the top and bottom
- Molded-in 90° stop
- Patented spacers between tools



Sets	PART#	MODEL#	PCS	CONTENTS	QTY	LIST
Utility	12540	HFU5	5	PH #1; Slotted 3/16"; Hex 4, 5, 6mm	1	\$7.97
	12543	RFU5	5	PH #1, #2; Slotted 3/16"; Square #1, #2	1	\$7.97
	12545	AFU5	5	PH #1, #2; Slotted 1/8, 3/16"; Awl	1	\$7.97
	12547	FU5	5	PH #1, #2; Slotted 1/8, 3/16, 1/4"	1	\$7.97

TORX® and TORX PLUS® are registered trademarks of Acument Intellectual Properties, LLC




All Bondhus® tools are made with Protanium® High Torque Steel.

# Hawg Buddy GorillaGrip® Motorcycle Fold Up

## - BriteGuard™ Finish -

- Designed for making all common adjustments to Harley Davidson®\* motorcycles
- World's strongest handle
- Speed-Wrench feature
- Tools open from both the top and bottom
- Molded-in 90° stop



Phillips, TORX® and Hex Tips



BriteGuard™ finish, next generation chrome




\*Harley Davidson® is a Registered Trademark of Harley Davidson Motorcycles

Set	PART#	MODEL#	PCS	CONTENTS	QTY	LIST
	12531	FUHB7	7	PH #2; T27, T40; Hex 5/32, 3/16, 1/4, 5/16"	1	\$24.68

# Cycle Buddy GorillaGrip® Motorcycle Fold Up

## - GoldGuard™ Finish -

- Designed for making all common adjustments to Japanese/European motorcycles
- Fits most ATVs
- World's strongest handle
- Speed-Wrench feature
- Tools open from both the top and bottom
- Molded-in 90° stop



Phillips and Hex Tips



GoldGuard™ finish. Real 14 karat Gold




Set	PART#	MODEL#	PCS	CONTENTS	QTY	LIST
	12594	FUCB6	6	PH #2; Hex 3, 4, 5, 6, 8mm	1	\$24.68

# Metal Fold Ups

## - ProGuard™ Finish -

- Chamfered tool tips eliminate burrs and help tools seat in screw head
- Sharp corners transfer torque to screw more efficiently and reduce stripping
- Precision machined for ease of use and superior fit



Available in Hex or TORX® Tip



ProGuard™ finish delivers superior corrosion protection



Sets	PART#	MODEL#	PCS	CONTENTS	QTY	LIST
<b>Inch</b>	14590	MHF8	8	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"	1	\$4.71
	14591	MHF9S	9	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"	1	\$5.49
	14589	MHF9	9	5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	\$6.93
	14585	MHF5	5	3/16, 7/32, 1/4, 5/16, 3/8"	1	\$9.78
<b>Metric</b>	14592	MHF7MS	7	1.5, 2, 2.5, 3, 4, 5, 6mm	1	\$5.69
	14587	MHF7M	7	2, 2.5, 3, 4, 5, 6, 8mm	1	\$7.45
	14595	MHF6M	6	3, 4, 5, 6, 8, 10mm	1	\$10.35
<b>TORX®</b>	14532	MTF8S	8	T6, T7, T8, T9, T10, T15, T20, T25	1	\$13.51
	14534	MTF8	8	T9, T10, T15, T20, T25, T27, T30, T40	1	\$13.51


TORX® and TORX PLUS® are registered trademarks of Acument Intellectual Properties, LLC

Made in the U.S.A.



All Bondhus® tools are made with Protanium® High Torque Steel.


# T-Handles



- Cushioned, curved handle increases comfort and reduces fatigue
- Handle is welded directly to blade for a tool that will last a lifetime
- Handles are designed to match torque capacity of blade

## Color Coded

-  Inch
-  Metric
-  TORX®



High Torque Steel:

Up to 20% stronger, with more torque and twice the wear resistance of standard grades of steel.

## FINISH OPTIONS:




Corrosion-resistant finish:

Environmentally safe, provides better tool grip, resists solvents and is 5 times more corrosion resistant than competitor finishes.

## A Better T-Handle

Bondhus T-Handles are built to be comfortable, strong and durable. The welded handle and blade joint guarantees a permanent connection. The form-fitting handle fits the curve of the user's hand.



The Bondhus solid steel handle is heavy duty and generates a flywheel effect for super fast insertion and removal of screws.



The Bondhus T-Handle is curved to match the shape of the hand. This design is ergonomically superior to old fashioned straight handles.



Handle and blade are securely welded and will never loosen or slip.



Bondhus is the only company to engineer our handles to match the blade's torque capacity. Tool user's can always feel confident in their tool's strength.

TORX® and TORX PLUS® are trademarks of Acument Intellectual Properties, LLC

# Ball End T-Handles

## - ProGuard™ Finish -

- Solid steel handles
- Welded handle/blade connection
- Ergonomic handle design
- Flywheel effect saves time
- Smooth, non-porous handle coating
- Handle coating extends along blade



Sets	PART#	MODEL#	PCS	LENGTH	W/STAND	CONTENTS	QTY	LIST
<b>Inch</b>	13146	BTX60	6	Graduated		5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$42.90
	13190*	BTX10/S	10	Graduated	✓	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$61.69
	13138*	BTX10	10	Graduated		3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$57.86
<b>Metric</b>	13148	BTX50M	5	Graduated		4, 5, 6, 8, 10mm	1	\$36.85
	13189*	BTX80M/S	8	Graduated	✓	2, 2.5, 3, 4, 5, 6, 8, 10mm	1	\$51.23
	13187*	BTX80M	8	Graduated		2, 2.5, 3, 4, 5, 6, 8, 10mm	1	\$47.40
<b>Inch/Metric</b>	13199*	BTX9IN/MM	9	Graduated		1/8, 5/32, 3/16, 1/4, 5/16" & 3, 4, 5, 6mm	1	\$51.74

\*The 3/32, 7/64, 1/8, and 9/64 inch blades, and the 2, 2.5 and 3mm blades are straight hex blades to prevent breakage.  
 ✓ Comes with stand



Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA	PART#	QTY	LIST EA
<b>Inch</b>	3/32	6.1	154	3.0	76	13205 Hex*	2	\$3.93	53205 Hex*	2	\$4.48
	7/64	6.8	173	3.0	76	13206 Hex*	2	\$4.22	53206 Hex*	2	\$4.76
	1/8	7.6	192	3.0	76	13207 Hex*	2	\$4.47	53207 Hex*	2	\$5.11
	9/64	8.3	211	3.0	76	13208 Hex*	2	\$4.74	53208 Hex*	2	\$5.38
	5/32	9.1	231	3.0	76	13109	2	\$5.15	53109	2	\$5.91
	3/16	9.8	250	4.0	102	13110	2	\$5.43	53110	2	\$6.19
	7/32	10.3	262	4.0	102	13111	2	\$6.39	53111	2	\$7.25
	1/4	10.8	275	4.0	102	13112	2	\$6.55	53112	2	\$7.42
	5/16	11.4	289	5.0	127	13113	2	\$10.03	53113	2	\$11.00
3/8	11.8	300	5.0	127	13114	2	\$11.06	53114	2	\$12.04	
<b>Metric</b>	2.0	5.9	150	3.0	76	13252 Hex*	2	\$4.47	53252 Hex*	2	\$5.01
	2.5	6.8	172	3.0	76	13254 Hex*	2	\$4.47	53254 Hex*	2	\$5.01
	3.0	7.7	196	3.0	76	13256 Hex*	2	\$4.74	53256 Hex*	2	\$5.38
	4.0	8.7	220	3.0	76	13160	2	\$5.42	53160	2	\$6.18
	5.0	9.7	246	4.0	102	13164	2	\$6.23	53164	2	\$6.99
	6	10.5	266	4.0	102	13168	2	\$6.77	53168	2	\$7.64
	8	11.2	285	5.0	127	13172	2	\$10.18	53172	2	\$11.16
	10	12.1	307	5.0	127	13176	2	\$11.16	53176	2	\$12.13



13189 13190



13148

\*The 3/32, 7/64, 1/8, and 9/64 inch blades, and the 2, 2.5 and 3mm blades are straight hex blades to prevent breakage.

## Molded T-Handle Stands

- Extremely durable design
- Can be used free standing or wall mounted
- Sizes are clearly marked on stand
- Available in Inch, Metric, or TORX® configurations

PART#	DESCRIPTION	QTY	LIST EA
17936	Inch Stand	1	\$3.47
17935	Metric Stand	1	\$3.47
17934	TORX® Stand	1	\$3.47



Set stand on bench or mount on wall.

### Did you know...?

Welded T-Handle handle/blade connection increases strength and provides greater resistance to breakage. The tool user will never be stabbed in the hand by a blade that has broken free and pushed through the handle.

# ProHold® Tip Ball End T-Handles

## - ProGuard™ Finish -

- Holds screw tight on the tool EVERY TIME
- Button is non-magnetic
- Super smooth rotational action, with no interference from the ProHold® button
- Tool strength is not compromised by the ProHold® button
- Solid steel handles
- Welded handle/blade connection



Sets	PART#	MODEL#	PCS	LENGTH	W/STAND	CONTENTS	QTY	LIST
<b>Inch</b>	75146	PBTX60	6	Graduated		5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$47.82
<b>Metric</b>	75148	PBTX50M	5	Graduated		4, 5, 6, 8, 10mm	1	\$40.88



75148

Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA
<b>Inch</b>	5/32	9.1	231	3.0	76	75109	2	\$5.80
	3/16	9.8	250	4.0	102	75110	2	\$6.19
	7/32	10.3	262	4.0	102	75111	2	\$7.31
	1/4	10.8	275	4.0	102	75112	2	\$7.47
	5/16	11.4	289	5.0	127	75113	2	\$10.85
	3/8	11.8	300	5.0	127	75114	2	\$11.83
<b>Metric</b>	4.0	8.7	220	3.0	76	75160	2	\$6.07
	5.0	9.7	246	4.0	102	75164	2	\$7.06
	6	10.5	266	4.0	102	75168	2	\$7.69
	8	11.2	285	5.0	127	75172	2	\$10.99
	10	12.1	307	5.0	127	75176	2	\$11.95



ProHold® button holds screw tight on the tool EVERY TIME




ProHold® buttons are non-magnetic and safe for use in electronic applications

# Hex End T-Handle Sets

## - ProGuard™ Finish -

T-Handles

- Solid steel handles
- Welded handle/blade connection
- Ergonomic handle design
- Flywheel effect saves time
- Smooth, non-porous handle coating
- Handle coating extends along blade



Sets	PART#	MODEL#	PCS	LENGTH	W/STAND	CONTENTS	QTY	LIST
<b>Inch</b>	13332	HTX80	8	Graduated		3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	\$32.86
	15232	HTX80-6	8	6 inch		3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	\$30.79
	15332	HTX80-9	8	9 inch		3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	\$44.61
	13390	HTX10/S	10	Graduated	✓	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$52.42
	13338	HTX10	10	Graduated		3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$48.63
	15290	HTX10/S-6	10	6 inch	✓	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$49.94
	15238	HTX10-6	10	6 inch		3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$46.21
	15390	HTX10/S-9	10	9 inch	✓	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$69.19
	15338	HTX10-9	10	9 inch		3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$65.52
<b>Metric</b>	13348	HTX60M	6	Graduated		2, 2.5, 3, 4, 5, 6mm	1	\$31.04
	15248	HTX60M-6	6	6 inch		2, 2.5, 3, 4, 5, 6mm	1	\$23.03
	15348	HTX60M-9	6	9 inch		2, 2.5, 3, 4, 5, 6mm	1	\$35.03
	13389	HTX80M/S	8	Graduated	✓	2, 2.5, 3, 4, 5, 6, 8, 10mm	1	\$48.08
	13387	HTX80M	8	Graduated		2, 2.5, 3, 4, 5, 6, 8, 10mm	1	\$44.30
	15289	HTX80M/S-6	8	6 inch	✓	2, 2.5, 3, 4, 5, 6, 8, 10mm	1	\$44.61
	15287	HTX80M-6	8	6 inch		2, 2.5, 3, 4, 5, 6, 8, 10mm	1	\$40.93
	15389	HTX80M/S-9	8	9 inch	✓	2, 2.5, 3, 4, 5, 6, 8, 10mm	1	\$59.87
15387	HTX80M-9	8	9 inch		2, 2.5, 3, 4, 5, 6, 8, 10mm	1	\$56.15	

<b>Inch/Metric</b>	15299	HTX9-6IN/MM	9	6 inch		1/8, 5/32, 3/16, 1/4, 5/16" & 3, 4, 5, 6mm	1	\$41.39
--------------------	-------	-------------	---	--------	--	--	---	---------

✓ Comes with stand 17936 Inch or 17935 Metric



13389



13390



13348

### Bondhus



Bondhus handles are permanently welded. There is no chance the blades will ever loosen. The tool user is in no danger of the blade pushing through the top of the handle and stabbing into the palm of the hand.

### Competitor



The friction fit blades in competitors' T-Handles are not welded. They can loosen, slip, and even fall out or punch through the top of the handle.




For singles see page 34

# Hex End T-Handle Singles


- ProGuard™ Finish -

- Solid steel handles
- Welded handle/blade connection
- Ergonomic handle design
- Flywheel effect saves time
- Smooth, non-porous handle coating
- Handle coating extends along blade



## Singles

	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST	EA	PART#	QTY	LIST	EA
<b>6" Length</b>													
<b>Inch</b>	5/64	6.0	152	3.0	76	15204	2	\$3.04		45204	2	\$3.58	
	3/32	6.0	152	3.0	76	15205	2	\$3.04		45205	2	\$3.58	
	7/64	6.0	152	3.0	76	15206	2	\$3.11		45206	2	\$3.64	
	1/8	6.0	152	3.0	76	15207	2	\$3.45		45207	2	\$4.10	
	9/64	6.0	152	3.0	76	15208	2	\$3.67		45208	2	\$4.33	
	5/32	6.0	152	3.0	76	15209	2	\$3.86		45209	2	\$4.62	
	3/16	6.0	152	4.0	102	15210	2	\$4.27		45210	2	\$5.03	
	7/32	6.0	152	4.0	102	15211	2	\$4.38		45211	2	\$5.25	
	1/4	6.0	152	4.0	102	15212	2	\$4.98		45212	2	\$5.84	
	5/16	6.0	152	5.0	127	15213	2	\$8.08		45213	2	\$9.06	
	3/8	6.0	152	5.0	127	15214	2	\$9.00		45214	2	\$9.99	
	1/2	6.0	152	5.0	127	15216	1	\$19.09		45216	1	\$20.16	



## Singles

	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST	EA	PART#	QTY	LIST	EA
<b>6" Length</b>													
<b>Metric</b>	2.0	6.0	152	3.0	76	15252	2	\$3.11		45252	2	\$3.64	
	2.5	6.0	152	3.0	76	15254	2	\$3.11		45254	2	\$3.64	
	3.0	6.0	152	3.0	76	15256	2	\$3.39		45256	2	\$4.05	
	4.0	6.0	152	3.0	76	15260	2	\$3.86		45260	2	\$4.62	
	5.0	6.0	152	4.0	102	15264	2	\$4.22		45264	2	\$4.98	
	6	6.0	152	4.0	102	15268	2	\$5.38		45268	2	\$6.25	
	7	6.0	152	4.0	102	15270	2	\$8.48		-	-	-	-
	8	6.0	152	5.0	127	15272	2	\$8.48		45272	2	\$9.45	
	9	6.0	152	5.0	127	15274	2	\$9.41		-	-	-	-
	10	6.0	152	5.0	127	15276	2	\$9.41		45276	2	\$10.38	




## Singles

	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST	EA
<b>9" Length</b>									
<b>Inch</b>	5/64	9.0	229	3.0	76	15304	2	\$4.61	
	3/32	9.0	229	3.0	76	15305	2	\$4.61	
	7/64	9.0	229	3.0	76	15306	2	\$4.91	
	1/8	9.0	229	3.0	76	15307	2	\$5.21	
	9/64	9.0	229	3.0	76	15308	2	\$5.35	
	5/32	9.0	229	3.0	76	15309	2	\$5.52	
	3/16	9.0	229	4.0	102	15310	2	\$5.62	
	7/32	9.0	229	4.0	102	15311	2	\$6.63	
	1/4	9.0	229	4.0	102	15312	2	\$6.79	
	5/16	9.0	229	5.0	127	15313	2	\$9.92	
	3/8	9.0	229	5.0	127	15314	2	\$10.95	
	1/2	9.0	229	5.0	127	15316	1	\$24.20	

## Graduated Length

	3/32	4.2	105	3.0	76	13305	2	\$3.93	
	7/64	4.4	112	3.0	76	13306	2	\$4.22	
	1/8	4.6	118	3.0	76	13307	2	\$4.35	
	9/64	4.9	124	3.0	76	13308	2	\$4.47	
	5/32	5.2	132	3.0	76	13309	2	\$4.61	
	3/16	5.6	141	4.0	102	13310	2	\$4.74	
	7/32	6.1	154	4.0	102	13311	2	\$5.00	
	1/4	6.5	165	4.0	102	13312	2	\$5.27	
	5/16	7.4	189	5.0	127	13313	2	\$8.57	
	3/8	8.3	211	5.0	127	13314	2	\$9.86	



## Singles

	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST	EA
<b>9" Length</b>									
<b>Metric</b>	2.0	9.0	229	3.0	76	15352	2	\$5.21	
	2.5	9.0	229	3.0	76	15354	2	\$5.21	
	3.0	9.0	229	3.0	76	15356	2	\$5.52	
	4.0	9.0	229	3.0	76	15360	2	\$5.62	
	5.0	9.0	229	4.0	102	15364	2	\$6.46	
	6	9.0	229	4.0	102	15368	2	\$7.03	
	8	9.0	229	5.0	127	15372	2	\$10.08	
	10	9.0	229	5.0	127	15376	2	\$11.04	

## 14" Length

	3.0	14	356	3.0	76	16456	1	\$7.76	
	4.0	14	356	3.0	76	16460	1	\$9.21	
	5.0	14	356	4.0	102	16464	1	\$9.47	
	6	14	356	4.0	102	16468	1	\$11.64	
	8	14	356	5.0	127	16472	1	\$12.21	

## Graduated Length

	2.0	4.0	100	3.0	76	13352	2	\$4.47	
	2.5	4.3	110	3.0	76	13354	2	\$4.47	
	3.0	4.7	120	3.0	76	13356	2	\$4.74	
	4.0	5.3	136	3.0	76	13360	2	\$5.14	
	5.0	5.9	150	4.0	102	13364	2	\$5.80	
	6	6.8	173	4.0	102	13368	2	\$6.46	
	8	7.9	202	5.0	127	13372	2	\$9.09	
	10	9.1	232	5.0	127	13376	2	\$10.40	

For sets see page 33


# Loop T-Handles

## - ProGuard™ Finish -

- Chamfered tool tips eliminate burrs and help tools seat in screw head
- Sharp corners transfer more torque to the screw and reduce stripping
- Precision machined for ease of use and superior fit



ProGuard™ finish delivers superior corrosion protection



Chamfered Hex Tips fit tighter and eliminate burrs



Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
<b>Inch</b>	15432	LTX80P-6	8	6 inch	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	\$18.06
	15438	LTX10P-6	10	6 inch	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$33.79
	15532	LTX80P-9	8	9 inch	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	\$21.17
	15538	LTX10P-9	10	9 inch	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$38.55
<b>Metric</b>	15448	LTX50P-6	5	6 inch	2.5, 3, 4, 5, 6mm	1	\$14.49
	15487	LTX80MP-6	8	6 inch	2, 2.5, 3, 4, 5, 6, 8, 10mm	1	\$29.55
	15548	LTX50P-9	5	9 inch	2.5, 3, 4, 5, 6mm	1	\$15.68
	15587	LTX80MP-9	8	9 inch	2, 2.5, 3, 4, 5, 6, 8, 10mm	1	\$32.81



**Singles** SIZE INCH MM INCH MM PART# QTY LIST EA

<b>3" Blade Length</b>							
<b>Inch</b>	3/32	3.6	90	2.8	70	15605	2 \$1.23
	7/64	3.6	91	2.8	70	15606	2 \$1.23
	1/8	3.6	92	3.0	76	15607	2 \$1.28
	9/64	3.7	93	3.0	76	15608	2 \$1.40
	5/32	3.7	94	3.0	76	15609	2 \$1.50
	3/16	3.8	95	4.0	102	15610	2 \$1.89
	7/32	3.8	97	4.0	102	15611	2 \$2.55
	1/4	3.9	98	4.0	102	15612	2 \$2.92
	5/16	4.4	111	6.0	152	15613	2 \$5.11
	3/8	4.5	114	6.0	152	15614	2 \$6.22



**Singles** SIZE INCH MM INCH MM PART# QTY LIST EA

<b>6" Blade Length</b>							
	2.0	6.5	166	2.7	70	15452	2 \$1.81
	2.5	6.6	167	2.7	70	15454	2 \$1.81
	3	6.6	168	3.0	76	15456	2 \$1.81
	4	6.7	170	3.0	76	15460	2 \$2.17
	5	6.8	172	4.0	102	15464	2 \$3.01
	6	6.8	174	4.0	102	15468	2 \$3.56
	8	7.4	187	6.0	152	15472	2 \$6.26
	10	7.5	191	6.0	152	15476	2 \$7.76

<b>6" Blade Length</b>							
<b>Inch</b>	3/32	6.6	167	2.8	70	15405	2 \$1.44
	7/64	6.6	167	2.8	70	15406	2 \$1.51
	1/8	6.6	168	3.0	76	15407	2 \$1.51
	9/64	6.7	169	3.0	76	15408	2 \$1.69
	5/32	6.7	170	3.0	76	15409	2 \$1.81
	3/16	6.8	171	4.0	102	15410	2 \$2.23
	7/32	6.8	173	4.0	102	15411	2 \$3.01
	1/4	6.9	175	4.0	102	15412	2 \$3.37
	5/16	7.4	187	6.0	152	15413	2 \$6.15
	3/8	7.5	191	6.0	152	15414	2 \$7.59

<b>9" Blade Length</b>							
	2.0	9.5	242	2.8	70	15552	2 \$2.05
	2.5	9.6	243	2.8	70	15554	2 \$2.05
	3	9.6	244	3.0	76	15556	2 \$2.05
	4	9.7	246	3.0	76	15560	2 \$2.41
	5	9.8	248	4.0	102	15564	2 \$3.25
	6	9.8	250	4.0	102	15568	2 \$3.80
	8	10.4	264	6.0	152	15572	2 \$7.05
	10	10.5	268	6.0	152	15576	2 \$9.05


<b>9" Blade Length</b>							
<b>Inch</b>	3/32	9.6	243	2.8	70	15505	2 \$1.62
	7/64	9.6	244	2.8	70	15506	2 \$1.69
	1/8	9.6	244	3.0	76	15507	2 \$1.69
	9/64	9.7	245	3.0	76	15508	2 \$1.86
	5/32	9.7	246	3.0	76	15509	2 \$2.05
	3/16	9.8	248	4.0	102	15510	2 \$2.54
	7/32	9.8	249	4.0	102	15511	2 \$3.50
	1/4	9.9	251	4.0	102	15512	2 \$4.10
	5/16	10.4	264	6.0	152	15513	2 \$6.93
	3/8	10.5	267	6.0	152	15514	2 \$8.67



# Cushion Grip Loop T-Handles

- ProGuard™ Finish -

- Coated handles for user comfort
- Chamfered tool tips eliminate burrs and help tools seat in screw head
- Sharp corners transfer more torque to the screw and reduce stripping
- Precision machined for ease of use and superior fit



Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
<b>Inch</b>	46438	CTHX10-6	10	6 inch	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$45.27
	46538	CTHX10-9	10	9 inch	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$43.06
<b>Metric</b>	46487	CTHX80M-6	8	6 inch	2, 2.5, 3, 4, 5, 6, 8, 10mm	1	\$39.00
	46587	CTHX80M-9	8	9 inch	2, 2.5, 3, 4, 5, 6, 8, 10mm	1	\$49.93



**Singles** SIZE INCH MM INCH MM PART# QTY LIST EA

<b>6" Blade Length</b>							
<b>Inch</b>	3/32	6.6	167	2.8	70	46405	2 \$2.40
	7/64	6.6	167	2.8	70	46406	2 \$2.46
	1/8	6.6	168	3.0	76	46407	2 \$2.46
	9/64	6.7	169	3.0	76	46408	2 \$2.67
	5/32	6.7	170	3.0	76	46409	2 \$2.79
	3/16	6.8	171	4.0	102	46410	2 \$3.25
	7/32	6.8	173	4.0	102	46411	2 \$4.06
	1/4	6.9	175	4.0	102	46412	2 \$4.66
	5/16	7.4	187	6.0	152	46413	2 \$7.91
	3/8	7.5	191	6.0	152	46414	2 \$9.87

<b>9" Blade Length</b>							
<b>Inch</b>	3/32	9.6	243	2.8	70	46505	2 \$2.57
	7/64	9.6	244	2.8	70	46506	2 \$2.61
	1/8	9.6	244	3.0	76	46507	2 \$2.61
	9/64	9.7	245	3.0	76	46508	2 \$2.90
	5/32	9.7	246	3.0	76	46509	2 \$3.08
	3/16	9.8	248	4.0	102	46510	2 \$3.64
	7/32	9.8	249	4.0	102	46511	2 \$4.60
	1/4	9.9	251	4.0	102	46512	2 \$5.40
	5/16	10.4	264	6.0	152	46513	2 \$8.74
	3/8	10.5	267	6.0	152	46514	2 \$11.07



**Singles** SIZE INCH MM INCH MM PART# QTY LIST EA

<b>6" Blade Length</b>							
<b>Metric</b>	2.0	6.5	166	2.7	70	46452	2 \$2.82
	2.5	6.6	167	2.7	70	46454	2 \$2.82
	3	6.6	168	3.0	76	46456	2 \$2.82
	4	6.7	170	3.0	76	46460	2 \$3.21
	5	6.8	172	4.0	102	46464	2 \$3.95
	6	6.8	174	4.0	102	46468	2 \$4.66
	8	7.4	187	6.0	152	46472	2 \$8.01
	10	7.5	191	6.0	152	46476	2 \$10.23

<b>9" Blade Length</b>							
<b>Metric</b>	2.0	9.5	242	2.8	70	46552	2 \$3.00
	2.5	9.6	243	2.8	70	46554	2 \$3.04
	3	9.6	244	3.0	76	46556	2 \$3.08
	4	9.7	246	3.0	76	46560	2 \$3.52
	5	9.8	248	4.0	102	46564	2 \$4.33
	6	9.8	250	4.0	102	46568	2 \$5.15
	8	10.4	264	6.0	152	46572	2 \$17.80
	10	10.5	268	6.0	152	46576	2 \$11.39



# TORX® T-Handles

## - ProGuard™ Finish -

- Fits all TORX® and Star screws
- Solid steel handles
- Welded handle/blade connection
- Ergonomic handle design
- Flywheel effect saves time
- Smooth, non-porous handle coating


ProGuard™ finish delivers superior corrosion protection



Handles are color coded for easy recognition  
Green=TORX®



Set	PART#	MODEL#	PCS	LENGTH	W/STAND	CONTENTS	QTY	LIST
<b>TORX®</b>	33034	TTHX8	8	Graduated	✓	T9, T10, T15, T20, T25, T27, T30, T40	1	\$52.63
✓ Comes with stand 17934								



Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA
<b>TORX®</b>	T9	6.1	155	3.0	76	33009	2	\$5.03
	T10	6.4	161	3.0	76	33010	2	\$5.27
	T15	6.6	168	3.0	76	33015	2	\$5.61
	T20	6.9	174	3.0	76	33020	2	\$5.85
	T25	7.1	180	3.0	76	33025	2	\$6.09
	T27	7.4	187	4.0	102	33027	2	\$6.44
	T30	7.6	193	4.0	102	33030	2	\$6.78
	T40	7.9	199	4.0	102	33040	2	\$7.61
	T45	8.1	206	5.0	127	33045	2	\$8.49
	T50	8.4	212	5.0	127	33050	2	\$9.94
	T55	8.6	218	5.0	127	33055	2	\$12.88

# ProHold® TORX® T-Handles

## - ProGuard™ Finish -

- Fits all TORX® and Star screws
- Holds screw tight on the tool EVERY TIME
- Button is non-magnetic
- Welded handle/blade connection

ProGuard™ finish delivers superior corrosion protection



Handles are color coded for easy recognition  
Green=TORX®



Set	PART#	MODEL#	PCS	LENGTH	W/STAND	CONTENTS	QTY	LIST
<b>TORX®</b>	74034	PHTTHX8	8	Graduated	✓	T9, T10, T15, T20, T25, T27, T30, T40	1	\$80.52
✓ Comes with stand 17934								



Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA
<b>TORX®</b>	T9	6.1	155	3.0	76	74009	2	\$8.01
	T10	6.4	161	3.0	76	74010	2	\$8.42
	T15	6.6	168	3.0	76	74015	2	\$8.94
	T20	6.9	174	3.0	76	74020	2	\$9.36
	T25	7.1	180	3.0	76	74025	2	\$9.71
	T27	7.4	187	4.0	102	74027	2	\$10.29
	T30	7.6	193	4.0	102	74030	2	\$10.83
	T40	7.9	199	4.0	102	74040	2	\$12.17
	T45	8.1	206	5.0	127	74045	2	\$13.57
	T50	8.4	212	5.0	127	74050	2	\$15.91
	T55	8.6	218	5.0	127	74055	2	\$17.54

**Did you know...?**  
Bondhus T-Handle tools feature an ergonomic handle design to increase user comfort and decrease hand fatigue.

TORX® and TORX PLUS® are registered trademarks of Acument Intellectual Properties, LLC

Made in the U.S.A.



All Bondhus® tools are made with Protanium® High Torque Steel.

# Screwdrivers



- Ergonomic handle design greatly reduces pain and discomfort associated with repetitive tasks
- Non-slip grip generates maximum torque even when wet or oily
- Anti-roll design prevents rolling on vibrating surfaces and inclines up to 15°
- Two component ComfortGrip Handle is durable and comfortable

### Color Coded

- Inch
- Metric
- TORX®



High Torque Steel:

Up to 20% stronger, with more torque and twice the wear resistance of standard grades of steel.

### FINISH OPTIONS:



Corrosion-resistant finish:

Environmentally safe, provides better tool grip, resists solvents and is 5 times more corrosion resistant than competitor finishes.



Next generation chrome finish:

Traditional plated tool look with superior protection and durability.



Real 14 karat gold finish:

Superior protection and durability over traditional chrome and the look and shine of real gold.

## Attention to Detail

To create a superior screwdriver, Bondhus gives great attention to detail. The ComfortGrip handle is more comfortable and features a better grip than typical screwdrivers. Bondhus is also the only company to match the size of our screwdriver handles to the screwdriver blade's maximum torque.



The Bondhus ComfortGrip handle features a durable thermoplastic core wrapped in cushioned rubber for increased comfort and torque.



Bondhus handles are designed and sized to match the torque capacity of each blade tip.



Ergonomically designed handles deliver maximum torque with unrivaled comfort and grip.



Slight texture of handle helps retain grip, even when hands are wet or oily.

TORX® and TORX PLUS® are trademarks of Acument Intellectual Properties, LLC

# Ball End Screwdrivers

## - ProGuard™ Finish -

- Ball End inserts into screw at a 25° angle
- Ergonomic handle design
- Non-slip grip
- Two component handle with tough inner core and cushioned rubber exterior
- Anti-roll design

ProGuard™ finish delivers superior corrosion protection



Handles are color coded for easy recognition

Yellow=Inch

Red=Metric



10637

Sets	PART#	MODEL#	PCS	LENGTH	CONTENTS	QTY	LIST
Inch	10645	BSX7	7	Standard	5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"	1	\$23.86
	10632	BSX8S	8	Standard	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"	1	\$24.06
	10633	BSX8	8	Standard	7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16"	1	\$39.07
	10637	BSX13	13	Standard	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$57.91
	10737	BSX11L	11	Long	5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$63.65
Metric	10686	BSX6M	6	Standard	1.5, 2, 2.5, 3, 4, 5mm	1	\$20.75
	10687	BSX7M	7	Standard	1.27, 1.5, 2, 2.5, 3, 4, 5mm	1	\$23.13
	10699	BSX9M	9	Standard	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	\$45.64
	10733	BSX8ML	8	Long	2, 2.5, 3, 4, 5, 6, 8, 10mm	1	\$52.06



Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST	EA	PART#	QTY	LIST	EA	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST	EA	
Inch	<b>Standard</b>										<b>Long</b>												
	.050	2.4	60	4.1	104	10602	2	\$2.37		40602	2	\$2.91		-	-	-	-	-	-	-	-	-	-
	1/16	2.5	64	4.7	118	10603	2	\$2.56		40603	2	\$3.12		-	-	-	-	-	-	-	-	-	-
	5/64	2.6	67	4.8	122	10604	2	\$2.77		40604	2	\$3.31		5/64	4.3	110	6.5	164	10704	2	\$3.22		
	3/32	2.8	71	5.2	132	10605	2	\$2.91		40605	2	\$3.46		3/32	4.8	122	7.2	184	10705	2	\$3.33		
	7/64	2.9	74	5.3	136	10606	2	\$2.94		40606	2	\$3.48		7/64	5.9	151	8.4	212	10706	2	\$3.66		
	1/8	3.1	80	6.6	168	10607	2	\$2.98		40607	2	\$3.63		1/8	6.4	164	9.9	252	10707	2	\$3.98		
	9/64	3.3	83	6.8	171	10608	2	\$3.25		40608	2	\$3.89		9/64	6.9	176	10.4	264	10708	2	\$4.31		
	5/32	3.6	91	7.9	201	10609	2	\$3.47		40609	2	\$4.12		5/32	7.4	189	11.8	299	10709	2	\$5.14		
	3/16	3.7	94	8.0	204	10610	2	\$4.61		40610	2	\$5.36		3/16	7.9	202	12.3	312	10710	2	\$5.71		
	7/32	4.2	107	9.0	230	10611	2	\$4.95		40611	2	\$5.69		7/32	8.4	214	13.3	337	10711	2	\$6.39		
	1/4	5.0	126	9.8	249	10612	2	\$6.26		40612	2	\$7.12		1/4	8.9	227	13.7	349	10712	2	\$7.43		
	5/16	5.6	142	10.4	265	10613	2	\$7.42		40613	2	\$8.39		5/16	9.5	241	14.3	364	10713	2	\$8.87		
	3/8	6.5	164	11.3	287	10614	2	\$8.91		40614	2	\$9.88		3/8	9.9	252	14.8	376	10714	2	\$10.51		
	7/16	7.6	194	12.5	317	10615	1	\$18.52		-	-	-	-	-	-	-	-	-	-	-	-	-	-
1/2	8.6	217	13.4	340	10616	1	\$21.72		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Metric	<b>Standard</b>										<b>Long</b>												
	1.27	2.4	60	4.1	104	10649	2	\$2.36		40649	2	\$2.90		-	-	-	-	-	-	-	-	-	-
	1.5	2.6	66	4.7	120	10650	2	\$2.64		40650	2	\$3.18		-	-	-	-	-	-	-	-	-	-
	2.0	2.8	72	5.0	127	10652	2	\$2.94		40652	2	\$3.48		2.0	4.0	102	6.2	157	10752	2	\$3.31		
	2.5	2.7	69	5.1	130	10654	2	\$2.95		40654	2	\$3.51		2.5	4.3	110	6.7	171	10754	2	\$3.55		
	3.0	3.3	83	6.7	171	10656	2	\$2.99		40656	2	\$3.54		3.0	6.2	158	9.7	247	10756	2	\$4.18		
	3.5	3.5	88	6.9	176	10658	1	\$4.07		-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4.0	3.7	95	8.1	205	10660	2	\$3.61		40660	2	\$4.26		4.0	7.0	179	11.4	288	10760	2	\$4.52		
	4.5	4.3	109	8.6	218	10662	1	\$4.98		-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5.0	4.3	109	8.6	219	10664	2	\$4.76		40664	2	\$5.52		5.0	7.8	198	12.1	308	10764	2	\$6.18		
	5.5	5.0	126	9.3	236	10666	1	\$6.93		-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	5.4	137	10.2	260	10668	2	\$5.45		40668	2	\$6.31		6	8.6	218	13.4	341	10768	2	\$6.60		
	7	5.7	145	10.5	268	10670	1	\$8.52		-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	6.4	162	11.2	286	10672	2	\$8.30		40672	2	\$9.27		8	9.3	237	14.2	360	10772	2	\$9.15		
	9	6.9	175	11.7	298	10674	1	\$11.12		-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	7.3	184	12.1	307	10676	2	\$9.58		40676	2	\$10.56		10	10.2	259	15.0	382	10776	2	\$11.28			

For Extra Long and Custom Length singles see page 40

# Ball End Screwdriver Extra Long and Custom Length Singles

## - ProGuard™ Finish -

- Ball End inserts into screw at a 25° angle
- Ergonomic handle design
- Non-slip grip



Ball End Tips

ProGuard™ finish delivers superior corrosion protection



Handles are color coded for easy recognition

Yellow=Inch

Red=Metric



Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA
---------	------	------	----	------	----	-------	-----	---------

Singles	SIZE	PART#	QTY	LIST EA	INCH	MM
---------	------	-------	-----	---------	------	----

Inch	Extra Long				PART#	QTY	LIST EA
	SIZE	INCH	MM	INCH			
.050	11.1	283	12.8	326	3702	1	\$8.71
1/16	11.1	281	13.2	336	3703	1	\$8.71
5/64	11.0	279	13.2	334	3704	1	\$8.71
3/32	11.0	279	13.4	341	3705	1	\$8.71
7/64	10.6	270	13.0	331	3706	1	\$8.60
1/8	10.6	270	14.1	358	3707	1	\$8.60
9/64	10.5	267	14.0	355	3708	1	\$9.05
5/32	10.5	267	14.8	377	3709	1	\$9.28
3/16	10.3	260	14.6	370	3710	1	\$10.19
7/32	10.3	260	15.1	383	3711	1	\$10.19
1/4	10.3	260	15.1	383	3712	1	\$10.93
5/16	10.3	260	15.1	383	3713	1	\$11.93
3/8	10.3	260	15.1	383	3714	1	\$13.90
7/16	10.5	267	15.3	390	3715	1	\$15.07
1/2	10.5	267	15.3	390	3716	1	\$16.83

Inch	Custom Length		PART#	QTY	LIST EA	INCH	MM
	SIZE	INCH					
.050	193102	1	\$10.51	≤11.1	283		
1/16	193103	1	\$10.51	≤11.1	281		
5/64	193104	1	\$10.51	≤11.0	279		
3/32	193105	1	\$10.51	≤11.0	279		
7/64	193106	1	\$10.51	≤10.6	270		
1/8	193107	1	\$10.51	≤10.6	270		
9/64	193108	1	\$10.62	≤10.5	267		
5/32	193109	1	\$10.88	≤10.5	267		
3/16	193110	1	\$12.00	≤10.3	260		
7/32	193111	1	\$12.05	≤10.3	260		
1/4	193112	1	\$12.96	≤10.3	260		
5/16	193113	1	\$14.08	≤10.3	260		
3/8	193114	1	\$15.72	≤10.3	260		
7/16	193115	1	\$17.26	≤10.5	267		
1/2	193116	1	\$19.12	≤10.5	267		

Customer must specify an "out of handle length" equal to or less than the Extra Long out of handle length.

Metric	Extra Long				PART#	QTY	LIST EA
	SIZE	INCH	MM	INCH			
1.5	11.0	279	13.2	334	3750	1	\$8.71
2.0	11.0	279	13.2	334	3752	1	\$8.71
2.5	10.5	267	12.9	328	3754	1	\$8.71
3.0	10.6	270	14.1	358	3756	1	\$8.60
4.0	10.5	267	14.8	377	3760	1	\$9.28
5.0	10.3	260	14.6	370	3764	1	\$10.19
6	10.3	260	15.1	383	3768	1	\$10.93
8	10.3	260	15.1	383	3772	1	\$11.93
10	10.3	260	15.1	383	3776	1	\$13.90

Metric	Custom Length		PART#	QTY	LIST EA	INCH	MM
	SIZE	INCH					
1.5	193150	1	\$10.51	≤11.0	279		
2.0	193152	1	\$10.51	≤11.0	279		
2.5	193154	1	\$10.51	≤10.5	267		
3.0	193156	1	\$10.51	≤10.6	270		
4.0	193160	1	\$10.88	≤10.5	267		
5.0	193164	1	\$12.00	≤10.3	260		
6	193168	1	\$12.96	≤10.3	260		
8	193172	1	\$14.08	≤10.3	260		
10	193176	1	\$15.72	≤10.3	260		

Customer must specify an "out of handle length" equal to or less than the Extra Long out of handle length.

# ProHold® Ball End Screwdrivers

## - ProGuard™ Finish -

- Holds screw tight on the tool EVERY TIME
- Button is non-magnetic
- Super smooth rotational action, with no interference from the ProHold® button



ProHold® Tip holds screws securely

ProGuard™ finish delivers superior corrosion protection



Handles are color coded for easy recognition


Yellow=Inch

Red=Metric

Sets	PART#	MODEL#	PCS	CONTENTS	QTY	LIST
------	-------	--------	-----	----------	-----	------

Inch	74632	PBSX8S	8	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"	1	\$28.57
	74637	PBSX13	13	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$66.71

Metric	74686	PBSX6M	6	1.5, 2, 2.5, 3, 4, 5mm	1	\$24.22
	74699	PBSX9M	9	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	\$51.75



Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA
---------	------	------	----	------	----	-------	-----	---------

Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA
---------	------	------	----	------	----	-------	-----	---------

Inch	.050	2.4	60	4.1	104	74602	2	\$2.89
	1/16	2.5	64	4.7	118	74603	2	\$3.07
	5/64	2.6	67	4.8	122	74604	2	\$3.27
	3/32	2.8	71	5.2	132	74605	2	\$3.43
	7/64	2.9	74	5.3	136	74606	2	\$3.54
	1/8	3.1	80	6.6	168	74607	2	\$3.61
	9/64	3.3	83	6.8	171	74608	2	\$3.87
	5/32	3.6	91	7.9	201	74609	2	\$4.10
	3/16	3.7	94	8.0	204	74610	2	\$5.31
	7/32	4.2	107	9.0	230	74611	2	\$5.82
	1/4	4.7	118	9.8	249	74612	2	\$7.07
	5/16	5.6	142	10.4	265	74613	2	\$8.18
	3/8	6.5	164	11.3	287	74614	2	\$9.59

Metric	1.27	2.4	60	4.1	104	74649	2	\$2.89
	1.5	2.6	66	4.7	120	74650	2	\$3.14
	2.0	2.8	72	5.0	127	74652	2	\$3.43
	2.5	2.7	69	5.1	130	74654	2	\$3.47
	3.0	3.3	83	6.7	171	74656	2	\$3.60
	4.0	3.7	95	8.1	205	74660	2	\$4.25
	5.0	4.3	109	8.6	219	74664	2	\$5.54
	6	5.4	137	10.2	260	74668	2	\$6.29
	8	6.4	162	11.2	286	74672	2	\$8.99
	10	7.3	184	12.1	307	74676	2	\$10.23

# Ball End Screwdrivers - BriteGuard™ Finish -

- Ball End inserts into screw at a 25° angle
- Ergonomic handle design
- Non-slip grip
- Two component handle with tough inner core and cushioned rubber exterior
- Anti-roll design



BriteGuard™ finish delivers superior corrosion protection



Ball End Tips

Handles are color coded for easy recognition

Yellow=Inch

Red=Metric

Sets	PART#	MODEL#	PCS	CONTENTS	QTY	LIST
<b>Inch</b>	16632	BSX8SB	8	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"	1	\$32.55
	16637	BSX13B	13	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$78.76
<b>Metric</b>	16686	BSX6MB	6	1.5, 2, 2.5, 3, 4, 5mm	1	\$30.12
	16699	BSX9MB	9	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	\$65.00

SINGLE PACKAGING



SINGLE PACKAGING



Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA
<b>Inch</b>	.050	2.4	60	4.1	104	16602	2	\$3.44
	1/16	2.5	64	4.7	118	16603	2	\$3.75
	5/64	2.6	67	4.8	122	16604	2	\$4.25
	3/32	2.8	71	5.2	132	16605	2	\$4.25
	7/64	2.9	74	5.3	136	16606	2	\$4.39
	1/8	3.1	80	6.6	168	16607	2	\$4.39
	9/64	3.3	83	6.8	171	16608	2	\$5.27
	5/32	3.6	91	7.9	201	16609	2	\$5.27
	3/16	3.7	94	8.0	204	16610	2	\$6.88
	7/32	4.2	107	9.0	230	16611	2	\$7.87
	1/4	5.0	126	9.8	249	16612	2	\$7.87
	5/16	5.6	142	10.4	265	16613	2	\$12.01
	3/8	6.5	164	11.3	287	16614	2	\$13.87
	7/16	7.6	194	12.5	317	16615	1	\$25.14
	1/2	8.6	217	13.4	340	16616	1	\$29.40

Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA
<b>Metric</b>	1.27	2.4	60	4.1	104	16649	2	\$3.44
	1.5	2.6	66	4.7	120	16650	2	\$3.75
	2.0	2.8	72	5.0	127	16652	2	\$4.25
	2.5	2.7	69	5.1	130	16654	2	\$4.25
	3.0	3.3	83	6.7	171	16656	2	\$4.39
	4.0	3.7	95	8.1	205	16660	2	\$5.26
	5.0	4.3	109	8.6	219	16664	2	\$6.88
	6	5.4	137	10.2	260	16668	2	\$7.87
	8	6.4	162	11.2	286	16672	2	\$12.01
	10	7.3	184	12.1	307	16676	2	\$13.87

# Ball End Screwdrivers - GoldGuard™ Finish -

- Ball End inserts into screw at a 25° angle
- Ergonomic handle design
- Non-slip grip
- Two component handle with tough inner core and cushioned rubber exterior
- Anti-roll design



GoldGuard™ finish. Real 14 karat Gold



Ball End Tips

Handles are color coded for easy recognition

Yellow=Inch

Red=Metric

Sets	PART#	MODEL#	PCS	CONTENTS	QTY	LIST
<b>Inch</b>	38632	BSX8SG	8	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"	1	\$33.48
	38637	BSX13G	13	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$81.04
<b>Metric</b>	38686	BSX6MG	6	1.5, 2, 2.5, 3, 4, 5mm	1	\$30.95
	38699	BSX9MG	9	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	\$66.86

SINGLE PACKAGING



SINGLE PACKAGING



Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA
<b>Inch</b>	.050	2.4	60	4.1	104	38602	2	\$3.52
	1/16	2.5	64	4.7	118	38603	2	\$3.85
	5/64	2.6	67	4.8	122	38604	2	\$4.38
	3/32	2.8	71	5.2	132	38605	2	\$4.38
	7/64	2.9	74	5.3	136	38606	2	\$4.51
	1/8	3.1	80	6.6	168	38607	2	\$4.51
	9/64	3.3	83	6.8	171	38608	2	\$5.41
	5/32	3.6	91	7.9	201	38609	2	\$5.41
	3/16	3.7	94	8.0	204	38610	2	\$7.09
	7/32	4.2	107	9.0	230	38611	2	\$8.09
	1/4	5.0	126	9.8	249	38612	2	\$8.09
	5/16	5.6	142	10.4	265	38613	2	\$12.37
	3/8	6.5	164	11.3	287	38614	2	\$14.27
	7/16	7.6	194	12.5	317	38615	1	\$25.86
	1/2	8.6	217	13.4	340	38616	1	\$30.23

Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA
<b>Metric</b>	1.27	2.4	60	4.1	104	38649	2	\$3.52
	1.5	2.6	66	4.7	120	38650	2	\$3.85
	2.0	2.8	72	5.0	127	38652	2	\$4.38
	2.5	2.7	69	5.1	130	38654	2	\$4.38
	3.0	3.3	83	6.8	172	38656	2	\$4.51
	4.0	3.7	95	8.1	205	38660	2	\$5.41
	5.0	4.3	109	8.6	219	38664	2	\$7.09
	6	5.4	137	10.2	260	38668	2	\$8.09
	8	6.4	162	11.2	286	38672	2	\$12.37
	10	7.3	184	12.1	307	38676	2	\$14.27

# TORX® Tip Screwdrivers

## - ProGuard™ Finish -

- Fits all TORX® and Star screws
- Burr free tool tips help tools seat fully in screw head
- Precision machined tips transfer more torque to the screw and reduces stripping
- Broad contact surface provides deep lobe engagement
- Straight, vertical sidewalls increase tool engagement and virtually eliminates camout



Sets	PART#	MODEL#	PCS	CONTENTS	QTY	LIST
<b>TORX®</b>	34532	TSX8S	8	T6, T7, T8, T9, T10, T15, T20, T25	1	\$40.26
	34534	TSX8	8	T9, T10, T15, T20, T25, T27, T30, T40	1	\$46.78

SINGLE PACKAGING



Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA
<b>TORX®</b>	T5	4.0	102	6.2	156	34505	2	\$5.85
	T6	4.3	108	6.4	163	34506	2	\$4.56
	T7	4.5	114	6.7	169	34507	2	\$4.44
	T8	4.8	121	7.2	182	34508	2	\$4.44
	T9	4.9	124	7.3	186	34509	2	\$4.79
	T10	5.0	128	7.4	189	34510	2	\$5.03
	T15	5.1	131	8.6	219	34515	2	\$5.14
	T20	5.4	138	9.8	248	34520	2	\$5.61
	T25	5.7	144	10.0	253	34525	2	\$6.20
	T27	5.8	147	10.6	270	34527	2	\$7.13
	T30	6.0	153	10.9	276	34530	2	\$8.42
	T40	6.3	159	11.1	282	34540	2	\$9.18
	T45	6.5	166	11.4	289	34545	1	\$9.26
	T50	6.8	172	11.6	295	34550	1	\$10.28
	T55	7.0	178	11.9	301	34555	1	\$11.46
	T60	7.3	185	12.1	308	34560	1	\$13.11


### Did you know...?

ProGuard™ Dry Surface Technology is the world's best corrosion protection. The tool user does not have to work with rusty tools. ProGuard™ protection delivers up to 5 times the corrosion resistance of any other Hex or TORX® tool finish.

# ProHold® TORX® Screwdrivers

## - ProGuard™ Finish -

- Fits all TORX® and Star screws
- Holds screw tight on the tool EVERY TIME
- Button is non-magnetic
- Broad contact surface provides deep lobe engagement



Sets	PART#	MODEL#	PCS	CONTENTS	QTY	LIST
<b>TORX®</b>	75534	PHTSX8	8	T9, T10, T15, T20, T25, T27, T30, T40	1	\$81.87

SINGLE PACKAGING



Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA
<b>TORX®</b>	T9	4.9	124	7.3	186	75509	1	\$7.62
	T10	5.0	128	7.4	189	75510	1	\$7.95
	T15	5.1	131	8.6	219	75515	1	\$8.18
	T20	5.4	138	9.8	248	75520	1	\$8.89
	T25	5.7	144	10.0	253	75525	1	\$9.82
	T27	5.8	147	10.6	270	75527	1	\$11.34
	T30	6.0	153	10.9	276	75530	1	\$13.46
	T40	6.3	159	11.1	282	75540	1	\$14.62
	T45	6.5	166	11.4	289	75545	1	\$15.20
	T50	6.8	172	11.6	295	75550	1	\$16.97
	T55	7.0	178	11.9	301	75555	1	\$18.95
	T60	7.3	185	12.1	308	75560	1	\$20.94

### Did you know...?

ProHold® buttons are non-magnetic and work on all fastener types. They are safe to use on sensitive equipment. They will not rust and will hold non-magnetic screws (aluminum, stainless and plastic)

TORX® and TORX PLUS® are registered trademarks of Acument Intellectual Properties, LLC

# BallStar™ Tip Screwdrivers

## - ProGuard™ Finish -

- Fits all TORX® and Star screws
- Ball End inserts into a screw at a 20° angle
- Ball End saves time by quickly funneling tool into screw
- Superior Ball End strength and working angle
- Works in hard to reach places



ProGuard™ finish delivers superior corrosion protection



Handles are color coded for easy recognition  
Green=TORX®



BallStar™ Tip



Sets	PART#	MODEL#	PCS	CONTENTS	QTY	LIST
<b>BALL STAR™</b>	13546	STX6	6	T6, T7, T8, T9, T10, T15	1	\$44.51
	13532	STX8	8	T9, T10, T15, T20, T25, T27, T30, T40	1	\$66.03

SINGLE PACKAGING



PACKAGED

Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA
<b>BALL STAR™</b>	T6	2.6	65	4.7	119	12706	2	\$7.29
	T7	2.6	65	4.7	119	12707	2	\$7.29
	T8	2.6	65	5.0	126	12708	2	\$7.29
	T9	2.6	65	5.0	126	12709	2	\$7.29
	T10	2.8	70	5.2	132	12710	2	\$7.69
	T15	2.9	73	6.4	161	12715	2	\$7.69
	T20	3.2	81	7.5	191	12720	2	\$7.90
	T25	3.4	87	7.7	197	12725	2	\$8.11
	T27	3.8	97	8.7	220	12727	2	\$8.54
	T30	4.2	106	9.0	229	12730	2	\$9.11
	T40	4.6	117	9.4	240	12740	2	\$9.74
	T45	5.2	132	10.0	255	12745	1	\$11.55
T50	6.0	153	10.9	276	12750	1	\$13.78	
T55	6.8	172	11.6	295	12755	1	\$16.55	

### Did you know...?

BallStar™ tools work at a 20° angle; screws can be turned continuously without constantly taking the tool out of the screw, repositioning it and reinserting it, even at angles up to 20°.

# Tamper Resistant TORX® Screwdrivers

## - ProGuard™ Finish -

- Fits all TORX® and Star tamper resistant screws
- Burr free tool tips help tools seat fully in screw head
- Precision machined tips transfer more torque to the screw and reduces stripping

ProGuard™ finish delivers superior corrosion protection



Handles are color coded for easy recognition  
Green=TORX®



Tamper Resistant TORX®



Sets	PART#	MODEL#	PCS	CONTENTS	QTY	LIST
<b>TORX®</b>	33832	TR-SX8S	8	TR6, TR7, TR8, TR9, TR10, TR15, TR20, TR25	1	\$66.65
	33834	TR-SX8	8	TR9, TR10, TR15, TR20, TR25, TR27, TR30, TR40	1	\$85.39

SINGLE PACKAGING



PACKAGED

Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA
<b>TORX®</b>	TR6	4.3	108	6.4	163	33806	1	\$7.62
	TR7	4.5	114	6.7	169	33807	1	\$7.62
	TR8	4.8	121	7.2	182	33808	1	\$7.62
	TR9	4.9	124	7.3	186	33809	1	\$7.85
	TR10	5.0	128	7.4	189	33810	1	\$7.85
	TR15	5.1	131	8.6	219	33815	1	\$8.01
	TR20	5.4	138	9.8	248	33820	1	\$10.06
	TR25	5.7	144	10.0	253	33825	1	\$10.12
	TR27	5.8	147	10.6	270	33827	1	\$12.00
	TR30	6.0	153	10.9	276	33830	1	\$14.33
	TR40	6.3	159	11.1	282	33840	1	\$15.49

### Did you know...?

Bondhus' ergonomic handle design greatly reduces fatigue associated with repetitive tasks and the application of torque.

TORX® and TORX PLUS® are registered trademarks of Acument Intellectual Properties, LLC

Made in the U.S.A.



All Bondhus® tools are made with Protanium® High Torque Steel.

# Square Ball End Screwdrivers

## - ProGuard™ Finish -

- Ball End inserts into a screw at a 25° angle
- Ball End saves time by quickly funneling tool into screw
- Two component handle with tough inner core and cushioned rubber exterior
- Non-slip grip
- Anti-roll design




ProGuard™ finish delivers superior corrosion protection



Square Ball Tip

Ergonomic handle design



Set	PART#	MODEL#	PCS	CONTENTS	QTY	LIST
	11640	BRX4	4	SQ0, SQ1, SQ2, SQ3	1	\$22.61



SINGLE PACKAGING  
PACKAGED


Singles	SIZE	INCH	MM	INCH	MM	PART#	QTY	LIST EA
	SQ0	3.5	90	7.0	178	11600	2	\$4.89
	SQ1	3.8	95	7.2	183	11601	2	\$5.59
	SQ2	4.0	102	8.3	212	11602	2	\$6.00
	SQ3	4.0	102	8.3	212	11603	2	\$6.68
	SQ4	4.5	115	8.8	225	11604	2	\$7.42

## Bondhex™ Cases

- Provides a convenient means of keeping L-Wrenches neat and organized
- Sizes are printed on the case for quick tool selection
- Case can be used in conjunction with the tool to increase torque

	PART#	FITS SIZES	QTY	LIST
<b>Inch</b>	18032	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"	10	\$1.04
	18036	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16"	10	\$1.29
	18037	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	10	\$1.55
	18038	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	10	\$1.29
	18045	5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"	10	\$1.04
<b>Metric</b>	18046	1.5, 2, 2.5, 3, 4, 5mm	10	\$1.04
	18099	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	10	\$1.29


Yellow=Inch  
Red=Metric



## About the Bondhex™ Case For Ball End and Hex Tip L-Wrenches

Bondhus Ball End and Hex key sets are packed in a color coded Bondhex™ case to keep tools neat and sorted. A simple 60 degree turn locks keys in place to eliminate loose, spilled and lost keys. Tool sizes are clearly printed beneath each tool for quick size selection. A Bondhex™ case can also be used with a hex key to increase grip and comfortably generate additional torque.

Most Bondhus L-Wrench sets come standard with our Bondhex™ case.



# Hollow Shaft Nut Drivers

- Hexagonal upper shaft for use with a wrench for increased torque
- Ergonomic handle design
- Non-slip grip
- Anti-roll handle
- High strength chrome plated shaft



Handles are color coded for easy recognition

Yellow=Inch

Red=Metric

Sets	PART#	MODEL#	PCS	CONTENTS	QTY	LIST
<b>Inch</b>	48445	BNX7	7	3/16, 1/4, 5/16, 11/32, 3/8, 7/16, 1/2"	1	\$37.88
<b>Metric</b>	48492	BNX7M	7	6, 7, 8, 9, 10, 11, 12mm	1	\$37.88
	48496	BNX7ML	7	6, 7, 8, 9, 10, 11, 13mm	1	\$37.88

SINGLE PACKAGING



Singles	SIZE	INCH		MM		PACKAGED			TAGGED/BARCODED		
		INCH	MM	INCH	MM	PART#	QTY	LIST EA	PART#	QTY	LIST EA
<b>Inch</b>	5/32	3/16	4.8	7.3	186	38409	1	\$6.37	48409	1	\$7.04
	3/16	3/16	4.8	7.3	186	38410	1	\$6.37	48410	1	\$7.04
	7/32	3/16	4.8	7.3	186	38411	1	\$6.37	48411	1	\$7.04
	1/4	3/16	4.8	7.3	186	38412	1	\$6.37	48412	1	\$7.04
	9/32	3/16	4.8	7.3	186	38432	1	\$6.57	48432	1	\$7.25
	5/16	3/16	4.8	7.3	186	38413	1	\$6.57	48413	1	\$7.25
	11/32	3/16	4.8	7.3	186	38435	1	\$6.57	48435	1	\$7.25
	3/8	3/16	4.8	7.3	186	38414	1	\$7.25	48414	1	\$7.92
	7/16	3/16	4.8	7.3	186	38415	1	\$7.25	48415	1	\$7.92
	1/2	3/16	4.8	7.3	186	38416	1	\$7.25	48416	1	\$7.92
<b>Metric</b>	4.0	3/16	4.8	7.3	186	38460	1	\$6.37	48460	1	\$7.04
	5.0	3/16	4.8	7.3	186	38464	1	\$6.37	48464	1	\$7.04
	5.5	3/16	4.8	7.3	186	38466	1	\$6.37	48466	1	\$7.04
	6	3/16	4.8	7.3	186	38468	1	\$6.37	48468	1	\$7.04
	7	3/16	4.8	7.3	186	38470	1	\$6.57	48470	1	\$7.25
	8	3/16	4.8	7.3	186	38472	1	\$6.57	48472	1	\$7.25
	9	3/16	4.8	7.3	186	38474	1	\$6.57	48474	1	\$7.25
	10	3/16	4.8	7.3	186	38476	1	\$7.25	48476	1	\$7.92
	11	3/16	4.8	7.3	186	38478	1	\$7.25	48478	1	\$7.92
	12	3/16	4.8	7.3	186	38480	1	\$7.25	48480	1	\$7.92
	13	3/16	4.8	7.3	186	38482	1	\$7.25	48482	1	\$7.92



48492



# ClickSet™ TLD (Torque Limiting Device)

- Wide range of factory preset torque limiting handles – no adjustment needed
- When the preset torque level is reached, the mechanism slips and makes an audible “click”
- Protects from overtorquing
- Reduces fastener wear and stripping
- Reduces potential damage to carbide inserts
- Universal TORX® for TORX PLUS® and older style TORX® fasteners
- +/- 10% repeatability

Factory preset torque value

Economical solution to an expensive problem

Factory preset torque level helps prevent damage to carbide inserts.

Perfect for use with aluminum and plastic screws.



High Torque Steel:

Up to 20% stronger, with more torque and twice the wear resistance of standard grades of steel.


## FINISH OPTION:




Impermeable polymer surface:

Impermeable PTFE (with TEFLON®\* material) added to finish for extra corrosion protection. Environmentally friendly finish, free of harsh chemicals, acids, and metals.

## Dependable Economy



A Bondhus ClickSet™ TLD tool will deliver the same torque every time. Competitor tools deliver a different torque level with every use.



Replaceable blades snap into handle, simplifying blade replacement.



Ergonomically designed handles deliver unrivaled comfort and grip.



Slight texture of handle helps retain grip, even when hands are wet or oily.



The Bondhus ComfortGrip handle features a durable thermoplastic core wrapped in cushioned rubber for increased comfort and torque.

TORX® and TORX PLUS® are trademarks of Acument Intellectual Properties, LLC

\* TEFLON® is a registered trademark of E.I. du Pont de Nemours and Co.

# ClickSet™ TLD (Torque Limiting Device) - TuffKote™ Finish -


- Wide range of factory preset torque limiting handles – no adjustment needed
- When the preset torque level is reached, the mechanism slips and makes an audible “click”
- Protects from overtorquing
- Reduces fastener wear and stripping
- Reduces potential damage to carbide inserts
- Universal TORX® for TORX PLUS® and older style TORX® fasteners
- +/- 10% repeatability

Impermeable PTFE finish for extra corrosion protection.

**TUFFKOTE™**  
PTFE Finish




	PART #	TORQUE	QTY	LIST PRICE
<b>Handles Only</b>	50404	4.4 in-lb/0.5 Nm	1	\$26.91
	50405	5.3 in-lb/0.6 Nm	1	\$26.91
	50408	8.0 in-lb/0.9 Nm	1	\$26.91
	50409	9.7 in-lb/1.1 Nm	1	\$26.91
	50410	10.6 in-lb/1.2 Nm	1	\$26.91
	50412	12.4 in-lb/1.4 Nm	1	\$26.91
	50417	17.7 in-lb/2.0 Nm	1	\$26.91
	50422	22.1 in-lb/2.5 Nm	1	\$26.91
	50426	26.6 in-lb/3.0 Nm	1	\$26.91
	50431	31.0 in-lb/3.5 Nm	1	\$26.91



Bondhus ClickSet™ Torque Limiting Screwdrivers distribute the torque load along the handle, redistributing force over a larger surface for greater accuracy and longer tool life.

	PART #	SIZE	QTY	LIST PRICE
<b>Inch Hex</b>	50102	.050"	1	\$9.32
	50103	1/16"	1	\$9.32
	50104	5/64"	1	\$9.32
	50105	3/32"	1	\$9.32
	50106	7/64"	1	\$9.32
	50107	1/8"	1	\$9.32
	<b>Metric Hex</b>	50150	1.5mm	1
50152		2.0mm	1	\$9.32
50154		2.5mm	1	\$9.32
50156		3.0mm	1	\$9.32
<b>TORX®</b>	50205	T/IP5	1	\$9.32
	50206	T/IP6	1	\$9.32
	50207	T/IP7	1	\$9.32
	50208	T/IP8	1	\$9.32
	50209	T/IP9	1	\$9.32
	50210	T/IP10	1	\$9.32
	50215	T/IP15	1	\$9.32



Competitor torque limiting tools use ball bearings or teeth to carry the torque load across the handle, wearing out the mechanism quickly.

	PART #	HANDLE TORQUE	BLADE TIP	QTY	LIST PRICE
<b>TORX®</b>	50004	4.4 in-lb/0.5 Nm	T/IP5	1	\$36.23
	50005	5.3 in-lb/0.6 Nm	T/IP6	1	\$36.23
	50008	8.0 in-lb/0.9 Nm	T/IP7	1	\$36.23
	50010	10.6 in-lb/1.2 Nm	T/IP8	1	\$36.23
	50012	12.4 in-lb/1.4 Nm	T/IP9	1	\$36.23
	50017	22.1 in-lb/2.5 Nm	T/IP10	1	\$36.23
	50026	31.0 in-lb/3.5 Nm	T/IP15	1	\$36.23



# ClickSet™ 1/4" Bit Holder - TuffKote™ Finish -

- 1/4" magnetic Bit Holder
- Accepts all 1/4" bits



PART #	SIZE	QTY	LIST PRICE
50125	.050"	1	\$15.99



# Socket Bits



- Bits can be purchased with or without sockets
- ProHold® technology holds bits securely but remains easy to remove without the use of special tools
- Bits can be used with any standard six point socket
- The most economical solution available



High Torque Steel:

Up to 20% stronger, with more torque and twice the wear resistance of standard grades of steel.

## FINISH OPTIONS:



Corrosion-resistant finish:

Environmentally safe, provides better tool grip, resists solvents and is 5 times more corrosion resistant than competitor finishes.

## ProHold® Socket Bit Technology

Bondhus ProHold® technology is a revolution in holding systems that makes all other holding systems obsolete. Bits seat firmly into socket. No special tools are required to remove bits from sockets.



Bit sizes are clearly printed in white ink.



ProHold® buttons hold bit securely while allowing easy removal without the use of set screws or roll pins.



Bits are suitable for use with standard or impact sockets.

# Hex End Socket Bits

## - ProGuard™ Finish -

- Bits fit any standard six point socket
- Bits are suitable for use with impact sockets
- Chamfered tool tips eliminate burrs and help tools seat in screw head
- Sharp corners transfer more torque to the screw and reduce stripping
- Precision machined for ease of use and superior fit

ProGuard™ finish delivers superior corrosion protection



Hex End Tips



Molded Black Case



Clamshell Package

Sets	PART#	MODEL#	PCS	BIT LENGTH	DESCRIPTION	PACKED IN	CONTENTS	QTY	LIST
<b>Inch</b>	43299	PHX9/S-2	9	2"/50mm	Sockets & Bits	Transparent Clamshell	5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 1/2, 9/16, 5/8"	1	\$107.69
	43645	PHX5/S-6	5	6"/150mm	Sockets & Bits	Transparent Clamshell	5/16, 3/8, 1/2, 9/16, 5/8"	1	\$98.27
	33299	PHX9-2	9	2"/50mm	Bits Only	Transparent Clamshell	5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 1/2, 9/16, 5/8"	1	\$53.87
	33645	PHX5-6	5	6"/150mm	Bits Only	Transparent Clamshell	5/16, 3/8, 1/2, 9/16, 5/8"	1	\$49.16
	30299	PHX9/S-2C	9	2"/50mm	Sockets & Bits	<b>Molded Black Case</b>	5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 1/2, 9/16, 5/8"	1	\$123.94
	30645	PHX5/S-6C	5	6"/150mm	Sockets & Bits	<b>Molded Black Case</b>	5/16, 3/8, 1/2, 9/16, 5/8"	1	\$114.47
	23299	PHX9-2C	9	2"/50mm	Bits Only	<b>Molded Black Case</b>	5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 1/2, 9/16, 5/8"	1	\$64.69
<b>Metric</b>	43298	PHX9M/S-2	9	2"/50mm	Sockets & Bits	Transparent Clamshell	4, 5, 6, 7, 8, 10, 12, 14, 17mm	1	\$110.28
	43646	PHX6M/S-6	6	6"/150mm	Sockets & Bits	Transparent Clamshell	4, 5, 6, 7, 8, 10mm	1	\$80.94
	33298	PHX9M-2	9	2"/50mm	Bits Only	Transparent Clamshell	4, 5, 6, 7, 8, 10, 12, 14, 17mm	1	\$55.17
	33646	PHX6M-6	6	6"/150mm	Bits Only	Transparent Clamshell	4, 5, 6, 7, 8, 10mm	1	\$40.52
	30298	PHX9M/S-2C	9	2"/50mm	Sockets & Bits	<b>Molded Black Case</b>	4, 5, 6, 7, 8, 10, 12, 14, 17mm	1	\$126.48
	30646	PHX6M/S-6C	6	6"/150mm	Sockets & Bits	<b>Molded Black Case</b>	4, 5, 6, 7, 8, 10mm	1	\$97.19
	23246	PHX6M-2C	6	2"/50mm	Bits Only	<b>Molded Black Case</b>	4, 5, 6, 7, 8, 10mm	1	\$45.02
	23298	PHX9M-2C	9	2"/50mm	Bits Only	<b>Molded Black Case</b>	4, 5, 6, 7, 8, 10, 12, 14, 17mm	1	\$65.93
	23296	PHX9ML-2C	9	2"/50mm	Bits Only	<b>Molded Black Case</b>	5, 6, 7, 8, 10, 12, 14, 17, 19mm	1	\$74.62



BIT ONLY



SOCKET AND BIT

Singles	SIZE	PART#	QTY	LIST	EA	PART#	QTY	DRIVE	LIST	EA
<b>Inch</b>	<b>2" Long</b>		<b>50mm Long</b>							
	1/8	33207	1	\$6.62		43207	1	3/8"	\$12.16	
	5/32	33209	1	\$6.62		43209	1	3/8"	\$12.16	
	3/16	33210	1	\$6.78		43210	1	3/8"	\$12.37	
	7/32	33211	1	\$6.83		43211	1	3/8"	\$12.42	
	1/4	33212	1	\$6.99		43212	1	3/8"	\$12.52	
	5/16	33213	1	\$7.30		43213	1	3/8"	\$12.89	
	3/8	33214	1	\$7.87		43214	1	3/8"	\$13.40	
	1/2	33216	1	\$8.90		43216	1	1/2"	\$15.01	
	9/16	33217	1	\$9.30		43217	1	1/2"	\$15.42	
5/8	33218	1	\$10.30		43218	1	1/2"	\$16.40		
3/4	33219	1	\$12.47		43219	1	1/2"	\$21.22		
<b>Inch</b>	<b>2.5" Long</b>		<b>65mm Long</b>							
	7/8	33220	1	\$14.75		-	-	-		
	1	33221	1	\$22.25		-	-	-		
	1 1/8	33223	1	\$23.81		-	-	-		
	1 1/4	33225	1	\$28.98		-	-	-		
	1 1/2	33229	1	\$36.74		-	-	-		
	1 3/4	33231	1	\$45.54		-	-	-		
	2	33233	1	\$51.74		-	-	-		
<b>Inch</b>	<b>6" Long</b>		<b>150mm Long</b>							
	1/8	33607	1	\$6.78		43507	1	3/8"	\$12.52	
	5/32	33609	1	\$6.78		43509	1	3/8"	\$12.52	
	3/16	33610	1	\$7.04		43510	1	3/8"	\$12.89	
	7/32	33611	1	\$7.30		43511	1	3/8"	\$13.20	
	1/4	33612	1	\$7.56		43512	1	3/8"	\$13.61	
	5/16	33613	1	\$8.69		43513	1	3/8"	\$14.18	
	3/8	33614	1	\$10.04		43514	1	3/8"	\$14.80	
	5/16	-	-	-		43613	1	1/2"	\$15.53	
	3/8	-	-	-		43614	1	1/2"	\$16.87	
	1/2	33616	1	\$13.77		43616	1	1/2"	\$20.65	
	9/16	33617	1	\$15.58		43617	1	1/2"	\$22.51	
	5/8	33618	1	\$17.23		43618	1	1/2"	\$24.17	
	3/4	33619	1	\$22.72		43619	1	1/2"	\$30.58	



BIT ONLY



SOCKET AND BIT


Singles	SIZE	PART#	QTY	LIST	EA	PART#	QTY	DRIVE	LIST	EA
<b>Metric</b>	<b>2" Long</b>		<b>50mm Long</b>							
	3.0	33256	1	\$6.57		43256	1	3/8"	\$12.11	
	4.0	33260	1	\$6.62		43260	1	3/8"	\$12.16	
	5.0	33264	1	\$6.78		43264	1	3/8"	\$12.47	
	6	33268	1	\$7.04		43268	1	3/8"	\$12.73	
	7	33270	1	\$7.19		43270	1	3/8"	\$12.94	
	8	33272	1	\$7.30		43272	1	3/8"	\$13.04	
	9	33274	1	\$7.92		43274	1	3/8"	\$13.61	
	10	33276	1	\$7.92		43276	1	3/8"	\$13.61	
	12	33280	1	\$9.26		43280	1	1/2"	\$14.90	
14	33284	1	\$9.63		43284	1	1/2"	\$15.89		
17	33286	1	\$11.80		43286	1	1/2"	\$18.06		
19	33288	1	\$12.94		43288	1	1/2"	\$21.53		
<b>Metric</b>	<b>2.5" Long</b>		<b>65mm Long</b>							
	22	33291	1	\$22.25		-	-	-		
	24	33293	1	\$23.81		-	-	-		
	27	33295	1	\$28.98		-	-	-		
	32	33297	1	\$40.37		-	-	-		
	36	33200	1	\$46.58		-	-	-		
<b>Metric</b>	<b>6" Long</b>		<b>150mm Long</b>							
	3.0	33656	1	\$6.73		43656	1	3/8"	\$12.16	
	4.0	33660	1	\$6.73		43660	1	3/8"	\$12.21	
	5.0	33664	1	\$7.09		43664	1	3/8"	\$12.58	
	6	33668	1	\$7.61		43668	1	3/8"	\$13.14	
	7	33670	1	\$8.59		43670	1	3/8"	\$14.18	
	8	33672	1	\$9.26		43672	1	3/8"	\$15.53	
	9	33674	1	\$10.30		43674	1	3/8"	\$16.87	
	10	33676	1	\$10.30		43676	1	3/8"	\$16.87	
	12	33680	1	\$13.09		43680	1	1/2"	\$21.32	
	14	33684	1	\$14.13		43684	1	1/2"	\$22.56	
17	33686	1	\$18.68		43686	1	1/2"	\$28.20		
19	33688	1	\$23.18		43688	1	1/2"	\$33.90		

# Ball End Socket Bits

## - ProGuard™ Finish -

- Bits fit any standard six point socket
- Ball End inserts into a screw at a 25° angle
- Ball End saves time by quickly funneling tool into screw
- Superior Ball End strength and working angle

ProGuard™ finish delivers superior corrosion protection



Ball End Tips



Molded Black Case



Clamshell Package

Sets	PART#	MODEL#	PCS	BIT LENGTH	DESCRIPTION	PACKED IN	CONTENTS	QTY	LIST
<b>Inch</b>	43445	PHBX7/S-2	7	2"/50mm	Sockets & Bits	Transparent Clamshell	1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$86.11
	43845	PHBX7/S-6	7	6"/150mm	Sockets & Bits	Transparent Clamshell	1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$96.82
	31445	PHBX7-2	7	2"/50mm	Bits Only	Transparent Clamshell	1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$42.95
	31645	PHBX7-6	7	6"/150mm	Bits Only	Transparent Clamshell	1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$48.39
	30445	PHBX7/S-2C	7	2"/50mm	Sockets & Bits	<b>Molded Black Case</b>	1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$102.31
	30845	PHBX7/S-6C	7	6"/150mm	Sockets & Bits	<b>Molded Black Case</b>	1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$113.02
	23445	PHBX7-2C	7	2"/50mm	Bits Only	<b>Molded Black Case</b>	1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	\$53.77
<b>Metric</b>	43487	PHBX8M/S-2	8	2"/50mm	Sockets & Bits	Transparent Clamshell	3, 4, 5, 6, 7, 8, 9, 10mm	1	\$99.83
	43887	PHBX8M/S-6	8	6"/150mm	Sockets & Bits	Transparent Clamshell	3, 4, 5, 6, 7, 8, 9, 10mm	1	\$110.64
	31487	PHBX8M-2	8	2"/50mm	Bits Only	Transparent Clamshell	3, 4, 5, 6, 7, 8, 9, 10mm	1	\$50.09
	31687	PHBX8M-6	8	6"/150mm	Bits Only	Transparent Clamshell	3, 4, 5, 6, 7, 8, 9, 10mm	1	\$55.32
	30487	PHBX8M/S-2C	8	2"/50mm	Sockets & Bits	<b>Molded Black Case</b>	3, 4, 5, 6, 7, 8, 9, 10mm	1	\$116.02
	30887	PHBX8M/S-6C	8	6"/150mm	Sockets & Bits	<b>Molded Black Case</b>	3, 4, 5, 6, 7, 8, 9, 10mm	1	\$126.89
	23487	PHBX8M-2C	8	2"/50mm	Bits Only	<b>Molded Black Case</b>	3, 4, 5, 6, 7, 8, 9, 10mm	1	\$60.91



Singles	SIZE	PART#	QTY	LIST EA	PART#	QTY	DRIVE	LIST EA
<b>Inch</b>	<b>2" Long</b>		<b>50mm Long</b>					
	1/8	31407	1	\$7.25	43407	1	3/8"	\$12.99
	5/32	31409	1	\$7.30	43409	1	3/8"	\$13.20
	3/16	31410	1	\$7.45	43410	1	3/8"	\$13.40
	7/32	31411	1	\$7.50	43411	1	3/8"	\$13.51
	1/4	31412	1	\$7.66	43412	1	3/8"	\$13.66
	5/16	31413	1	\$8.02	43413	1	3/8"	\$14.18
	3/8	31414	1	\$8.44	43414	1	3/8"	\$14.70
	5/16	-	-	-	43913	1	1/2"	\$14.70
	3/8	-	-	-	43914	1	1/2"	\$15.27
	1/2	31416	1	\$9.83	43916	1	1/2"	\$17.13
	9/16	31417	1	\$10.30	43917	1	1/2"	\$17.75
	5/8	31418	1	\$11.13	43918	1	1/2"	\$18.89
	3/4	31419	1	\$13.51	43919	1	1/2"	\$23.75
<b>Inch</b>	<b>6" Long</b>		<b>150mm Long</b>					
	1/8	31607	1	\$7.25	43807	1	3/8"	\$13.40
	5/32	31609	1	\$7.45	43809	1	3/8"	\$13.87
	3/16	31610	1	\$7.87	43810	1	3/8"	\$14.23
	7/32	31611	1	\$8.12	43811	1	3/8"	\$14.59
	1/4	31612	1	\$9.26	43812	1	3/8"	\$15.06
	5/16	31613	1	\$9.47	43813	1	3/8"	\$16.77
	3/8	31614	1	\$10.92	43814	1	3/8"	\$18.22
	1/2	31616	1	\$14.85	43716	1	1/2"	\$22.51
	9/16	31617	1	\$17.03	43717	1	1/2"	\$24.53
	5/8	31618	1	\$18.68	43718	1	1/2"	\$29.76
3/4	31619	1	\$24.79	43719	1	1/2"	\$36.69	



Singles	SIZE	PART#	QTY	LIST EA	PART#	QTY	DRIVE	LIST EA
<b>Metric</b>	<b>2" Long</b>		<b>50mm Long</b>					
	3.0	31456	1	\$7.25	43456	1	3/8"	\$13.14
	4.0	31460	1	\$7.25	43460	1	3/8"	\$13.14
	5.0	31464	1	\$7.45	43464	1	3/8"	\$13.40
	6	31468	1	\$7.66	43468	1	3/8"	\$13.71
	7	31470	1	\$7.87	43470	1	3/8"	\$13.71
	8	31472	1	\$8.07	43472	1	3/8"	\$14.23
	9	31474	1	\$8.28	43474	1	3/8"	\$14.54
	10	31476	1	\$8.69	43476	1	3/8"	\$15.06
	12	31480	1	\$9.94	43480	1	3/8"	\$16.55
	12	-	-	-	43980	1	1/2"	\$17.13
14	31484	1	\$10.35	43984	1	1/2"	\$17.75	
17	31486	1	\$12.42	43986	1	1/2"	\$19.92	
19	31488	1	\$13.97	43988	1	1/2"	\$23.75	
<b>Metric</b>	<b>6" Long</b>		<b>150mm Long</b>					
	3.0	31656	1	\$7.25	43856	1	3/8"	\$13.40
	4.0	31660	1	\$7.45	43860	1	3/8"	\$13.87
	5.0	31664	1	\$7.87	43864	1	3/8"	\$14.23
	6	31668	1	\$8.44	43868	1	3/8"	\$15.06
	7	31670	1	\$9.47	43870	1	3/8"	\$15.58
	8	31672	1	\$10.25	43872	1	3/8"	\$16.09
	9	31674	1	\$10.30	43874	1	3/8"	\$16.35
	10	31676	1	\$11.23	43876	1	3/8"	\$17.49
	12	31680	1	\$14.18	43780	1	1/2"	\$22.82
	14	31684	1	\$15.32	43784	1	1/2"	\$24.27
17	31686	1	\$20.08	43786	1	1/2"	\$29.76	
19	31688	1	\$24.74	43788	1	1/2"	\$36.69	

# TORX® Socket Bits

## - ProGuard™ Finish -

- Fits all TORX® and Star screws
- Bits fit any standard six point socket
- Bits are suitable for use with impact sockets
- Burr free tool tips help tools seat fully in screw head
- Precision machined tips transfer more torque to the screw and reduces stripping

ProGuard™ finish delivers superior corrosion protection



TORX®



Molded Black Case



Clamshell Package

### TORX® & Metric Hex

PART#	MODEL#	PCS	BIT LENGTH	DESCRIPTION	PACKED IN	CONTENTS	QTY	LIST
23290	PHTXH7-2C	7	2"/50mm	Bits Only	Molded Black Case	T45, T50, T55 & 12, 14, 17, 19mm	1	\$71.36

Sets	PART#	MODEL#	PCS	BIT LENGTH	DESCRIPTION	PACKED IN	CONTENTS	QTY	LIST
TORX®	44038	PHTX10/S-2	10	2"/50mm	Sockets & Bits	Transparent Clamshell	T10, T15, T20, T25, T27, T30, T40, T45, T50, T55	1	\$102.21
	44037	PHTX13/S-2	13	2"/50mm	Sockets & Bits	Transparent Clamshell	T8, T10, T15, T20, T25, T27, T30, T40, T45, T47, T50, T55, T60	1	\$135.64
	44699	PHTX9/S-6	9	6"/150mm	Sockets & Bits	Transparent Clamshell	T8, T9, T10, T15, T20, T25, T27, T30, T40	1	\$91.96
	44632	PHTX8/S-6	8	6"/150mm	Sockets & Bits	Transparent Clamshell	T8, T10, T15, T20, T25, T27, T30, T40	1	\$82.18
	32038	PHTX10-2	10	2"/50mm	Bits Only	Transparent Clamshell	T10, T15, T20, T25, T27, T30, T40, T45, T50, T55	1	\$52.99
	32037	PHTX13-2	13	2"/50mm	Bits Only	Transparent Clamshell	T8, T10, T15, T20, T25, T27, T30, T40, T45, T47, T50, T55, T60	1	\$72.97
	34099	PHTX9-6	9	6"/150mm	Bits Only	Transparent Clamshell	T8, T9, T10, T15, T20, T25, T27, T30, T40	1	\$50.30
	34032	PHTX8-6	8	6"/150mm	Bits Only	Transparent Clamshell	T8, T10, T15, T20, T25, T27, T30, T40	1	\$44.56
	31038	PHTX10/S-2C	10	2"/50mm	Sockets & Bits	Molded Black Case	T10, T15, T20, T25, T27, T30, T40, T45, T50, T55	1	\$118.46
	30799	PHTX9/S-6C	9	6"/150mm	Sockets & Bits	Molded Black Case	T8, T9, T10, T15, T20, T25, T27, T30, T40	1	\$108.16
	31037	PHTX13/S-2C	13	2"/50mm	Sockets & Bits	Molded Black Case	T8, T10, T15, T20, T25, T27, T30, T40, T45, T47, T50, T55, T60	1	\$151.83
	22489	PHTX9L-2C	9	2"/50mm	Bits Only	Molded Black Case	T15, T20, T25, T30, T40, T45, T50, T55, T60	1	\$74.62
	22491	PHTX9-2C	9	2"/50mm	Bits Only	Molded Black Case	T8, T9, T10, T15, T20, T25, T27, T30, T40	1	\$58.84
	22437	PHTX13-2C	13	2"/50mm	Bits Only	Molded Black Case	T8, T10, T15, T20, T25, T27, T30, T40, T45, T47, T50, T55, T60	1	\$83.78



BIT ONLY



SOCKET AND BIT



BIT ONLY



SOCKET AND BIT

Singles	SIZE	BIT STOCK	PART#	QTY	LIST EA	PART#	QTY	DRIVE	LIST EA	SIZE	BIT STOCK	PART#	QTY	LIST EA	PART#	QTY	DRIVE	LIST EA	
TORX®	2" Long		50mm Long			6" Long			150mm Long										
	T7	3mm	32007	1	\$10.34	44007	1	1/4"	\$17.13	-	-	-	-	-	-	-	-	-	-
	T8	3mm	32008	1	\$10.34	44008	1	1/4"	\$17.13	T8	3mm	34008	1	\$10.45	44608	1	1/4"	\$17.28	
	T9	3mm	32009	1	\$10.34	44009	1	1/4"	\$17.13	T9	3mm	34009	1	\$10.45	44609	1	1/4"	\$17.28	
	T10	3mm	32010	1	\$10.34	44010	1	1/4"	\$17.13	T10	3mm	34010	1	\$10.45	44610	1	1/4"	\$17.28	
	T15	3mm	32015	1	\$9.26	44015	1	1/4"	\$15.16	T15	3mm	34015	1	\$9.47	44615	1	1/4"	\$15.47	
	T20	4mm	32020	1	\$9.16	44020	1	1/4"	\$14.85	T20	4mm	34020	1	\$9.47	44620	1	1/4"	\$15.47	
	T25	4mm	32025	1	\$9.16	44025	1	1/4"	\$14.85	T25	4mm	34025	1	\$9.52	44625	1	1/4"	\$15.58	
	T27	5mm	32027	1	\$9.26	44027	1	1/4"	\$15.16	T27	5mm	34027	1	\$9.57	44627	1	1/4"	\$15.68	
	T30	5mm	32030	1	\$9.26	44030	1	1/4"	\$15.16	T30	5mm	34030	1	\$9.94	44630	1	1/4"	\$16.04	
	T40	6mm	32040	1	\$10.30	44240	1	3/8"	\$17.03	T40	6mm	34040	1	\$10.97	44640	1	3/8"	\$18.27	
	T45	7mm	32045	1	\$10.35	44245	1	3/8"	\$17.23	-	-	-	-	-	-	-	-	-	
	T47	8mm	32047	1	\$10.51	44247	1	3/8"	\$17.49	-	-	-	-	-	-	-	-	-	
	T50	9mm	32050	1	\$10.66	44250	1	3/8"	\$17.75	-	-	-	-	-	-	-	-	-	
	T55	10mm	32055	1	\$11.13	44255	1	3/8"	\$18.68	-	-	-	-	-	-	-	-	-	
T60	12mm	32060	1	\$12.21	44260	1	1/2"	\$20.69	-	-	-	-	-	-	-	-	-		
T70	17mm	32070	1	\$20.70	-	-	-	-	-	-	-	-	-	-	-	-	-		
T80	19mm	32080	1	\$21.22	-	-	-	-	-	-	-	-	-	-	-	-	-		
T90*	22mm	32090*	1	\$31.05	-	-	-	-	-	-	-	-	-	-	-	-	-		
T100*	22mm	32000*	1	\$36.23	-	-	-	-	-	-	-	-	-	-	-	-	-		

\*32090 (T90) & 32000 (T100) are 2.5" long.

TORX® and TORX PLUS® are registered trademarks of Acument Intellectual Properties, LLC

Made in the U.S.A.



All Bondhus® tools are made with Protanium® High Torque Steel.

# Ball End Blades

## - ProGuard™ Finish -

- Ball End inserts into a screw at a 25° angle
- Ball End saves time by quickly funneling tool into screw
- Superior Ball End strength and working angle
- Works in hard to reach places
- Ideal for use in socket wrenches, power tools or with a Hextender for added reach
- Available in Extra Long lengths

ProGuard™ finish delivers superior corrosion protection



Singles	SIZE	INCH	MM	PART#	QTY	LIST EA
<b>Standard Length</b>						
<b>Inch</b>	.050	3.4	86	0102	1	\$1.02
	1/16	3.5	89	0103	1	\$1.02
	5/64	3.6	93	0104	1	\$1.02
	3/32	3.8	96	0105	1	\$1.06
	7/64	4.3	109	0106	1	\$1.20
	1/8	4.5	115	0107	1	\$1.23
	9/64	4.8	121	0108	1	\$1.23
	5/32	5.1	129	0109	1	\$1.29
	3/16	5.5	139	0110	1	\$1.50
	7/32	5.9	151	0111	1	\$1.81
	1/4	6.7	170	0112	1	\$2.07
	5/16	7.3	186	0113	1	\$3.28
	3/8	8.2	208	0114	1	\$4.62
	7/16	9.1	232	0115	1	\$9.56
	1/2	10.1	255	0116	1	\$12.23
	9/16	10.9	277	0117	1	\$14.96
	5/8	11.8	299	0118	1	\$16.73
	3/4	13.5	344	0119	1	\$27.67



Singles	SIZE	INCH	MM	PART#	QTY	LIST EA
<b>Standard Length</b>						
<b>Metric</b>	1.5	3.6	91	0150	1	\$1.02
	2.0	3.8	98	0152	1	\$1.02
	2.5	4.2	107	0154	1	\$1.09
	3.0	4.6	118	0156	1	\$1.21
	3.5	4.8	123	0158	1	\$1.26
	4.0	5.2	133	0160	1	\$1.29
	4.5	5.5	140	0162	1	\$1.49
	5.0	5.8	148	0164	1	\$1.65
	5.5	6.1	155	0166	1	\$1.91
	6	6.7	170	0168	1	\$2.20
	7	7.3	184	0170	1	\$2.97
	8	7.8	199	0172	1	\$3.51
	9	8.4	214	0174	1	\$4.22
	10	9.0	229	0176	1	\$5.13
	11	9.6	245	0178	1	\$9.46
	12	10.5	267	0180	1	\$11.34
	14	12.5	318	0184	1	\$14.18
	17	13.6	346	0186	1	\$22.51
	19	14.5	368	0188	1	\$26.69



Singles	SIZE	INCH	MM	PART#	QTY	LIST EA
<b>Long</b>						
<b>Inch</b>	-	-	-	-	-	-
	5/64	5.3	135	0404	1	\$1.79
	3/32	5.8	148	0405	1	\$1.79
	7/64	7.3	186	0406	1	\$1.79
	1/8	7.8	199	0407	1	\$2.10
	9/64	8.4	214	0408	1	\$2.10
	5/32	8.9	227	0409	1	\$3.05
	3/16	9.7	246	0410	1	\$3.13
	7/32	10.2	259	0411	1	\$3.64
	1/4	10.7	270	0412	1	\$4.50
	5/16	11.3	286	0413	1	\$6.58
	3/8	11.7	297	0414	1	\$7.34



Singles	SIZE	INCH	MM	PART#	QTY	LIST EA
<b>Extra Long</b>						
.050	12.0	305	3602	1	\$6.93	
1/16	12.0	305	3603	1	\$6.93	
5/64	12.0	305	3604	1	\$6.93	
3/32	12.0	305	3605	1	\$6.99	
7/64	12.0	305	3606	1	\$7.05	
1/8	12.0	305	3607	1	\$7.11	
9/64	12.0	305	3608	1	\$7.23	
5/32	12.0	305	3609	1	\$7.47	
3/16	12.0	305	3610	1	\$7.85	
7/32	12.0	305	3611	1	\$7.85	
1/4	12.0	305	3612	1	\$7.85	
5/16	12.0	305	3613	1	\$8.92	
3/8	12.0	305	3614	1	\$10.66	
7/16	12.0	305	3615	1	\$12.58	
1/2	12.0	305	3616	1	\$14.40	

Singles	SIZE	INCH	MM	PART#	QTY	LIST EA
<b>Long</b>						
<b>Metric</b>	-	-	-	-	-	-
	2.0	5.0	128	0452	1	\$1.79
	2.5	5.8	148	0454	1	\$1.79
	3.0	7.6	193	0456	1	\$2.10
	4.0	8.5	217	0460	1	\$2.40
	5.0	9.6	243	0464	1	\$3.22
	6	10.4	263	0468	1	\$4.13
	8	11.1	281	0472	1	\$5.53
	10	11.9	303	0476	1	\$8.39


Singles	SIZE	INCH	MM	PART#	QTY	LIST EA
<b>Extra Long</b>						
1.5	12.0	305	3650	1	\$6.93	
2.0	12.0	305	3652	1	\$6.93	
2.5	12.0	305	3654	1	\$6.99	
3.0	12.0	305	3656	1	\$7.11	
4.0	12.0	305	3660	1	\$7.47	
5.0	12.0	305	3664	1	\$7.85	
6	12.0	305	3668	1	\$7.85	
8	12.0	305	3672	1	\$8.91	
10	12.0	305	3676	1	\$10.80	

# Ball End Power Bits

## - ProGuard™ Finish -

- Fits all 1/4" drive bit holders
- Ball End inserts into a screw at a 25° angle
- Ball End saves time by quickly funneling tool into screw
- Superior Ball End strength and working angle
- Works in hard to reach places

ProGuard™ finish delivers superior corrosion protection



Ball End Tips



Sets	PART#	MODEL#	LENGTH	PCS	CONTENTS	QTY	LIST
<b>Inch</b>	10836	BHX12	3"	12	5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 1/2"	1	\$37.98
<b>Metric</b>	10899	BHX9M	3"	9	2, 2.5, 3, 4, 5, 6, 8, 10, 12mm	1	\$32.65

SINGLE PACKAGING



Singles	SIZE	INCH	MM	PART#	QTY	LIST EA
<b>Inch</b>	5/64	3.0	76	10804	10	\$2.13
	3/32	3.0	76	10805	10	\$2.13
	7/64	3.0	76	10806	10	\$2.13
	1/8	3.0	76	10807	10	\$2.13
	9/64	3.0	76	10808	10	\$2.13
	5/32	3.0	76	10809	10	\$2.13
	3/16	3.0	76	10810	10	\$2.13
	7/32	3.0	76	10811	10	\$2.13
	1/4	3.0	76	10812	10	\$2.13
	5/16	3.0	76	10813	1	\$5.96
	3/8	3.0	76	10814	1	\$6.39
	1/2	3.0	76	10816	1	\$7.51
<b>Metric</b>	2.0	3.0	76	10852	10	\$2.13
	2.5	3.0	76	10854	10	\$2.13
	3.0	3.0	76	10856	10	\$2.13
	4.0	3.0	76	10860	10	\$2.13
	5.0	3.0	76	10864	10	\$2.13
	6	3.0	76	10868	10	\$2.13
	8	3.0	76	10872	1	\$5.96
	10	3.0	76	10876	1	\$6.52
12	3.0	76	10880	1	\$7.30	

**NEW**

## ProHold® Hex End Power Bits

- Holds screw tight on the tool EVERY TIME
- Button is non-magnetic
- Super smooth rotational action, with no interference from the ProHold® button
- Tool strength is not compromised by the ProHold® button



SINGLE PACKAGING



Singles	SIZE	INCH	MM	PART#	QTY	LIST EA
<b>Inch</b>	7/64	3.0	76	71306	1	\$6.54
	1/8	3.0	76	71307	1	\$6.54
	9/64	3.0	76	71308	1	\$6.54
	5/32	3.0	76	71309	1	\$6.54
	3/16	3.0	76	71310	1	\$6.54
	7/32	3.0	76	71311	1	\$6.54
	1/4	3.0	76	71312	1	\$6.54
	5/16	3.0	76	71313	1	\$8.06
	3/8	3.0	76	71314	1	\$10.16
	<b>Metric</b>	2.5	3.0	76	71354	1
3.0		3.0	76	71356	1	\$6.54
4.0		3.0	76	71360	1	\$6.54
5.0		3.0	76	71364	1	\$6.54
6		3.0	76	71368	1	\$6.54
8		3.0	76	71372	1	\$8.06
10	3.0	76	71376	1	\$10.29	

**NEW**

## Hex End Power Bits

- Chamfered tool tips eliminate burrs and help tools seat in screw head
- Sharp corners transfer more torque to the screw and reduce stripping
- Precision machined for ease of use and superior fit



SINGLE PACKAGING



Singles	SIZE	INCH	MM	PART#	QTY	LIST EA
<b>Inch</b>	7/64	3.0	76	10306	10	\$2.13
	1/8	3.0	76	10307	10	\$2.13
	9/64	3.0	76	10308	10	\$2.13
	5/32	3.0	76	10309	10	\$2.13
	3/16	3.0	76	10310	10	\$2.13
	7/32	3.0	76	10311	10	\$2.13
	1/4	3.0	76	10312	10	\$2.13
	5/16	3.0	76	10313	1	\$5.96
	3/8	3.0	76	10314	1	\$6.39
	<b>Metric</b>	2.5	3.0	76	10354	10
3.0		3.0	76	10356	10	\$2.13
4.0		3.0	76	10360	10	\$2.13
5.0		3.0	76	10364	10	\$2.13
6		3.0	76	10368	10	\$2.13
8		3.0	76	10372	1	\$5.96
10	3.0	76	10376	1	\$6.52	

**NEW**

## ProHold® TORX® Power Bits

- Fits all TORX® and Star screws
- Holds screw tight on the tool EVERY TIME
- Button is non-magnetic
- Super smooth rotational action, with no interference from the ProHold® button
- Tool strength is not compromised by the ProHold® button
- Broad contact surface provides deep lobe engagement



SINGLE PACKAGING

Singles	SIZE	INCH	MM	PART#	QTY	LIST EA
<b>TORX®</b>	T15	6.0	152	71615	1	\$8.07
	T20	6.0	152	71620	1	\$8.07
	T25	6.0	152	71625	1	\$8.07
	T27	6.0	152	71627	1	\$8.07
	T30	6.0	152	71630	1	\$8.07
	T40	6.0	152	71640	1	\$8.07

TORX® and TORX PLUS® are registered trademarks of Acument Intellectual Properties, LLC

# Ball End Insert Bits

## - ProGuard™ Finish -

- Ball End inserts into a screw at a 25° angle
- Ball End saves time by quickly funneling tool into screw
- Superior Ball End strength and working angle
- Works in hard to reach places

ProGuard™ finish delivers superior corrosion protection



Ball End Tips

Sets	PART#	MODEL#	LENGTH	PCS	CONTENTS	QTY	LIST
<b>Inch</b>	11036	BIX12	1" (5-64-1/4"), 1.5" (5/16-1/2")	12	5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 1/2"	1	\$31.88
<b>Metric</b>	11099	BIX9M	1" (2.0-6mm), 1.5" (8-10mm)	9	2, 2.5, 3, 4, 5, 6, 8, 10, 12mm	1	\$28.05

SINGLE PACKAGING



SINGLE PACKAGING



Singles	SIZE	INCH	MM	PART#	QTY	LIST EA
<b>Inch</b>	5/64	1.0	25	11004	10	\$1.50
	3/32	1.0	25	11005	10	\$1.50
	7/64	1.0	25	11006	10	\$1.50
	1/8	1.0	25	11007	10	\$1.50
	9/64	1.0	25	11008	10	\$1.50
	5/32	1.0	25	11009	10	\$1.50
	3/16	1.0	25	11010	10	\$1.50
	7/32	1.0	25	11011	10	\$1.50
	1/4	1.0	25	11012	10	\$1.50
	5/16	1.5	38	11013	1	\$5.61
	3/8	1.5	38	11014	1	\$5.85
	1/2	1.5	38	11016	1	\$6.62

Singles	SIZE	INCH	MM	PART#	QTY	LIST EA
<b>Metric</b>	2.0	1.0	25	11052	10	\$1.50
	2.5	1.0	25	11054	10	\$1.50
	3.0	1.0	25	11056	10	\$1.50
	4.0	1.0	25	11060	10	\$1.50
	5.0	1.0	25	11064	10	\$1.50
	6	1.0	25	11068	10	\$1.50
	8	1.5	38	11072	1	\$5.61
	10	1.5	38	11076	1	\$6.08
	12	1.5	38	11080	1	\$6.52

# Hextenders

- Extend tool reach
- Allows blades to be coupled with Hex or TORX® tools
- Extra length can be achieved using multiple Hextender/Blade combinations
- ProGuard™ finish delivers superior corrosion protection

SINGLE PACKAGING



Singles	SIZE	INCH	MM	DIA	PART#	QTY	LIST EA
<b>Inch</b>	.050	0.50	13	0.25	22302	1	\$14.43
	1/16	0.50	13	0.25	22303	1	\$14.43
	5/64	0.50	13	0.25	22304	1	\$14.43
	3/32	0.50	13	0.25	22305	1	\$14.43
	7/64	0.50	13	0.25	22306	1	\$14.43
	1/8	0.50	13	0.31	22307	1	\$14.43
	9/64	0.50	13	0.31	22308	1	\$14.43
	5/32	0.75	19	0.37	22309	1	\$14.43
	3/16	0.75	19	0.37	22310	1	\$14.43
	7/32	0.75	19	0.50	22311	1	\$14.43
	1/4	0.75	19	0.50	22312	1	\$14.43
	5/16	1.0	25	0.75	22313	1	\$14.43
	3/8	1.0	25	0.75	22314	1	\$14.43
	<b>Metric</b>	1.5	0.50	13	0.25	22350	1
2.0		0.50	13	0.25	22352	1	\$14.43
2.5		0.50	13	0.25	22354	1	\$14.43
3.0		0.50	13	0.31	22356	1	\$14.43
4.0		0.75	19	0.37	22360	1	\$14.43
5.0		0.75	19	0.37	22364	1	\$14.43
6		0.75	19	0.50	22368	1	\$14.43
8		1.0	25	0.75	22372	1	\$14.43
10	1.0	25	0.75	22376	1	\$14.43	



Hextender attaches blades to tools

TORX® and TORX PLUS® are registered trademarks of Acument Intellectual Properties, LLC

# Part Number Index

PART#	PG#	LIST EA															
0102	52	1.02	3606	52	7.05	10602	39	2.37	10806	53	2.13	10970	9	2.93	11750	24	9.93
0103	52	1.02	3607	52	7.11	10603	39	2.56	10807	53	2.13	10972	9	3.46	11755	24	13.39
0104	52	1.02	3608	52	7.23	10604	39	2.77	10808	53	2.13	10974	9	4.15	12100	13	0.52
0105	52	1.06	3609	52	7.47	10605	39	2.91	10809	53	2.13	10976	9	5.06	12101	13	0.52
0106	52	1.20	3610	52	7.85	10606	39	2.94	10810	53	2.13	10978	9	9.33	12102	13	0.31
0107	52	1.23	3611	52	7.85	10607	39	2.98	10811	53	2.13	10980	9	11.19	12103	13	0.35
0108	52	1.23	3612	52	7.85	10608	39	3.25	10812	53	2.13	10982	9	13.98	12104	13	0.35
0109	52	1.29	3613	52	8.92	10609	39	3.47	10813	53	5.96	10984	9	13.98	12105	13	0.35
0110	52	1.50	3614	52	10.66	10610	39	4.61	10814	53	6.39	10986	9	22.18	12106	13	0.41
0111	52	1.81	3615	52	12.58	10611	39	4.95	10816	53	7.51	10988	9	26.30	12107	13	0.43
0112	52	2.07	3616	52	14.40	10612	39	6.26	10836	53	37.98	10989	9	84.51	12108	13	0.43
0113	52	3.28	3650	52	6.93	10613	39	7.42	10852	53	2.13	10991	9	64.79	12109	13	0.48
0114	52	4.62	3652	52	6.93	10614	39	8.91	10854	53	2.13	10992	9	9.52	12110	13	0.52
0115	52	9.56	3654	52	6.99	10615	39	18.52	10856	53	2.13	10993	9	82.10	12111	13	0.77
0116	52	12.23	3656	52	7.11	10616	39	21.72	10860	53	2.13	10995	9	26.34	12112	13	1.06
0117	52	14.96	3660	52	7.47	10632	39	24.06	10864	53	2.13	10999	9	15.68	12113	13	1.59
0118	52	16.73	3664	52	7.85	10633	39	39.07	10868	53	2.13	11004	54	1.50	12114	13	2.09
0119	52	27.67	3668	52	7.85	10637	39	57.91	10872	53	5.96	11005	54	1.50	12115	13	4.83
0150	52	1.02	3672	52	8.91	10645	39	23.86	10876	53	6.52	11006	54	1.50	12116	13	5.48
0152	52	1.02	3676	52	10.80	10649	39	2.36	10880	53	7.30	11007	54	1.50	12117	13	7.16
0154	52	1.09	3702	40	8.71	10650	39	2.64	10899	53	32.65	11008	54	1.50	12118	13	11.26
0156	52	1.21	3703	40	8.71	10652	39	2.94	10902	8	1.00	11009	54	1.50	12119	13	16.36
0158	52	1.26	3704	40	8.71	10654	39	2.95	10903	8	1.00	11010	54	1.50	12120	13	27.71
0160	52	1.29	3705	40	8.71	10656	39	2.99	10904	8	1.00	11011	54	1.50	12121	13	37.95
0162	52	1.49	3706	40	8.60	10658	39	4.07	10905	8	1.05	11012	54	1.50	12125	13	150.89
0164	52	1.65	3707	40	8.60	10660	39	3.61	10906	8	1.17	11013	54	5.61	12129	13	240.97
0166	52	1.91	3708	40	9.05	10662	39	4.98	10907	8	1.22	11014	54	5.85	12132	12	5.02
0168	52	2.20	3709	40	9.28	10664	39	4.76	10908	8	1.22	11016	54	6.62	12136	12	8.80
0170	52	2.97	3710	40	10.19	10666	39	6.93	10909	8	1.27	11036	54	31.88	12137	12	11.07
0172	52	3.51	3711	40	10.19	10668	39	5.45	10910	8	1.48	11052	54	1.50	12138	12	6.11
0174	52	4.22	3712	40	10.93	10670	39	8.52	10911	8	1.78	11054	54	1.50	12145	12	4.40
0176	52	5.13	3713	40	11.93	10672	39	8.30	10912	8	2.05	11056	54	1.50	12146	14	5.28
0178	52	9.46	3714	40	13.90	10674	39	11.12	10913	8	3.23	11060	54	1.50	12147	15	0.52
0180	52	11.34	3715	40	15.07	10676	39	9.58	10914	8	4.54	11064	54	1.50	12148	15	0.52
0184	52	14.18	3716	40	16.83	10686	39	20.75	10915	8	9.41	11068	54	1.50	12149	15	0.31
0186	52	22.51	3750	40	8.71	10687	39	23.13	10916	8	12.06	11072	54	5.61	12150	15	0.35
0188	52	26.69	3752	40	8.71	10699	39	45.64	10917	8	14.75	11076	54	6.08	12152	15	0.35
0404	52	1.79	3754	40	8.71	10704	39	3.22	10918	8	16.48	11080	54	6.52	12154	15	0.41
0405	52	1.79	3756	40	8.60	10705	39	3.33	10919	8	27.25	11099	54	28.05	12156	15	0.41
0406	52	1.79	3760	40	9.28	10706	39	3.66	10920	8	61.54	11331	24	43.52	12158	15	0.48
0407	52	2.10	3764	40	10.19	10707	39	3.98	10921	8	82.10	11332	24	49.01	12160	15	0.48
0408	52	2.10	3768	40	10.93	10708	39	4.31	10932	8	8.69	11346	24	31.46	12162	15	0.72
0409	52	3.05	3772	40	11.93	10709	39	5.14	10933	8	44.04	11600	44	4.89	12164	15	0.72
0410	52	3.13	3776	40	13.90	10710	39	5.71	10935	8	47.30	11601	44	5.59	12166	15	1.04
0411	52	3.64	10306	53	2.13	10711	39	6.39	10936	8	15.06	11602	44	6.00	12168	15	1.04
0412	52	4.50	10307	53	2.13	10712	39	7.43	10937	8	19.30	11603	44	6.68	12170	15	1.68
0413	52	6.58	10308	53	2.13	10713	39	8.87	10938	8	12.06	11604	44	7.42	12172	15	1.68
0414	52	7.34	10309	53	2.13	10714	39	10.51	10945	8	8.18	11640	44	22.61	12174	15	2.66
0452	52	1.79	10310	53	2.13	10733	39	52.06	10946	9	7.14	11706	24	5.07	12176	15	2.66
0454	52	1.79	10311	53	2.13	10737	39	63.65	10949	9	1.00	11707	24	5.07	12178	15	5.71
0456	52	2.10	10312	53	2.13	10752	39	3.31	10950	9	1.00	11708	24	5.07	12180	15	5.71
0460	52	2.40	10313	53	5.96	10754	39	3.55	10952	9	1.00	11709	24	5.07	12182	15	7.59
0464	52	3.22	10314	53	6.39	10756	39	4.18	10954	9	1.08	11710	24	5.49	12184	15	7.59
0468	52	4.13	10354	53	2.13	10760	39	4.52	10956	9	1.19	11715	24	5.68	12186	15	10.85
0472	52	5.53	10356	53	2.13	10764	39	6.18	10958	9	1.25	11720	24	5.85	12188	15	15.07
0476	52	8.39	10360	53	2.13	10768	39	6.60	10960	9	1.27	11725	24	6.28	12191	15	28.32
3602	52	6.93	10364	53	2.13	10772	39	9.15	10962	9	1.46	11727	24	6.49	12192	14	6.62
3603	52	6.93	10368	53	2.13	10776	39	11.28	10964	9	1.62	11730	24	6.68	12193	15	39.74
3604	52	6.93	10372	53	5.96	10804	53	2.13	10966	9	1.88	11740	24	7.48	12195	14	17.70
3605	52	6.99	10376	53	6.52	10805	53	2.13	10968	9	2.17	11745	24	8.91	12196	15	155.25

# Part Number Index

PART#	PG#	LIST EA															
12198	15	253.06	12295	15	63.29	12902	8	0.73	13208	31	4.74	13864	15	0.32	14138	6	47.45
12199	14	10.51	12296	15	75.92	12903	8	0.73	13252	31	4.47	13866	15	0.48	14170	7	25.72
12200	13	0.37	12298	15	94.86	12904	8	0.73	13254	31	4.47	13868	15	0.48	14187	6	22.61
12201	13	0.37	12299	14	8.38	12905	8	0.82	13256	31	4.74	13870	15	0.83	14189	6	25.25
12202	13	0.27	12333	12	9.26	12906	8	0.93	13305	34	3.93	13872	15	0.83	14532	29	13.51
12203	13	0.27	12335	12	8.23	12907	8	0.96	13306	34	4.22	13874	15	1.45	14534	29	13.51
12204	13	0.29	12338	12	5.95	12908	8	0.96	13307	34	4.35	13876	15	1.45	14585	29	9.78
12205	13	0.29	12339	12	44.66	12909	8	1.02	13308	34	4.47	13878	15	3.67	14587	29	7.45
12206	13	0.31	12341	12	6.68	12910	8	1.16	13309	34	4.61	13880	15	3.67	14589	29	6.93
12207	13	0.31	12342	12	19.30	12911	8	1.54	13310	34	4.74	13882	15	2.02	14590	29	4.71
12208	13	0.34	12343	12	16.51	12912	8	1.82	13311	34	5.00	13884	15	5.06	14591	29	5.49
12209	13	0.34	12344	12	31.98	12913	8	2.83	13312	34	5.27	13886	15	5.61	14592	29	5.69
12210	13	0.41	12345	12	4.92	12914	8	4.14	13313	34	8.57	13888	15	9.54	14595	29	10.35
12211	13	0.54	12347	12	7.97	12915	8	8.76	13314	34	9.86	13900	13	0.32	15204	34	3.04
12212	13	0.66	12349	14	63.24	12916	8	11.21	13332	33	32.86	13901	13	0.32	15205	34	3.04
12213	13	0.98	12351	12	54.49	12917	8	14.00	13338	33	48.63	13902	13	0.17	15206	34	3.11
12214	13	1.45	12391	14	18.79	12918	8	15.65	13348	33	31.04	13903	13	0.19	15207	34	3.45
12215	13	3.39	12392	14	5.59	12919	8	26.18	13352	34	4.47	13904	13	0.19	15208	34	3.67
12216	13	4.01	12393	14	26.55	12949	9	0.73	13354	34	4.47	13905	13	0.19	15209	34	3.86
12217	13	5.50	12394	14	44.61	12950	9	0.73	13356	34	4.74	13906	13	0.27	15210	34	4.27
12218	13	7.13	12396	14	34.57	12952	9	0.73	13360	34	5.14	13907	13	0.28	15211	34	4.38
12219	13	11.34	12397	14	37.88	12954	9	0.82	13364	34	5.80	13908	13	0.28	15212	34	4.98
12220	13	18.07	12399	14	8.44	12956	9	0.96	13368	34	6.46	13909	13	0.32	15213	34	8.08
12221	13	26.50	12522	27	15.11	12958	9	1.02	13372	34	9.09	13910	13	0.38	15214	34	9.00
12225	13	75.92	12531	29	24.68	12960	9	1.02	13376	34	10.40	13911	13	0.60	15216	34	19.09
12229	13	94.86	12533	27	29.55	12962	9	1.27	13387	33	44.30	13912	13	0.83	15232	33	30.79
12231	13	181.28	12540	28	7.97	12964	9	1.27	13389	33	48.08	13913	13	1.32	15238	33	46.21
12232	12	4.40	12543	28	7.97	12966	9	1.60	13390	33	52.42	13914	13	1.97	15248	33	23.03
12233	13	243.38	12544	27	22.30	12968	9	1.95	13532	43	66.03	13915	13	4.26	15252	34	3.11
12236	12	6.31	12545	28	7.97	12970	9	2.67	13546	43	44.51	13916	13	4.80	15254	34	3.11
12237	12	7.61	12547	28	7.97	12972	9	3.04	13800	13	0.23	13917	13	6.21	15256	34	3.39
12238	12	5.54	12550	27	10.66	12974	9	3.74	13801	13	0.23	13918	13	10.14	15260	34	3.86
12245	12	4.04	12585	27	10.97	12976	9	4.63	13802	13	0.13	13919	13	14.90	15264	34	4.22
12246	14	4.66	12587	27	8.33	12978	9	8.65	13803	13	0.13	13947	15	0.32	15268	34	5.38
12247	15	0.37	12589	27	7.76	12980	9	10.39	13804	13	0.16	13948	15	0.32	15270	34	8.48
12248	15	0.37	12591	27	6.00	12982	9	13.29	13805	13	0.16	13949	15	0.17	15272	34	8.48
12249	15	0.27	12592	27	6.26	12984	9	13.29	13806	13	0.17	13950	15	0.19	15274	34	9.41
12250	15	0.27	12594	29	24.68	12986	9	21.06	13807	13	0.17	13952	15	0.19	15276	34	9.41
12252	15	0.29	12595	27	11.64	12988	9	25.25	13808	13	0.19	13954	15	0.27	15287	33	40.93
12254	15	0.29	12632	28	15.01	13109	31	5.15	13809	13	0.19	13956	15	0.27	15289	33	44.61
12256	15	0.31	12634	28	15.37	13110	31	5.43	13810	13	0.27	13958	15	0.32	15290	33	49.94
12258	15	0.34	12636	28	15.27	13111	31	6.39	13811	13	0.39	13960	15	0.32	15299	33	41.39
12260	15	0.34	12638	28	18.01	13112	31	6.55	13812	13	0.48	13962	15	0.50	15304	34	4.61
12262	15	0.41	12699	23	20.49	13113	31	10.03	13813	13	0.79	13964	15	0.50	15305	34	4.61
12264	15	0.41	12706	43	7.29	13114	31	11.06	13814	13	1.19	13966	15	0.83	15306	34	4.91
12266	15	0.66	12707	43	7.29	13138	31	57.86	13815	13	2.78	13968	15	0.83	15307	34	5.21
12268	15	0.66	12708	43	7.29	13146	31	42.90	13816	13	3.27	13970	15	1.45	15308	34	5.35
12270	15	1.04	12709	43	7.29	13148	31	36.85	13817	13	4.62	13972	15	1.45	15309	34	5.52
12272	15	1.04	12710	43	7.69	13160	31	5.42	13818	13	6.07	13974	15	2.28	15310	34	5.62
12274	15	1.68	12715	43	7.69	13164	31	6.23	13819	13	9.76	13976	15	2.28	15311	34	6.63
12276	15	1.68	12720	43	7.90	13168	31	6.77	13847	15	0.23	13978	15	5.09	15312	34	6.79
12278	15	4.30	12725	43	8.11	13172	31	10.18	13848	15	0.23	13980	15	5.09	15313	34	9.92
12280	15	4.30	12727	43	8.54	13176	31	11.16	13849	15	0.13	13982	15	6.93	15314	34	10.95
12282	15	5.88	12730	43	9.11	13187	31	47.40	13850	15	0.13	13984	15	6.93	15316	34	24.20
12284	15	5.88	12740	43	9.74	13189	31	51.23	13852	15	0.16	13986	15	9.83	15332	33	44.61
12286	15	6.39	12745	43	11.55	13190	31	61.69	13854	15	0.16	13988	15	13.87	15338	33	65.52
12288	15	10.85	12750	43	13.78	13199	31	51.74	13856	15	0.17	14126	6	28.77	15348	33	35.03
12291	15	25.30	12755	43	16.55	13205	31	3.93	13858	15	0.19	14128	6	29.08	15352	34	5.21
12292	14	5.49	12894	27	15.27	13206	31	4.22	13860	15	0.19	14130	6	43.11	15354	34	5.21
12293	15	31.64	12897	27	15.27	13207	31	4.47	13862	15	0.32	14132	6	47.20	15356	34	5.52

# Part Number Index

PART#	PG#	LIST EA															
15360	34	5.62	15613	35	5.11	15819	13	13.52	15976	15	3.16	16206	19	0.52	16537	11	23.70
15364	34	6.46	15614	35	6.22	15847	15	0.43	15978	15	6.79	16207	19	0.52	16538	11	14.80
15368	34	7.03	15702	8	1.09	15848	15	0.43	15980	15	6.79	16208	19	0.55	16549	11	1.28
15372	34	10.08	15703	8	1.09	15849	15	0.31	15982	15	9.04	16209	19	0.55	16550	11	1.28
15376	34	11.04	15704	8	1.09	15850	15	0.31	15984	15	9.04	16210	19	0.69	16552	11	1.28
15387	33	56.15	15705	8	1.13	15852	15	0.35	15986	15	12.91	16211	19	1.08	16554	11	1.35
15389	33	59.87	15706	8	1.27	15854	15	0.35	15988	15	17.93	16212	19	1.08	16556	11	1.58
15390	33	69.19	15707	8	1.31	15856	15	0.37	16002	8	1.14	16213	19	1.69	16560	11	1.64
15405	35	1.44	15708	8	1.31	15858	15	0.40	16003	8	1.14	16214	19	2.82	16564	11	2.10
15406	35	1.51	15709	8	1.38	15860	15	0.40	16004	8	1.14	16215	19	5.75	16568	11	2.74
15407	35	1.51	15710	8	1.59	15862	15	0.48	16005	8	1.19	16216	19	5.75	16572	11	4.44
15408	35	1.69	15711	8	1.91	15864	15	0.48	16006	8	1.24	16217	19	7.26	16576	11	6.55
15409	35	1.81	15712	8	2.21	15866	15	0.77	16007	8	1.35	16218	19	9.39	16592	11	11.70
15410	35	2.23	15713	8	3.51	15868	15	0.77	16008	8	1.40	16219	19	14.52	16599	11	19.25
15411	35	3.01	15714	8	4.91	15870	15	1.20	16009	8	1.45	16236	19	8.69	16602	41	3.44
15412	35	3.37	15715	8	10.14	15872	15	1.20	16010	8	1.66	16237	19	11.64	16603	41	3.75
15413	35	6.15	15716	8	12.98	15874	15	2.01	16011	8	1.97	16238	19	7.19	16604	41	4.25
15414	35	7.59	15717	8	15.88	15876	15	2.01	16012	8	2.48	16246	19	6.00	16605	41	4.25
15432	35	18.06	15718	8	17.75	15878	15	5.09	16013	8	3.88	16247	19	0.64	16606	41	4.39
15438	35	33.79	15719	8	29.34	15880	15	5.09	16014	8	5.69	16248	19	0.64	16607	41	4.39
15448	35	14.49	15749	9	1.09	15882	15	6.99	16037	8	23.29	16249	19	0.43	16608	41	5.27
15452	35	1.81	15750	9	1.09	15884	15	6.99	16050	9	1.14	16250	19	0.43	16609	41	5.27
15454	35	1.81	15752	9	1.09	15886	15	7.59	16052	9	1.14	16252	19	0.48	16610	41	6.88
15456	35	1.81	15754	9	1.15	15888	15	12.90	16054	9	1.24	16254	19	0.48	16611	41	7.87
15460	35	2.17	15756	9	1.29	15900	13	0.65	16056	9	1.35	16256	19	0.52	16612	41	7.87
15464	35	3.01	15758	9	1.35	15901	13	0.65	16060	9	1.50	16258	19	0.55	16613	41	12.01
15468	35	3.56	15760	9	1.38	15902	13	0.37	16064	9	1.86	16260	19	0.55	16614	41	13.87
15472	35	6.26	15762	9	1.58	15903	13	0.40	16068	9	2.54	16262	19	0.69	16615	41	25.14
15476	35	7.76	15764	9	1.74	15904	13	0.40	16072	9	4.04	16264	19	0.69	16616	41	29.40
15487	35	29.55	15766	9	2.03	15905	13	0.40	16076	9	5.85	16266	19	1.08	16632	41	32.55
15505	35	1.62	15768	9	2.33	15906	13	0.48	16099	9	18.84	16268	19	1.08	16637	41	78.76
15506	35	1.69	15770	9	3.16	15907	13	0.50	16100	19	0.88	16270	19	1.69	16649	41	3.44
15507	35	1.69	15772	9	3.74	15908	13	0.50	16101	19	0.88	16272	19	1.69	16650	41	3.75
15508	35	1.86	15774	9	4.48	15909	13	0.57	16102	19	0.52	16274	19	2.82	16652	41	4.25
15509	35	2.05	15776	9	5.45	15910	13	0.65	16103	19	0.55	16276	19	2.82	16654	41	4.25
15510	35	2.54	15778	9	10.04	15911	13	0.92	16104	19	0.55	16278	19	5.75	16656	41	4.39
15511	35	3.50	15780	9	12.05	15912	13	1.22	16105	19	0.69	16280	19	5.75	16660	41	5.26
15512	35	4.10	15782	9	15.07	15913	13	1.89	16106	19	0.69	16284	19	7.51	16664	41	6.88
15513	35	6.93	15784	9	15.07	15914	13	2.73	16107	19	0.69	16286	19	8.76	16668	41	7.87
15514	35	8.67	15786	9	23.87	15915	13	5.76	16108	19	0.81	16288	19	14.52	16672	41	12.01
15532	35	21.17	15788	9	28.33	15916	13	6.52	16109	19	0.81	16292	19	7.35	16676	41	13.87
15538	35	38.55	15800	13	0.43	15917	13	8.52	16110	19	1.19	16299	19	10.76	16686	41	30.12
15548	35	15.68	15801	13	0.43	15918	13	13.39	16111	19	1.69	16456	34	7.76	16699	41	65.00
15552	35	2.05	15802	13	0.31	15919	13	19.49	16112	19	1.69	16460	34	9.21	16702	18	1.69
15554	35	2.05	15803	13	0.31	15947	15	0.65	16113	19	2.82	16464	34	9.47	16703	18	1.69
15556	35	2.05	15804	13	0.35	15948	15	0.65	16114	19	4.39	16468	34	11.64	16704	18	1.69
15560	35	2.41	15805	13	0.35	15949	15	0.37	16115	19	9.00	16472	34	12.21	16705	18	1.74
15564	35	3.25	15806	13	0.37	15950	15	0.40	16116	19	9.00	16502	11	1.28	16706	18	2.01
15568	35	3.80	15807	13	0.37	15952	15	0.40	16117	19	10.01	16503	11	1.28	16707	18	2.07
15572	35	7.05	15808	13	0.40	15954	15	0.48	16118	19	14.40	16504	11	1.28	16708	18	2.07
15576	35	9.05	15809	13	0.40	15956	15	0.48	16119	19	19.40	16505	11	1.35	16709	18	2.12
15587	35	32.81	15810	13	0.48	15958	15	0.57	16136	19	12.32	16506	11	1.52	16710	18	2.43
15605	35	1.23	15811	13	0.67	15960	15	0.57	16137	19	16.30	16507	11	1.58	16711	18	2.93
15606	35	1.23	15812	13	0.77	15962	15	0.87	16138	19	8.64	16508	11	1.58	16712	18	3.44
15607	35	1.28	15813	13	1.18	15964	15	0.87	16200	19	0.64	16509	11	1.64	16713	18	5.32
15608	35	1.40	15814	13	1.72	15966	15	1.22	16201	19	0.64	16510	11	1.87	16714	18	7.51
15609	35	1.50	15815	13	4.04	15968	15	1.22	16202	19	0.43	16511	11	2.28	16737	18	32.55
15610	35	1.89	15816	13	4.76	15970	15	2.01	16203	19	0.43	16512	11	2.64	16738	18	20.34
15611	35	2.55	15817	13	6.53	15972	15	2.01	16204	19	0.50	16513	11	4.10	16749	18	1.69
15612	35	2.92	15818	13	8.49	15974	15	3.16	16205	19	0.50	16514	11	5.73	16750	18	1.69



# Part Number Index

PART#	PG#	LIST EA															
16752	18	1.69	17150	19	0.55	22372	54	14.43	26211	19	0.90	26750	18	1.54	27903	20	1.08
16754	18	1.74	17152	19	0.55	22376	54	14.43	26212	19	0.90	26752	18	1.54	27904	20	1.08
16756	18	2.01	17154	19	0.69	22437	51	83.78	26213	19	1.44	26754	18	1.58	27905	20	1.24
16760	18	2.12	17156	19	0.69	22489	51	74.62	26214	19	2.50	26756	18	1.80	27906	20	1.37
16764	18	2.68	17158	19	0.81	22491	51	58.84	26247	19	0.38	26760	18	1.93	27907	20	1.51
16768	18	3.57	17160	19	0.81	22704	12	0.96	26248	19	0.38	26764	18	2.42	27908	20	1.51
16772	18	5.82	17162	19	1.19	22705	12	0.96	26249	19	0.26	26768	18	3.22	27909	20	1.57
16776	18	8.45	17164	19	1.19	22706	12	0.96	26250	19	0.26	26772	18	5.25	27910	20	1.77
16792	18	16.15	17166	19	1.69	22707	12	0.98	26252	19	0.29	26776	18	7.61	27911	20	2.30
16799	18	26.39	17168	19	1.69	22708	12	1.04	26254	19	0.29	26902	17	1.02	27912	20	2.68
16902	17	1.31	17170	19	2.82	22709	12	1.04	26256	19	0.36	26903	17	1.02	27913	20	4.25
16903	17	1.31	17172	19	2.82	22710	12	1.13	26258	19	0.38	26904	17	1.02	27914	20	5.96
16904	17	1.31	17174	19	4.39	22711	12	1.18	26260	19	0.38	26905	17	1.19	28049	20	1.08
16905	17	1.37	17176	19	4.39	22712	12	1.28	26262	19	0.55	26906	17	1.31	28050	20	1.08
16906	17	1.57	17178	19	9.00	22713	12	1.73	26264	19	0.55	26907	17	1.44	28052	20	1.08
16907	17	1.62	17180	19	9.00	22714	12	2.55	26266	19	0.90	26908	17	1.44	28054	20	1.24
16908	17	1.62	17184	19	10.01	22789	12	16.25	26268	19	0.90	26909	17	1.50	28056	20	1.37
16909	17	1.69	17186	19	13.76	23246	49	45.02	26270	19	1.44	26910	17	1.69	28058	20	1.57
16910	17	1.95	17188	19	18.14	23290	51	71.36	26272	19	1.44	26911	17	2.17	28060	20	1.57
16911	17	2.33	17192	19	9.68	23296	49	74.62	26274	19	2.50	26912	17	2.56	28062	20	1.77
16912	17	2.68	17195	19	27.48	23298	49	65.93	26276	19	2.50	26913	17	4.07	28064	20	1.98
16913	17	4.25	17199	19	15.37	23299	49	64.69	26278	19	5.38	26914	17	5.69	28066	20	2.49
16914	17	5.99	17934	31	3.47	23445	50	53.77	26280	19	5.38	26999	7	42.12	28068	20	2.76
16915	17	11.00	17935	31	3.47	23487	50	60.91	26502	11	1.16	27049	17	1.02	28070	20	3.81
16916	17	13.76	17936	31	3.47	25404	12	2.92	26503	11	1.16	27050	17	1.02	28072	20	4.52
16917	17	17.51	18032	44	1.04	25405	12	3.03	26504	11	1.16	27052	17	1.02	28074	20	5.57
16918	17	20.01	18036	44	1.29	25406	12	3.08	26505	11	1.21	27054	17	1.19	28076	20	6.82
16919	17	30.02	18037	44	1.55	25407	12	3.08	26506	11	1.38	27056	17	1.31	28078	20	11.27
16936	17	19.98	18038	44	1.29	25408	12	3.14	26507	11	1.43	27058	17	1.50	28080	20	11.27
16937	17	25.62	18045	44	1.04	25409	12	3.14	26508	11	1.43	27060	17	1.50	28100	21	0.51
16938	17	15.99	18046	44	1.04	25410	12	3.35	26509	11	1.48	27062	17	1.69	28101	21	0.51
16999	17	18.73	18099	44	1.29	25411	12	3.41	26510	11	1.68	27064	17	1.88	28102	21	0.35
17046	17	9.42	20196	6	29.03	25412	12	3.73	26511	11	2.06	27066	17	2.38	28103	21	0.39
17049	17	1.31	20199	6	32.91	25445	12	22.51	26512	11	2.37	27068	17	2.62	28104	21	0.39
17050	17	1.31	20399	7	46.63	26100	19	0.50	26513	11	3.67	27070	17	3.62	28105	21	0.50
17052	17	1.31	20499	6	50.77	26101	19	0.50	26514	11	5.15	27072	17	4.32	28106	21	0.50
17054	17	1.37	20599	6	40.57	26102	19	0.33	26549	11	1.16	27074	17	5.32	28107	21	0.50
17056	17	1.57	20699	6	40.00	26103	19	0.38	26550	11	1.16	27076	17	6.52	28108	21	0.57
17058	17	1.69	20899	7	44.92	26104	19	0.38	26552	11	1.16	27078	17	10.76	28109	21	0.57
17060	17	1.69	22199	6	20.44	26105	19	0.49	26554	11	1.21	27080	17	10.76	28110	21	0.90
17062	17	1.95	22302	54	14.43	26106	19	0.49	26556	11	1.43	27147	19	0.50	28111	21	1.48
17064	17	2.12	22303	54	14.43	26107	19	0.49	26560	11	1.48	27148	19	0.50	28112	21	1.48
17066	17	2.50	22304	54	14.43	26108	19	0.55	26564	11	1.89	27149	19	0.34	28113	21	2.57
17068	17	2.82	22305	54	14.43	26109	19	0.55	26568	11	2.47	27150	19	0.38	28114	21	4.06
17070	17	3.81	22306	54	14.43	26110	19	0.88	26572	11	4.01	27152	19	0.38	28200	21	0.39
17072	17	4.56	22307	54	14.43	26111	19	1.44	26576	11	5.90	27154	19	0.49	28201	21	0.39
17074	17	5.43	22308	54	14.43	26112	19	1.44	26702	18	1.54	27156	19	0.49	28202	21	0.27
17076	17	6.62	22309	54	14.43	26113	19	2.50	26703	18	1.54	27158	19	0.55	28203	21	0.27
17078	17	11.00	22310	54	14.43	26114	19	3.94	26704	18	1.54	27160	19	0.55	28204	21	0.30
17080	17	11.00	22311	54	14.43	26200	19	0.38	26705	18	1.58	27162	19	0.88	28205	21	0.30
17084	17	15.64	22312	54	14.43	26201	19	0.38	26706	18	1.80	27164	19	0.88	28206	21	0.36
17086	17	23.77	22313	54	14.43	26202	19	0.26	26707	18	1.86	27166	19	1.44	28207	21	0.36
17088	17	30.02	22314	54	14.43	26203	19	0.26	26708	18	1.86	27168	19	1.44	28208	21	0.39
17092	17	12.68	22350	54	14.43	26204	19	0.29	26709	18	1.93	27170	19	2.50	28209	21	0.39
17095	17	34.83	22352	54	14.43	26205	19	0.29	26710	18	2.19	27172	19	2.50	28210	21	0.57
17099	17	20.80	22354	54	14.43	26206	19	0.36	26711	18	2.65	27174	19	3.94	28211	21	0.92
17146	19	7.45	22356	54	14.43	26207	19	0.36	26712	18	3.09	27176	19	3.94	28212	21	0.92
17147	19	0.88	22360	54	14.43	26208	19	0.38	26713	18	4.78	27178	19	8.82	28213	21	1.48
17148	19	0.88	22364	54	14.43	26209	19	0.38	26714	18	6.76	27180	19	8.82	28214	21	2.57
17149	19	0.52	22368	54	14.43	26210	19	0.55	26749	18	1.54	27902	20	1.08	28247	21	0.39



# Part Number Index

PART#	PG#	LIST EA	PART#	PG#	LIST EA	PART#	PG#	LIST EA	PART#	PG#	LIST EA	PART#	PG#	LIST EA	PART#	PG#	LIST EA
28248	21	0.39	31456	50	7.25	31809	23	3.04	32745	23	2.34	33286	49	11.80	33909	25	4.38
28249	21	0.27	31460	50	7.25	31810	23	1.69	32750	23	2.64	33288	49	12.94	33910	25	4.38
28250	21	0.27	31464	50	7.45	31815	23	1.76	32755	23	4.51	33291	49	22.25	33915	25	4.65
28252	21	0.30	31468	50	7.66	31820	23	1.82	32760	23	6.31	33293	49	23.81	33920	25	5.13
28254	21	0.30	31470	50	7.87	31825	23	1.94	32806	23	3.05	33295	49	28.98	33945	25	33.74
28256	21	0.36	31472	50	8.07	31827	23	1.99	32807	23	2.74	33297	49	40.37	34008	51	10.45
28258	21	0.39	31474	50	8.28	31830	23	2.23	32808	23	2.74	33298	49	55.17	34009	51	10.45
28260	21	0.39	31476	50	8.69	31832	23	19.15	32809	23	2.74	33299	49	53.87	34010	51	10.45
28262	21	0.57	31480	50	9.94	31834	23	16.51	32810	23	1.29	33406	16.24	4.55	34015	51	9.47
28264	21	0.57	31484	50	10.35	31840	23	2.40	32815	23	1.40	33407	16.24	4.22	34020	51	9.47
28266	21	0.92	31486	50	12.42	31845	23	3.27	32820	23	1.50	33408	16.24	4.22	34025	51	9.52
28268	21	0.92	31487	50	50.09	31850	23	4.10	32825	23	1.76	33409	16.24	4.22	34027	51	9.57
28270	21	1.48	31488	50	13.97	31855	23	6.15	32827	23	1.76	33410	16.24	2.23	34030	51	9.94
28272	21	1.48	31607	50	7.25	31860	23	8.08	32830	23	1.97	33415	16.24	2.28	34032	51	44.56
28274	21	2.57	31609	50	7.45	32000	51	36.23	32840	23	2.17	33420	16.24	2.40	34040	51	10.97
28276	21	2.57	31610	50	7.87	32007	51	10.34	32845	23	2.74	33425	16.24	2.51	34099	51	50.30
28278	21	5.53	31611	50	8.12	32008	51	10.34	32850	23	3.36	33427	16.24	2.75	34405	25	3.52
28280	21	5.53	31612	50	9.26	32009	51	10.34	32855	23	5.38	33430	16.24	2.79	34406	25	3.52
29147	21	0.51	31613	50	9.47	32010	51	10.34	32860	23	7.13	33440	16.24	2.93	34407	25	3.52
29148	21	0.51	31614	50	10.92	32015	51	9.26	33009	37	5.03	33607	49	6.78	34408	25	3.52
29149	21	0.35	31616	50	14.85	32020	51	9.16	33010	37	5.27	33609	49	6.78	34409	25	3.52
29150	21	0.39	31617	50	17.03	32025	51	9.16	33015	37	5.61	33610	49	7.04	34410	25	3.52
29152	21	0.39	31618	50	18.68	32027	51	9.26	33020	37	5.85	33611	49	7.30	34415	25	3.52
29154	21	0.50	31619	50	24.79	32030	51	9.26	33025	37	6.09	33612	49	7.56	34420	25	3.52
29156	21	0.50	31645	50	48.39	32037	51	72.97	33027	37	6.44	33613	49	8.69	34445	25	28.05
29158	21	0.57	31656	50	7.25	32038	51	52.99	33030	37	6.78	33614	49	10.04	34505	42	5.85
29160	21	0.57	31660	50	7.45	32040	51	10.30	33034	37	52.63	33616	49	13.77	34506	42	4.56
29162	21	0.90	31664	50	7.87	32045	51	10.35	33040	37	7.61	33617	49	15.58	34507	42	4.44
29164	21	0.90	31668	50	8.44	32047	51	10.51	33045	37	8.49	33618	49	17.23	34508	42	4.44
29166	21	1.48	31670	50	9.47	32050	51	10.66	33050	37	9.94	33619	49	22.72	34509	42	4.79
29168	21	1.48	31672	50	10.25	32055	51	11.13	33055	37	12.88	33645	49	49.16	34510	42	5.03
29170	21	2.57	31674	50	10.30	32060	51	12.21	33200	49	46.58	33646	49	40.52	34515	42	5.14
29172	21	2.57	31676	50	11.23	32070	51	20.70	33207	49	6.62	33656	49	6.73	34520	42	5.61
29174	21	4.06	31680	50	14.18	32080	51	21.22	33209	49	6.62	33660	49	6.73	34525	42	6.20
29176	21	4.06	31684	50	15.32	32090	51	31.05	33210	49	6.78	33664	49	7.09	34527	42	7.13
29178	21	9.08	31686	50	20.08	32406	16.24	5.07	33211	49	6.83	33668	49	7.61	34530	42	8.42
29180	21	9.08	31687	50	55.32	32407	16.24	4.68	33212	49	6.99	33670	49	8.59	34532	42	40.26
30298	49	126.48	31688	50	24.74	32408	16.24	4.68	33213	49	7.30	33672	49	9.26	34534	42	46.78
30299	49	123.94	31705	23	2.93	32409	16.24	4.68	33214	49	7.87	33674	49	10.30	34540	42	9.18
30445	50	102.31	31706	23	2.93	32410	16.24	2.58	33216	49	8.90	33676	49	10.30	34545	42	9.26
30487	50	116.02	31707	23	2.64	32415	16.24	2.69	33217	49	9.30	33680	49	13.09	34550	42	10.28
30645	49	114.47	31708	23	2.64	32420	16.24	2.80	33218	49	10.30	33684	49	14.13	34555	42	11.46
30646	49	97.19	31709	23	2.64	32425	16.24	2.93	33219	49	12.47	33686	49	18.68	34560	42	13.11
30799	51	108.16	31710	23	1.46	32427	16.24	3.04	33220	49	14.75	33688	49	23.18	34706	25	3.67
30845	50	113.02	31715	23	1.52	32430	16.24	3.34	33221	49	22.25	33806	43	7.62	34707	25	3.67
30887	50	126.89	31720	23	1.64	32432	16.24	29.24	33223	49	23.81	33807	43	7.62	34708	25	3.67
31037	51	151.83	31725	23	1.69	32434	16.24	25.00	33225	49	28.98	33808	43	7.62	34709	25	3.67
31038	51	118.46	31727	23	1.76	32440	16.24	3.45	33229	49	36.74	33809	43	7.85	34710	25	3.67
31407	50	7.25	31730	23	1.87	32705	23	2.64	33231	49	45.54	33810	43	7.85	34715	25	3.67
31409	50	7.30	31732	23	16.66	32706	23	2.64	33233	49	51.74	33815	43	8.01	34720	25	3.67
31410	50	7.45	31734	23	14.39	32707	23	2.34	33256	49	6.57	33820	43	10.06	34745	25	29.29
31411	50	7.50	31737	23	30.17	32708	23	2.34	33260	49	6.62	33825	43	10.12	35006	25	3.73
31412	50	7.66	31740	23	2.10	32709	23	2.34	33264	49	6.78	33827	43	12.00	35007	25	3.73
31413	50	8.02	31745	23	2.58	32710	23	1.35	33268	49	7.04	33830	43	14.33	35008	25	3.73
31414	50	8.44	31750	23	2.93	32715	23	1.35	33270	49	7.19	33832	43	66.65	35009	25	4.22
31416	50	9.83	31755	23	4.98	32720	23	1.46	33272	49	7.30	33834	43	85.39	35010	25	4.22
31417	50	10.30	31760	23	7.02	32725	23	1.52	33274	49	7.92	33840	43	15.49	35015	25	4.43
31418	50	11.13	31806	23	3.39	32727	23	1.58	33276	49	7.92	33906	25	3.89	35020	25	4.92
31419	50	13.51	31807	23	3.04	32730	23	1.69	33280	49	9.26	33907	25	3.89	35045	25	32.55
31445	50	42.95	31808	23	3.04	32740	23	1.87	33284	49	9.63	33908	25	3.89	37902	20	1.35



# Part Number Index

PART#	PG#	LIST EA															
37903	20	1.35	38116	21	9.26	38414	45	7.25	39172	21	2.90	43409	50	13.20	43856	50	13.40
37904	20	1.35	38117	21	10.30	38415	45	7.25	39174	21	4.51	43410	50	13.40	43860	50	13.87
37905	20	1.41	38118	21	14.81	38416	45	7.25	39176	21	4.51	43411	50	13.51	43864	50	14.23
37906	20	1.61	38119	21	19.95	38432	45	6.57	39178	21	9.26	43412	50	13.66	43868	50	15.06
37907	20	1.68	38136	21	12.68	38435	45	6.57	39180	21	9.26	43413	50	14.18	43870	50	15.58
37908	20	1.68	38137	21	16.72	38460	45	6.37	39184	21	10.30	43414	50	14.70	43872	50	16.09
37909	20	1.73	38138	21	8.95	38464	45	6.37	39186	21	14.15	43445	50	86.11	43874	50	16.35
37910	20	2.00	38200	21	0.65	38466	45	6.37	39188	21	18.66	43456	50	13.14	43876	50	17.49
37911	20	2.39	38201	21	0.65	38468	45	6.37	39192	21	9.94	43460	50	13.14	43887	50	110.64
37912	20	2.76	38202	21	0.45	38470	45	6.57	39195	21	28.26	43464	50	13.40	43913	50	14.70
37913	20	4.38	38203	21	0.45	38472	45	6.57	39199	21	15.84	43468	50	13.71	43914	50	15.27
37914	20	6.18	38204	21	0.51	38474	45	6.57	40602	39	2.91	43470	50	13.71	43916	50	17.13
37915	20	11.32	38205	21	0.51	38476	45	7.25	40603	39	3.12	43472	50	14.23	43917	50	17.75
37916	20	14.15	38206	21	0.54	38478	45	7.25	40604	39	3.31	43474	50	14.54	43918	50	18.89
37917	20	18.01	38207	21	0.54	38480	45	7.25	40605	39	3.46	43476	50	15.06	43919	50	23.75
37918	20	20.59	38208	21	0.57	38482	45	7.25	40606	39	3.48	43480	50	16.55	43980	50	17.13
37919	20	30.88	38209	21	0.57	38602	41	3.52	40607	39	3.63	43487	50	99.83	43984	50	17.75
37936	20	20.54	38210	21	0.71	38603	41	3.85	40608	39	3.89	43507	49	12.52	43986	50	19.92
37937	20	26.34	38211	21	1.10	38604	41	4.38	40609	39	4.12	43509	49	12.52	43988	50	23.75
37938	20	16.46	38212	21	1.10	38605	41	4.38	40610	39	5.36	43510	49	12.89	44007	51	17.13
38046	20	9.73	38213	21	1.73	38606	41	4.51	40611	39	5.69	43511	49	13.20	44008	51	17.13
38049	20	1.35	38214	21	2.90	38607	41	4.51	40612	39	7.12	43512	49	13.61	44009	51	17.13
38050	20	1.35	38215	21	5.92	38608	41	5.41	40613	39	8.39	43513	49	14.18	44010	51	17.13
38052	20	1.35	38216	21	5.92	38609	41	5.41	40614	39	9.88	43514	49	14.80	44015	51	15.16
38054	20	1.41	38217	21	7.45	38610	41	7.09	40649	39	2.90	43613	49	15.53	44020	51	14.85
38056	20	1.61	38218	21	9.66	38611	41	8.09	40650	39	3.18	43614	49	16.87	44025	51	14.85
38058	20	1.73	38219	21	14.92	38612	41	8.09	40652	39	3.48	43616	49	20.65	44027	51	15.16
38060	20	1.73	38236	21	8.95	38613	41	12.37	40654	39	3.51	43617	49	22.51	44030	51	15.16
38062	20	2.00	38237	21	11.95	38614	41	14.27	40656	39	3.54	43618	49	24.17	44037	51	135.64
38064	20	2.17	38238	21	7.40	38615	41	25.86	40660	39	4.26	43619	49	30.58	44038	51	102.21
38066	20	2.57	38246	21	6.20	38616	41	30.23	40664	39	5.52	43645	49	98.27	44240	51	17.03
38068	20	2.90	38247	21	0.65	38632	41	33.48	40668	39	6.31	43646	49	80.94	44245	51	17.23
38070	20	3.92	38248	21	0.65	38637	41	81.04	40672	39	9.27	43656	49	12.16	44247	51	17.49
38072	20	4.70	38249	21	0.45	38649	41	3.52	40676	39	10.56	43660	49	12.21	44250	51	17.75
38074	20	5.59	38250	21	0.45	38650	41	3.85	43207	49	12.16	43664	49	12.58	44255	51	18.68
38076	20	6.88	38252	21	0.49	38652	41	4.38	43209	49	12.16	43668	49	13.14	44260	51	20.69
38078	20	11.32	38254	21	0.49	38654	41	4.38	43210	49	12.37	43670	49	14.18	44608	51	17.28
38080	20	11.32	38256	21	0.54	38656	41	4.51	43211	49	12.42	43672	49	15.53	44609	51	17.28
38084	20	16.09	38258	21	0.57	38660	41	5.41	43212	49	12.52	43674	49	16.87	44610	51	17.28
38086	20	24.45	38260	21	0.57	38664	41	7.09	43213	49	12.89	43676	49	16.87	44615	51	15.47
38088	20	30.88	38262	21	0.71	38668	41	8.09	43214	49	13.40	43680	49	21.32	44620	51	15.47
38092	20	13.04	38264	21	0.71	38672	41	12.37	43216	49	15.01	43684	49	22.56	44625	51	15.58
38095	20	35.81	38266	21	1.10	38676	41	14.27	43217	49	15.42	43686	49	28.20	44627	51	15.68
38099	20	21.32	38268	21	1.10	38686	41	30.95	43218	49	16.40	43688	49	33.90	44630	51	16.04
38100	21	0.90	38270	21	1.73	38699	41	66.86	43219	49	21.22	43716	50	22.51	44632	51	82.18
38101	21	0.90	38272	21	1.73	39146	21	7.71	43256	49	12.11	43717	50	24.53	44640	51	18.27
38102	21	0.54	38274	21	2.90	39147	21	0.90	43260	49	12.16	43718	50	29.76	44699	51	91.96
38103	21	0.57	38276	21	2.90	39148	21	0.90	43264	49	12.47	43719	50	36.69	45204	34	3.58
38104	21	0.57	38278	21	5.92	39149	21	0.54	43268	49	12.73	43780	50	22.82	45205	34	3.58
38105	21	0.71	38280	21	5.92	39150	21	0.57	43270	49	12.94	43784	50	24.27	45206	34	3.64
38106	21	0.71	38284	21	7.72	39152	21	0.57	43272	49	13.04	43786	50	29.76	45207	34	4.10
38107	21	0.71	38286	21	9.00	39154	21	0.71	43274	49	13.61	43788	50	36.69	45208	34	4.33
38108	21	0.84	38288	21	14.92	39156	21	0.71	43276	49	13.61	43807	50	13.40	45209	34	4.62
38109	21	0.84	38292	21	7.56	39158	21	0.84	43280	49	14.90	43809	50	13.87	45210	34	5.03
38110	21	1.22	38299	21	11.07	39160	21	0.84	43284	49	15.89	43810	50	14.23	45211	34	5.25
38111	21	1.73	38409	45	6.37	39162	21	1.22	43286	49	18.06	43811	50	14.59	45212	34	5.84
38112	21	1.73	38410	45	6.37	39164	21	1.22	43288	49	21.53	43812	50	15.06	45213	34	9.06
38113	21	2.90	38411	45	6.37	39166	21	1.73	43298	49	110.28	43813	50	16.77	45214	34	9.99
38114	21	4.51	38412	45	6.37	39168	21	1.73	43299	49	107.69	43814	50	18.22	45216	34	20.16
38115	21	9.26	38413	45	6.57	39170	21	2.90	43407	50	12.99	43845	50	96.82	45252	34	3.64

# Part Number Index

PART#	PG#	LIST EA	PART#	PG#	LIST EA												
45254	34	3.64	48368	16	4.33	50422	47	26.91	72809	23	4.10	75114	32	11.83	75954	10	1.46
45256	34	4.05	48372	16	4.38	50426	47	26.91	72810	23	2.05	75146	32	47.82	75956	10	1.67
45260	34	4.62	48376	16	5.36	50431	47	26.91	72815	23	2.34	75148	32	40.88	75960	10	1.76
45264	34	4.98	48386	16	24.53	53109	31	5.91	72820	23	2.45	75160	32	6.07	75964	10	2.23
45268	34	6.25	48409	45	7.04	53110	31	6.19	72825	23	2.64	75164	32	7.06	75968	10	2.95
45272	34	9.45	48410	45	7.04	53111	31	7.25	72827	23	2.69	75168	32	7.69	75972	10	4.02
45276	34	10.38	48411	45	7.04	53112	31	7.42	72830	23	2.98	75172	32	10.99	75976	10	5.55
46405	36	2.40	48412	45	7.04	53113	31	11.00	72840	23	3.27	75176	32	11.95	193102	40	10.51
46406	36	2.46	48413	45	7.25	53114	31	12.04	72845	23	4.44	75509	42	7.62	193103	40	10.51
46407	36	2.46	48414	45	7.92	53160	31	6.18	72850	23	5.55	75510	42	7.95	193104	40	10.51
46408	36	2.67	48415	45	7.92	53164	31	6.99	72855	23	8.31	75515	42	8.18	193105	40	10.51
46409	36	2.79	48416	45	7.92	53168	31	7.64	72860	23	10.87	75520	42	8.89	193106	40	10.51
46410	36	3.25	48432	45	7.25	53172	31	11.16	74009	37	8.01	75525	42	9.82	193107	40	10.51
46411	36	4.06	48435	45	7.25	53176	31	12.13	74010	37	8.42	75527	42	11.34	193108	40	10.62
46412	36	4.66	48445	45	37.88	53205	31	4.48	74015	37	8.94	75530	42	13.46	193109	40	10.88
46413	36	7.91	48460	45	7.04	53206	31	4.76	74020	37	9.36	75534	42	81.87	193110	40	12.00
46414	36	9.87	48464	45	7.04	53207	31	5.11	74025	37	9.71	75540	42	14.62	193111	40	12.05
46438	36	45.27	48466	45	7.04	53208	31	5.38	74027	37	10.29	75545	42	15.20	193112	40	12.96
46452	36	2.82	48468	45	7.04	53252	31	5.01	74030	37	10.83	75550	42	16.97	193113	40	14.08
46454	36	2.82	48470	45	7.25	53254	31	5.01	74034	37	80.52	75555	42	18.95	193114	40	15.72
46456	36	2.82	48472	45	7.25	53256	31	5.38	74040	37	12.17	75560	42	20.94	193115	40	17.26
46460	36	3.21	48474	45	7.25	69499	5	25.72	74045	37	13.57	75702	10	1.61	193116	40	19.12
46464	36	3.95	48476	45	7.92	69600	7	61.48	74050	37	15.91	75703	10	1.61	193150	40	10.51
46468	36	4.66	48478	45	7.92	69637	5	35.76	74055	37	17.54	75704	10	1.61	193152	40	10.51
46472	36	8.01	48480	45	7.92	69699	5	28.98	74602	40	2.89	75705	10	1.68	193154	40	10.51
46476	36	10.23	48482	45	7.92	71306	53	6.54	74603	40	3.07	75706	10	1.90	193156	40	10.51
46487	36	39.00	48492	45	37.88	71307	53	6.54	74604	40	3.27	75707	10	1.99	193160	40	10.88
46505	36	2.57	48496	45	37.88	71308	53	6.54	74605	40	3.43	75708	10	1.99	193164	40	12.00
46506	36	2.61	50004	47	36.23	71309	53	6.54	74606	40	3.54	75709	10	2.06	193168	40	12.96
46507	36	2.61	50005	47	36.23	71310	53	6.54	74607	40	3.61	75710	10	2.40	193172	40	14.08
46508	36	2.90	50008	47	36.23	71311	53	6.54	74608	40	3.87	75711	10	2.88	193176	40	15.72
46509	36	3.08	50010	47	36.23	71312	53	6.54	74609	40	4.10	75712	10	3.15			
46510	36	3.64	50012	47	36.23	71313	53	8.06	74610	40	5.31	75713	10	4.35			
46511	36	4.60	50017	47	36.23	71314	53	10.16	74611	40	5.82	75714	10	5.68			
46512	36	5.40	50026	47	36.23	71354	53	6.54	74612	40	7.07	75749	10	1.61			
46513	36	8.74	50102	47	9.32	71356	53	6.54	74613	40	8.18	75750	10	1.61			
46514	36	11.07	50103	47	9.32	71360	53	6.54	74614	40	9.59	75752	10	1.61			
46538	36	43.06	50104	47	9.32	71364	53	6.54	74632	40	28.57	75754	10	1.72			
46552	36	3.00	50105	47	9.32	71368	53	6.54	74637	40	66.71	75756	10	1.95			
46554	36	3.04	50106	47	9.32	71372	53	8.06	74649	40	2.89	75760	10	2.06			
46556	36	3.08	50107	47	9.32	71376	53	10.29	74650	40	3.14	75764	10	2.63			
46560	36	3.52	50125	47	15.99	71615	53	8.07	74652	40	3.43	75768	10	3.26			
46564	36	4.33	50150	47	9.32	71620	53	8.07	74654	40	3.47	75772	10	4.57			
46568	36	5.15	50152	47	9.32	71625	53	8.07	74656	40	3.60	75776	10	6.19			
46572	36	17.80	50154	47	9.32	71627	53	8.07	74660	40	4.25	75902	10	1.31			
46576	36	11.39	50156	47	9.32	71630	53	8.07	74664	40	5.54	75903	10	1.31			
46587	36	49.93	50205	47	9.32	71640	53	8.07	74668	40	6.29	75904	10	1.31			
48305	16	3.84	50206	47	9.32	71809	23	4.55	74672	40	8.99	75905	10	1.43			
48307	16	3.89	50207	47	9.32	71810	23	2.59	74676	40	10.23	75906	10	1.64			
48309	16	4.00	50208	47	9.32	71815	23	2.64	74686	40	24.22	75907	10	1.69			
48310	16	4.06	50209	47	9.32	71820	23	2.74	74699	40	51.75	75908	10	1.69			
48311	16	4.16	50210	47	9.32	71825	23	2.90	74937	10	29.81	75909	10	1.76			
48312	16	4.33	50215	47	9.32	71827	23	2.95	74938	10	18.62	75910	10	2.02			
48313	16	4.38	50404	47	26.91	71830	23	3.36	74992	10	14.75	75911	10	2.58			
48314	16	5.36	50405	47	26.91	71834	23	24.84	74999	10	24.17	75912	10	2.83			
48332	16	34.05	50408	47	26.91	71840	23	3.62	75109	32	5.80	75913	10	3.82			
48354	16	3.84	50409	47	26.91	71845	23	4.92	75110	32	6.19	75914	10	5.07			
48356	16	3.89	50410	47	26.91	71850	23	6.16	75111	32	7.31	75949	10	1.31			
48360	16	4.00	50412	47	26.91	71855	23	9.26	75112	32	7.47	75950	10	1.31			
48364	16	4.06	50417	47	26.91	71860	23	12.11	75113	32	10.85	75952	10	1.31			

